

## الأبحاث العلمية لقسم البساتين فرع الفاكهة

### **List of Publication Prof. Dr. Faissal Fadel Ahmed Hassan**

1. Ahmed, F. F.; Hammam, M. S. and Mayaz, M. (1997): Adjusting the appropriate times for the addition of N, P and K in Williams bananas. Egypt J. Appl. Sci., 12 (9): **307-315**
2. Ahmed, F.F.; Hammam, M. S. and Mayaz, M. (1998): Fruiting of Williams banana, in response to application of gibberelic acid and sleeving. J. Agric. Sci. Mansoura Univ. 22 (8): 2701-2706.
3. Abd-Elaal, A. H. and Ahmed, F. F. (2000): The necessity of potassium for Flame seedless grapevines, irrigated with saline water. The Fifth Arabian Horticulture Conf., Ismailia, Egypt, March, 24-28, 2001:75-82.
4. Ahmed, F. F.; Abd-Elaal, A. H. and Ali-Mervet, A. (2000): A comparative study for using farmyard manure and filter mud on Flame seedless grapevines growing in sandy soils. The 2<sup>nd</sup> Scientific conference of agricultural Sciences, Assiut, October, 28-30 Vol 1: 277-284.
5. Ibrahiem, T. A.; Ahmed, F. F. and Abo El-Komsan, E. A. (2000): Response of Balady mandarin trees grown on sandy soil to spraying active dry yeast and some macronutrients. Assiut J. of Agric. Sci. Vol. 31, No. 5.
6. Ahmed, F. F.; Abd El-Hady, M. A.; Mansour, A. E. M. and Ebrahim-Alia, H. (2001): A comparative study of some grapevine cultivars grown under climatic conditions of Minia region. 5<sup>th</sup> Arabian Hort. Conf. Ismailia, Egypt. March 24-28, 2001, pp 35-45.
7. Ahmed, F. F.; Abd El-Hady, M. A.; Mansour, E. M. and Ebrahim Alia, H. (2001): A comparative study on some grapevine cultivars grown under climatic conditions of minia region. The fifth Arabian Hort. Conf. Ismailia, Egypt 24-28 March, 35-46
8. Darwish, O. H. Ahmed, F. F. and Ibrahiem, T. A. (2001): Response of Balady mandarin trees grown on reclaimed sandy soil to sulphur. International Symposium on Elemental Sulphur for Agronomic Applications and Desert Greening
9. Darwish, O. H. and Ahmed, F. F. (2001): Response of Baladi mandarin trees grown on new reclaimed sandy soil to sulphur. International Symposium on Elemental Sulphur Applications and Desert Greening. 24-25 Feb. Abu Dhabi, United Arab Emirates.
10. Ahmed F. F. and Hassan, H. A. (2003): Possibility of resusing the agricultural drainage water and its effect on growth and nutrient uptake by superior grapevines. Transplants. First Egyptian & Syrian Conf. titled as Agriculture and nutrition in the Arab world, Drawbacks and future Prospects, 8-11 Dec. Minia Univ. Egypt.

11. Ahmed, F.F.; Mansour, A.E.M.; Khalil-Fekrya, H. and Fouad-Amera, A. (2003): Fruiting of Anna apple trees as influenced by some boron, magnesium, vitamins B complex and citric acid treatments. First Egyptian & Syrian Conf. titled as Agriculture and Nutrition in the Arab World, Drawbacks and Future Prospects, 8-11 Dec. Minia Univ. Egypt.
12. Ahmed, F.F.; Abdalla, A.S. and Sabour-Asmaa, M.T. (2003): Growth and fruiting of Williams banana as affected by some antioxidants and biofertilizer treatments. Minia J. of Agric. Res. and Develop. 23(1): 51-68.
13. النمو والاثمار فى الموز والليماز وتأثرهما ببعض معاملات التسميد الحيوى ومضادات الأكسدة
14. Ahmed, F.F.; Ahmed, A.M. and Khalil-Fekrya, H. (2003): Response of Zebda mango trees to fertilization with some organic N sources. Conf. Organic Foods Production and Development Aleppo Univ., Syria 10-12 March.
15. Gobara, A.A. and Ahmed, F.F. (2004): Response of Zaghloul date palms to application of some biofertilizers. The second International Conference on Date Palm. Suez Canal Univ., El Arish, North Sinai, Egypt. 6-8 Oct.
16. Foud, M.S.; Ahmed, F.F. and Abd El-Naem, G.F. (2004): Effect of different colors of packing material and some organic acids against *Cryzaeplilus surinamensis L.* infesting dates. The second International Conferenece on Date Palm. Suez Canal Univ., El Arish, North Sinai, Egypt. 6-8 Oct
17. Mansour, A.E.M.; Ahmed, F.F. and Mohamed, A.Y. (2004): Effect of bio and organic source of N as partial substitute for mineral fertilizer on fruiting of Sewy date palms. Egypt J. Agric. Res. 2(2): 611-636.
18. Wassel, A. M.; Eid, A. M. and Ahmed, F. F. (1985): Yield and quality of Roomy Red grapes as influenced by Alar concentrations and dates of spraying and pinching (*Vitis vinifera L.*). Minia J. Agric. Res. & Dev. Vol. 7, No. 3: 879-895.
19. Wassel, A. M.; Eid, A. M. and Ahmed, F. F. (1985): Vegetative growth of Roomy Red grapevines as influenced by Alar concentrations and time of applications (*Vitis vinifera L.*). Minia J. Agric. Res. & Dev. Vol. 7, No. 3: 859-878.
20. Maatouk, N. A.; Ahmed, F. F.; El-Sayed, M. A. and Kreim, H. M. (1988): The effect of micronutrients foliar fertilization on vegetative growth of Banaty grapevines. Al-Azhar J. Agric. Res. Vol. (9): 17-30.
21. Ahmed, F. F.; Kreim, H. M.; El-Sayed, M. A. and Maatouk, N. A. (1988): The effect of foliar application of some micronutrients on yield and berries quality of White Banaty seedless grapevines. Al-Azhar J. Agric. Res. Vol. (9): 33-42.

22. Ahmed, F. F.; El-Sayed, M. A. and Assy, K. G. (1988): Influence of ethrel concentrations, number of applications and time of spraying on ripening and quality of White Banaty seedless grapevines (*Vitis Vinifera* L.). Proc 2nd Hort. Sci. Conf. Tanta Univ., Sept. Vol. (1): 297-310.
23. Ahmed, F. F. (1988): Cracking, yield and quality of Red Roomy grapes as influenced by calcium chloride and naphthalene acetic acid (*Vitis vinifera* L). Minia. J. Agric. Res. & Dev. 10 (2): 811-829.
24. Ahmed, F. F. (1988): Effect of gibberellic acid concentrations, number of applications and time of spraying on yield and ripening of White Banaty seedless grapes (*Vitis Vinifera* L.). Minia. J. Agric. Res. & Dev. 10 (2): 791-810.
25. Maatouk, M. A.; Ahmed, F. F. and El-Sayed M. A. (1988): Response of Red Roomy grapevines to nitrogen application I- Vegetative growth and leaf composition. Annals Agric. Sci., Fac. Agric., Ain Shams Univ., 33 (1): 435-449.
26. Ahmed, F. F.; El-Sayed, M. A. and Maatouk, M. A. (1988): Response of Red Roomy grapevines to nitrogen application. II- Yield and berries quality. Annals Agric. Sci. Fac. Agric., Ain Shams Univ. Cairo Egypt 33 (1): 451-469.
27. Ahmed, F. F.; Rabie, M. H.; Abdel-Latief, E. A.; Osman, A. O. and Assy, K. G. (1988): Effect of foliar application of urea and potassium sulphate on cracking, shot berries and productivity of Red Roomy grapevines (*Vitis Vinifera* L.). Accepted for publication in Agric. Res. Rev. Dokki, Cairo, Egypt.
28. Mohamed, M. A.; Ahmed, F. F. and Darwish, O. H. (1991): Response of Red Roomy grapevines to soil and foliar application of phosphorus. Alex. Sci. Exch., Vol. 12, No. 3 : 37-52.
29. Ahmed, F. F. and Darwish, O. H. (1991): The potential effect of calcium on the tolerance of Red Roomy grape (*Vitis Vinifera* L.) seedlings to boron. Alex. Sci Exch. 12, No. 4: 40-52.
30. Ahmed, F. F.; Mohamed, M. A. and Darwish, O. H. (1991): Promotion of the yield and quality of Red Roomy grapevines by foliar application of boron. Alex. Sci Exch. 12, No. 2, 249
31. Assy, K. G.; Ahmed, F. F.; El-Sayed, M. A. and Darwish, O. H. (1991): Red Roomy grapevines (*Vitis Vinifera* L.) as affected by soil application of different forms of potassium. Minia. J. Agric. Res. & Dev. 13 (2): 663-674.

32. Ahmed, F. F.; El-Sayed, M. A. and Mohamed, M. A. (1991): Effect of soil application of some sulphur containing fertilizers on the yield and quality of Red Roomy grapevines. *Minia. J. Agric. Res. & Dev.* 13 (2): 633-648.
33. Tantawy, M. M.; Ahmed, F. F. and Mohamed, M. A. (1991): Efficiency of certain herbicidal treatments on weeds as well as growth and yield of Red Roomy grapevines. *Minia. J. Agric. Res. & Dev.* 13 (1): 245-262.
34. Ahmed, F. F.; Abdel-Aziz, F. H. and Mohamed, M. A. (1991): Improving the quality of White Banaty grapes treated with GA3 by some micro and macro nutrients. I. Effect of some micronutrients. *Minia. J. Agric. Res. & Dev.* 13 (2): 649-662.
35. Mohamed, M. A.; Ahmed, F. F. and Abdel-Aziz, F. H. (1991): Improving the quality of White Banaty grapes treated with GA3 by some micro and macro nutrients. II. Effect of some macronutrients. *Minia. J. Agric. Res. & Dev.* 13 (2): 695-705.
  
36. Ahmed, F. F. and Hassan, H. M. (1991): Effect of some plant growth substances on the infection of Red Roomy seedlings with Root-Knot nematode (*Meloidogyne incognita*). *Minia. J. Agric. Res. & Dev.* 14 (2): 373-382.
37. El-Dawwey, G. M. and Ahmed, F. F. (1992): Efficiency of spraying certain potassium sources on Red Roomy grapevines. *Minia J. of Agric. Res. & Dev.* 14 (2): 810-824.
38. Ahmed, F. F. and El-Dawwey, G. M. (1992): Did urea-formaldehyde is really more effective on Red Roomy grapevines than urea the traditionally fast-release fertilizer. *Minia J. Agric. Res. & Dev.* Vol. 14 (Accepted for publication).
39. El-Dawwey, G. M. and Ahmed, F. F. (1992): Growth and uptake of some nutrients by Red Roomy vine seedlings grown in sandy calcareous soil as affected by the application of basic slag and sewage sludges. *Resumes des Premieres Jounees Scientifiques Israelo Arabes Paris 3 an 7 Avril, 1995.*
40. 23-Ahmed, F. F. and El-Dawwey, G. M. (1992): Depressing cluster looseness as well as shot and cracked berries of Red Roomy grapevines by spraying potassium nitrate and boric acid. *Minia J. Agric. Res. & Dev.* 14 (2): 825-840.
41. Ahmed, F. F. and El-Dawwey, G. M. (1992): What type of saline water could Red Roomy grapevine seedlings tolerate and at which concentration? I. Growth and leaf chemical composition. *Minia J. of Agric. Res. & Dev.* 14 (1): 65-81.
42. El-Dawwey, G. M. and Ahmed, F. F. (1992): What type of saline water could Red Roomy grapevine seedlings tolerate and at which concentration? II. Uptake of some nutrients. *Minia J. of Agric. Res. & Dev.* 14 (2): 810-824.

43. Ahmed, F. F. and El-Dawwey, G. M. (1992): Response of Red Roomy grapevines to foliage spraying with molybdenum. *Egypt J. Appl. Sci.*, 7 (12): 337-347.
44. Ahmed, F.F. (1992): Trials on Roomy Red grapevines (*Vitis vinifera* L.) to minimize cluster looseness without adverse effects on fruit quality using some growth retardants and some micronutrients 1- Effect of Paclobutrazol and some micronutrients. *Minia J. Agric. Res. & Dev.* 14 (1) : 19 - 36.
45. Ahmed, F.F. (1992): Trials on Roomy Red grapevines (*Vitis vinifera* L.) to minimize cluster looseness without adverse effects on fruit quality using some growth retardants and some micronutrients II- Effect of mepiquat chloride and some micronutrients. *Minia J. Agric. Res. & Dev.* 14 (1): 1 - 18.
46. Wassel, A. M.; Ahmed, F. F.; El-Sayed, M. A. and Ahmed, K. E. (1993): The effect of Paclobutrazol on Roomy Red grapevines (*Vitis vinifera* L.). I. Bud behaviour and vegetative growth. *Minia First Conf. For Hort. Crops (19-21 Oct.) Part 2- Fruit Crops:* 587-605.
47. Wassel, A. M.; Ahmed, F. F.; El-Sayed, M. A. and Ahmed, K. E. (1993): The effect of Paclobutrazol on Roomy Red grapevines (*Vitis vinifera* L.). II. Leaf chemical components. *Minia First Conf. For Hort. Crops (19-21 Oct.) Part 2- Fruit Crops:* 607-623.
48. Wassel, A. M.; Ahmed, F. F.; El-Sayed, M. A. and Ahmed, K. E. (1993): The effect of Paclobutrazol on Roomy Red grapevines (*Vitis vinifera* L.). III. Fruit set, yield and berries quality. *Minia First Conf. For Hort. Crops (19-21 Oct.) Part 2- Fruit Crops:* 625-640.
49. Ahmed, F. F.; El-Morsy, F. M. and El-Dawwey, G. M. (1993): Productivity and uptake of some nutrients in Banaty grapevines as affected by the relationship between N and Mg. in *J. Agric. Sci., Mansoura Univ.*, 19 (2): 777-786.
50. Darwish, O. H. Ahmed, F. F. (1993): Growth aspects of Red Roomy vine seedlings as affected by nitrogen sources. *J. Agric. Res., Tanta univ.*, 19 (1): 171-178.
51. Akl, A. M.; Ahmed, F. F. and Hassan, H. M. (1993): Susceptibility of some newly introduced grapevine cultivars to infection with Root-knot nematode (*Meloidogyne javanica*) under El-Minia region conditions. *Minia First Conf. For Hort. Crops (19-21 Oct.) Part 2, Fruit crops:* 767-776.
52. Ahmed, F. F. (1993): Physiological studies on the effect of Dormex on Red Roomy grapevines (*Vitis vinifera* L.). *Minia First Conf. For Hort. Crops:* 803-821.
53. Ahmed, F. F. and El-Morsy, F. M. (1993): Improving productivity of Red Roomy grapevines by the application of paclobutrazol and boron. In *J. Agric. Sci., Mansoura Univ.*, 19 (2) : 267-276.

54. Ahmed, F. F. (1993): Evaluation of Centennial and Ruby seedless grapevines in comparison with Roomy Red and White Banaty grapevines under Minia region conditions. Minia First Conf. For Hort. Crops (19-21 Oct.) Part 2- Fruit Crops: 837-852.
55. Ahmed, F. F. (1993): Yield, seeds and fruit properties of Roomy Red grapes as affected by foliar spray with NAA or GA3. Minia First Conf. For Hort. Crops (19-21 Oct.) Part 2- Fruit Crops: 777-786.
56. Akl, A. M.; Eid, A. M.; Ahmed, F. F. and Abd El-all, A. H. (1993): The effect of soil and foliar application of N, P and K on vegetative and fruiting characteristics in White Banaty seedless grapevines. I- vegetative growth and leaf nutrients content. Minia First Conf. For Hort. Crops (19-21 Oct.) Part 2, Fruit crops: 431-451.
57. Akl, A. M.; Eid, A. M.; Ahmed, F. F. and Abd El-all, A. H. (1993): The effect of soil and foliar application of N, P and K on vegetative and fruiting characteristics in White Banaty seedless grapevines. II- Bud behaviour, yield and fruit quality. Minia First Conf. For Hort. Crops (19-21 Oct.) Part 2, Fruit crops: 453-476.
58. El-Morsy, F. M.; Ahmed, F. F. and Abdel-Aziz, F. H. (1993): Benefits of spraying urea and boron for Red Roomy grapevines Minia First Conf. for Hort. Crops (19-21 Oct.) Vol. 3, 1355:1367.
59. Ahmed, F. F.; El-Morsy, F. M. and Abdel-Aziz, F. H. (1993): Using urea and sulphur via leaves to enhance productivity of white Banaty grapevines. Minia First Conf. for Hort. Crops (19-21 Oct.) Vol. 1:3 1369: 1381
60. Ahmed, F. F., Nofal, M. A. and Assy, K. G. (1993): Growth and nutrients uptake of Flame seedless vine seedlings in response to fertilization with some slow and fast release N fertilizers. Minia First Conf. For Hort. Crops (19-21) Oct.: 1383-1394.
61. Mansour Kamla, M.; El-Morsy, F. M.; Ahmed, F. F. and Ali, H. A. (1993): Using Dormex (Hydrogen cyanamide) to promote uniform bud break and improve productivity of Thompson seedless grapevines. Minia First Conf. For Hort. Crops. 1323-1335.
62. Ahmed, F. F.; El-Sayed, M. A.; Mansour, A. E. M. and Ali, A. H. (1993): Evaluation of some newly introduced grapevine cultivars under El-Minia Governorate conditions. Under Publication in Minia J. Agric. Res. & Dev.
63. El-Morsy, F. M. and Ahmed, F. F. (1994): Endogenous hormonal changes during rooting of easy and difficult to root vine cuttings. Under publication in Minia J. Agric. Res. & Dev.

64. Mansour Kamla, M.; El-Morsy, F. M.; Ahmed, F. F. and Ali, A. H. (1994): Using Dormex to promote uniform bud break and improve productivity of Thompson seedless grapevines. Under publication in Minia J. Agric. Res. & Dev.
65. Ahmed, F. F.; Mansour, A. E. M. and El-Shamaa, M. S. (1994): How much sulphur is necessary for Thompson seedless grapevines?. Minia J. Agric. Res. & Dev. Vol. 16 (2): 287-298.
66. Ahmed, F. F. and El-Morsy, F. M. (1994): Improving productivity of Red Roomy grapevines by the application of paclobutrazol and boron. J. Agric. Sci. Mansoura Univ. 19 (2): 767-776
67. Wassel, A. M.; Ahmed, F. F. and Ragab, M. A. (1995): The vegetative growth and yield of Red Roomy grape cv. as affected by the number of application of NPK. Resumes des premieres Journees Scientifiques Israelo-Arabes Paris 3 au 7 Avril 1995.
68. Ahmed, F. F.; Wassel, A. H. and Ragab, M. A. (1995): Effect of different sources of N on Roomy Red grapevines (*Vitis vinifera* L.). Resumes de premieres Journess Scientifique Israelo-Arabes Paris-3 as Avril.
69. Akl, A. M.; Eid, A. M.; Ahmed, F. F. and Ibrahim, H. I. (1995): Effect of mepiquat chloride and some nutrients foliar sprays on Red Roomy grapevines (*Vitis vinifera* L.). I- The effect on yield and some physical properties of berries. Accepted for publication in Minia J. of Agric. Res. & Dev.
70. Akl, A. M.; Eid, A. M.; Ahmed, F. F. and Ibrahim, H. I. (1995): Effect of mepiquat chloride and some nutrients foliar sprays on Red Roomy grapevines (*Vitis vinifera* L.). II- The effect on some chemical properties of the berries. Accepted for publication in Minia J. of Agric. Res. & Dev.
71. Ahmed, F. F.; El-Sayed, M. A.; Abdel-Aziz, F. H. and Ali, A. H. (1995): Use of Thiourea for the improvement of bud burst and productivity of Red Roomy grapevines (*Vitis vinifera* L.) Minia J. of Agric. Res. & Dev. Vol. 17 No. 1 35:41
72. Ahmed, F. F.; Ali, A. H. Abdel-Aziz, F. H. and A. H. El-Sayed, M. A. (1995): Improving bud break and productivity of Red Roomy grapevines by winter spraying of Dormex (Hydrogen cyanamide) and zinc sulphate. Minia J. of Agric. Res. & Dev. Vol. 17 No. 1 : 43-50.
73. Ahmed, F. F.; Ragab, M. A. and Mansour, A. E. M. (1996): A comparative study on the effects of farmyard manure and filter mud for Red Roomy grapevines (*Vitis vinifera* L.). 1st Egypt-Hung. Hort. Conf. Vol. 2: 232-238.

74. Ragab, M. A.; Ahmed, F. F. and El-Dawwey, G. M. (1996): Effect of Rock phosphate and urea-formaldehyde as slow release fertilizers on Red Roomy grapevines (*Vitis vinifera* L.). Egypt Hung. Hort. Conf. Vol. 2: 224-230.
75. Gobara, A. A.; Ahmed, F. F. and Ragab, M. A. (1996): Effect of spraying potassium, boron, sulphur and calcium after berry set of Red Roomy grapevines on yield and quality of berries. Ist Egypt-Hung Hort. Conf. Vol. 233-236.
76. Wassel, A. M.; Ahmed, F. F. and Ragab, M. A. (1996): Physiological studies towards studies towards storing Red Roomy grapes on vines. Proc. Of 4th Arabic Conf. For Hort. Crops part 11 Pomology 705-714
77. Darwish, O. H.; Hanna, L. F.; Maatouk, M. A.; Ahmed. F.F. and Mohamed, G. A. (1996): Enhancing the availability of phosphorus as rock phosphate for Red Roomy grapevines by some materials. 1- Effect on soil properties, growth and nutritional status of the vines. Fourth Arabic Conf. for Hort. Crops, El-Minia Univ., Egypt. Part. II : 923-967.
78. Darwish, O. H.; Hanna, L. F. Maatouk, M. A.; Ahmed. F.F. and Mohamed, G. A. (1996): Enhancing the availability of phosphorus as rock phosphate for Red Roomy grapevines by some materials. 2- Effect on productivity and quality of berries. Fourth Arabic Conf. for Horticultural Crops, El Minia Univ., Egypt Part II : 969-995.
79. Wassel, A. M.; Mansour, A. E. M.; Ahmed, F. F. and Ragab, M. A. (1996): Extending the storage of Red Roomy grapes on vines by foliar application of potassium and boron. Fourth Arabic. Conf. for Hort. Crops, Part II Pomology, pp. 815-824.
80. Akl, A. M.; Wassel, A. M.; Ahmed, F. F. and Abdel-Hady, M. A. (1996): Effect of foliar application of urea and boric acid on Red Roomy grapevines. I- The effect on behaviour of buds, growth and vine nutritional status. Hort. Sci. A publications of the Amer. Soc. For Hort. Sci. 31 (4) : 238.
81. Akl, A. M.; Wassel, A. M.; Ahmed, F. F. and Abdel-Hady, M. A. (1996): Effect of foliar application of urea and boric acid on Red Roomy grapevines. II- The effect on yield and quality of the berries. Hort. Sci. A Publications of the Amer. Soc. For Hort. Sci. 31 (4) : 284.
82. Akl, A. M.; Ahmed, F. F. and Youssef, W. S. (1996): Behaviour of Red Roomy grapevines to application of cycocel and some micronutrients I- The effect on bud behaviour and growth. Hort. Sci. Vol. 31, No 4 August 1996 74 (p 54).



83. Akl, A. M.; Ahmed, F. F. and Youssef, W. S. (1996): Behaviour of Red Roomy grapevines to application of cycocel and some micronutrients II- The effect on nutritional status of the vines, berry set and yield. Hort. Sci. Vol. 31, No 4 August 1996 228 (p 51).
84. Akl, A. M.; Ahmed, F. F. and Youssef, W. S. (1996): Behaviour of Red Roomy grapevines to application of cycocel and some micronutrients III- The effect of physical and chemical properties of the berries. Hort. Sci. Vol. 31, No 4 August (1996): 715 (p 54).
85. Akl, A. M.; Ahmed, F. F.; El-Morsy, M. A. and Ragab, M. A. (1997): Behaviour of Red Roomy grapevines in response to application of urea-formaldehyde, sulphur and some iron compounds. 9th International symposium on Iron Nutrition and Interactios in plants. July 20-25 Univertsitat Hohenheim stuttgart, Germany.
86. Ahmed, F. F.; El-Sayed, M. A.; Ali, A. H. and El-Morsy, F. M. (1997): Physiological studies on the effect of ascorbic and citric acids in combined with some micronutrients on Red Roomy grapevines. Proc. of 1st Sci. Fac. Agric. Assiut Univ. Vol 1: 99-105 (13-14 Dec.)
87. Ahmed, F. F.; Akl, A. M.; El- Morsy, F. M. and Ragab, M. A. (1997): The beneficial effects of biofertilizers on Red Roomy grapevines (*Vitis vinifera* L.) I- The effect on growth and vine nutritional status. Annals of Agric. Sc. Moshtohor 35 (1): 489-495.
88. Akl, A. M.; Ahmed, F. F.; El- Morsy, F. M. and Ragab, M. A. (1997): The beneficial effects of biofertilizers on Red Roomy grapevines (*Vitis vinifera* L.) II- The effect on Berry set, yield and quality of berries. Annals of Agric. Sci. Moshtohor Vol. 35 (1): 497-502.
89. Darwish, O. H.; Ahmed, F. F.; Ragab, M. A. and Gobara, A. A. (1997): Studies on the Rhizosphere of three cultivars of grapevines grown on saline soil. The Inter. Symposium on sustainable management of salt affected soils in the arid Ecosystem, Cairo, Egypt, 21-26 Sept., 1997: 446-452
90. Ahmed, F. F.; Ragab, M. A.; Ahmed, A. A and Mansour, A. E. M.(1997): Improving the efficiency of spraying different nutrients for Red Roomy grapevines (*Vitis vinifera* L) by using glycerol and active dry yeast. Egypt. J. Hort. Vol. 24 (1): 91-108.
91. Gobara, A. A.; Ahmed, F. F.; Ragab, M. A. and Kamel, M. Kh. (1998): Response of Red Roomy grapevines to certain slow release nitrogen fertilizers. J. Agric. Sci. Mansoura Univ., 23 (6): 2643-2658.
92. Ahmed, F. F.; Darwish, O. H.; El-Dawwey, G. M. and Ali, A. H. (1998): Response of Flame seedless to certain slow release N fertilizers. Annual Meeting of Amer. Soc. of Agronomy, Baltimore, Maryland, (October, 18-22).

93. Ahmed, F. F.; Darwish, O. H.; Gobara, A. A. and Ali, A. H. (1998): Growth, nutritional status and productivity of Flame seedless grapevines as influence by the application of citrine and ascorbine. Amer. Soc. of Agronomy crops Sci. Soc. of America, Soil Sci, Soc. of America Baltimore, Maryland (18-22 Oct.) P 252.
94. Mansour, A. E. M.; Ahmed, F. F.; Ali, A. H. and Ali-Mervet, A. (2000): The synergistic influence of using some micronutrients with ascorbic acid on yield and quality of Banaty grapevines. The 2nd Scientific Conf. of Agric. Sci., Assiut Oct. 2000: 309-316.
95. Ahmed, F. F.; Abd-Elaal, A. H. and Ali-Mervet, A. (2000): A comparative study for using farmyard manure and filter mud on Flame seedless grapevines growing in sandy soils. The 2nd Scientific conference of agricultural Sciences, Assiut, October, 28-30 Vol 1: 277-284.
96. Gobara, A. A.; Ahmed, F. F. and El-Shamaa, M. S. (2001): Effect of varying N, K and Mg application Ratios on productivity of Banaty grapevines. The Fifth Arabian Horticulture Conf., Ismailia, Egypt, March 24-28, 2001, pp 83-90.
97. Abd-Elaal, A. H. and Ahmed, F. F. (2000): The necessity of potassium for Flame seedless grapevines, irrigated with saline water. The Fifth Arabian Horticulture Conf., Ismailia, Egypt, March, 24-28, 2001: 75-82.
98. Ahmed, F. F.; Abd El-Hady, M. A.; Mansour, E. M. and Ebrahim Alia, H. (2001): A comparative study on some grapevine cultivars grown under climatic conditions of Minia region. The Fifth Arabian Horticulture Conf., Ismailia, Egypt 24-28, 2001, 35-45.
99. Ahmed, F. F.; Abel Aziz, F. H. and Abd El-Hady, A. M. (2000): Effect of Phenylurea cytokinin on yield, berry development, maturity and fruit quality of Flame vines. Workshop Plant Nutrition-Growth and Diagnosis, Helsinki, Finland.
100. Ahmed, F. F.; Abd El-Hady, M. A.; Mansour, A. E. M. and Ebrahim-Alia, H. (2001): A comparative study of some grapevine cultivars grown under climatic conditions of Minia region. 5th Arabian Hort. Conf. Ismailia, Egypt. March 24-28, 2001, pp 35-45.
101. Ahmed, F. F.; Ragab, M.A.; Gobara, A. A. and Kamel, M. Kh. (2002): Physiological studies on pruning and fertilization of Flame seedless grapevines (*Vitis vinifera* L.) 1- Effect of spur length and some macro and micronutrients on bud behavior, vegetative growth and leaf nutrients content. First Egyptian & Syrian Conf. titled as Agriculture and nutrition in the Arab world, Drawbacks and future Prospects, 8-11 Dec. Minia Univ. Egypt.
102. Ahmed, F. F.; Ragab, M.A.; Gobara, A. A. and Kamel, M. Kh. (2002): Physiological studies on pruning and fertilization of Flame seedless grapevines (*Vitis vinifera* L.) 2-

- Effect of spur length and some macro and micronutrients on yield and fruit quality. First Egyptian & Syrian Conf. titled as Agriculture and nutrition in the Arab world, Drawbacks and future Prospects, 8-11 Dec. Minia Univ. Egypt.
103. Gobara, A. A.; Ahmed, F. F.; Ragab, M. A. and Kamel, M. Kh. (2002): Effect of Insiabine and Agrolig on growth, yield and fruit quality of Flame seedless grapevines. First Egyptian & Syrian Conf. titled as Agriculture and nutrition in the Arab world, Drawbacks and future Prospects, 8-11 Dec. Minia Univ. Egypt.
  104. Ahmed, F.F.; Darwish, A.H.; Gobara, A.A. and Ali, A.H. (2002): Physiological studies on the effect of ascorbic and citric acids in combined with some micronutrients on Flame seedless grapevines. *Minia J. of Agric. Res. & Develop.* 22(1): 105-114.
  105. Ahmed, F. F. and Hassan, H.A. (2003): Possibility of reusing the agricultural drainage water and its effect on growth and nutrient uptake by Superior grapevines transplants. First Egyptian & Syrian Conf. titled as Agrculture and nutrition in the Arab world, Drawbacks and future Prospects, 8-11 Dec. Minia Univ. Egypt.
  106. Ahmed, A.M. and Abd El-Hameed, H.M. (2003): Influence of some antioxidants on growth, vine nutritional status, yield and quality of berries in Banaty grapevines. *Assiut J. of Agric. Sci.* 35(4): 131-140.
  107. Ahmed, F. F and Basma M. Seleem (2008): Trials for improving yield and quality of Thompson seedless grapes by using some antioxidants. *Minia J. of Agric. Res. & Develop.* Vol. (28) No. 1 pp 1-11, 2008.
  108. Ahmed, F. F and Asmaa, A. Ibrahim (2009): Reducing inorganic N fertilizer in Thompson seedless vineyard through application of EM and seaweed extract *Minia J. of Agric. Res. & Develop.* Vol. (29) No. 3 pp 355-369, 2009.
  109. Akl, A. M.; Wassel, A. M.; Mohandes, A.; Afifi, S. and Ahmed, F. F. (1979): Effect of different treatments on the physical and chemical properties of late Valencia orange fruits during storage. Accepted for Publication in Moshtohor, *Ann. Of Agric. Sci.*
  110. Ahmed, F. F.; Abdel-Aziz, F. H. and Assy, K. G. (1987): Effect of preharvest sprays of gibberellic acid and calcium chloride on physical and chemical properties of Balady lime fruits during cold storage. *Annals of Agric. Sci. Moshtohor* Vol. 25 (4): 1100-1115.
  111. Ahmed, F. F.; Assy, K. G. ; El-Sayed, M. A. and Zeidan, M. I. (1988): Response of Balady mandarin trees to Alar and Zinc + Copper sprays . *Proc. 2nd Hort. Sci. Conf. Tanta. Univ. Sept.* Vol. (1): 322-340.
  112. Abo-Shelbaya, M. A. M. and Ahmed, F. F. (1988): Effect of foliar sprays of urea and micronutrients on improving the productivity of Balady mandarins cultivar. I- Leaf area

- and composition. Assiut J. of Agric. Sci., Vol. 19 (3) : 87-102, Hort. Abst. Vol. 60 (11) : 9317.
113. Ahmed, F. F. and Abo-Shelbaya, M. A. M. (1988): Effect of foliar sprays of urea and micronutrients on improving the productivity of Balady mandarins cultivar II- Yield and fruit characteristics Assiut J. of Agric. Sci., Vol. 19 (3) : 103-116, Hort. Abst. Vol. 60 (11) : 9318.
  114. Maatouk, M. A. Ahmed, F. F. and El-Sayed M. A. (1988): Effect of nitrogen, potassium and phosphorus fertilizers on yield and quality of Egyptian Balady lime trees (*Citrus reticulata* L.) I- Vegetative growth and chemical composition of leaves. Annals Agric. Sci., Fac. Agric., Ain Shams Univ., Cairo, Egypt 33 (2): 1233-1247.
  115. Ahmed, F. F. ; El-Sayed, M. A. and Maatouk, M. A. (1988): Effect of potassium and phosphorus fertilizers on yield and quality of Egyptian Balady lime trees (*Citrus reticulata* L.) II- Yield and fruit quality Annals Agric. Sci., Fac. Agric., Ain Shams Univ., Cairo, Egypt 33 (2): 1249-1268.
  116. Assy, K. G.; Ahmed, F. F. and Abdel-Hameed, A. H. (1988): Effect of gibberellic acid, Ethrel and zinc sulphate on the yield and quality of Balady mandarin trees (*Citrus reticulata* L). Proc. 2nd Hort. Sci. Conf., Tanta Univ., Sept. Vol. (1): 267-285.
  117. Assy, K. G.; Ahmed, F. F.; Rabie, M. H. and Osman, A. O. (1990): A comparative study on the effect of foliar and soil application of potassium to Balady mandarin trees (*Citrus reticulata* Blanco) Agric. Res. Rev. 68 (2): 321-329.
  118. El-Dawwey, G. M. and Ahmed, F. F. (1991): Substituting phosphorus soil addition partially by spray application to improving fruit yield and quality of Balady mandarin trees (*Citrus reticulata* L.). Minia J. Agric Res. & Dev., Vol. 13, No. 4: 1425-1441.
  119. Ahmed, F. F.; Darwish, O. H. and El-Sayed, M. A. (1991): Could alternate bearing of Balady mandarin (*Citrus reticulata* L.) be controlled by boron and magnesium. Accepted for Publication in Minia J. Agric. Res. & Dev.
  120. Ahmed, F. F.; El-Dawwey, G. M. and Mohamed, M. A. (1992): Improving productivity and prolonging shelf-life of Balady mandarin with calcium sprays. I- Improving trees productivity. Accepted for publication in Minia J. Agric. Res. & Dev.
  121. Ahmed, F. F.; Mohamed, M. A. and El-Dawwey, G. M. (1992): Improving productivity and prolonging shelf-life of Balady mandarin with calcium sprays. II- Prolonging shelf-life of fruits. Accepted for publication in Minia J. Agric. Res. & Dev.
  122. Darwish, O. H.; Ahmed, F. F.; El-Sayed M. A. and Mohamed, M. A. (1992): Foliar and soil applications of urea and their effects on growth, yield and fruit quality of Balady orange trees. Accepted for applications in Minia J. Agric. Res. & Dev.

123. Wassel, A. M.; Ahmed, F. F.; - Gobara, A. A.; Ibrahim, H. I. And Abdel-Aziz, F. H. (1996): Preharvest fruit drop; yield and fruit quality of Balady mandarin trees influenced by Dormex. Proc. of 4th Arabic Conf. For Hort Crops Part II Pomology 911-914.
124. Ahmed, F. F.; - Gobara, A. A. and El-Dawwey, G. M. (1996): Response of Balady mandarin trees grown on new reclaimed sandy to spraying Boron. Proc of 4th Arabic Conf. for Hort Crops Part II Pomology 1009-1018
125. Ahmed, F. F. and El-Dawwey, G. M. (1992): Relieving fruit splitting in Balady orange trees by foliar application of potassium nitrate. Egypt. J. Appl. Sci. 7 (12) : 324-336
126. Ahmed, F. F.; Assy, K. G. and Ibrahiem, T. A; (1993): Possibility of controlling the alternate bearing in Balady mandarin trees (*Citrus reticulata* L.) by the application of GA3, boron and magnesium foliar sprays. Assiut J. Agric. Sci., Vol. 24, 3, 229-243.
127. Ibrahiem, T. A; Ahmed, F. F. and Assy, K. G. (1993): Behaviour of Balady mandarin trees (*Citrus reticulata* L) grown in sandy soil to different forms and concentrations of potassium foliar sprays. Assiut J. Agric. Sci. Vol. 24 (3): 215-227
128. Ahmed, F. F.; Ibrahiem, T. A; Ali, A. H. and Abdel-Aziz, F. H. (1993): Effect of mepiquat chloride on Balady orange trees (*Citrus sinensis*). Minia First Conf. For Hort Crops (19-21 Oct.) Part 2 Fruit crops 741-751.
129. Ahmed, F. F.; Ali, A. H.; Abdel-Aziz, F. H. and Ibrahiem, T. A. (1993): Productivity of Balady orange trees as influenced by application of Paclobutrazol and boron. Minia First Conf. For Hort Crops (19-21 Oct.) Part 2 Fruit crops: 753-765.
130. Ahmed, F. F. and Eshbah, H. M. (1993): Influence of some growth regulators on productivity of different citrus species in relation to the activity of honeybees. Minia First Conf. For Hort. Crops (19-21 Oct.) Part 2 Fruit Crops 787-801.
131. Ahmed, F. F.; El-Sayed, M. A.; Ali. A. H. and Mansour, A. E. M. (1994): Effect of different concentrations and dates of spraying Paclobutrazol on growth, leaf chemical content and productivity of Balady oranges (*Citrus sinensis* L.) Under Publication in Minia J. Agric. Res. & Dev.
132. Ahmed, F. F.; El-Sayed, M. A.; Eshbah, H. M. and Abdel-Moumen, M. R. (1995): Physiological studies on the effect of some insect pollination and fertilization with phosphorus and magnesium treatments on Balady mandarin trees (*Citrus reticulata* blanco). I- The effect on various pollinators, number of workers and the amount of nectar and its sugar concentration. J. Agric. Sci., Mansoura Univ. 20 (4) : 1703-1712.
133. Ahmed, F. F.; El-Sayed, M. A.; Eshbah, H. M. and Abdel-Moumen, M. R. (1995): Physiological studies on the effect of some insect pollination and fertilization with

- phosphorus and magnesium treatments on Balady mandarin trees (*Citrus reticulata* blanco). II- The effect on leaf area and its chemical composition, flowering, fruit set and preharvest fruit dropping. *J. Agric. Sci., Mansoura Univ.* 20 (4) : 1713-1729.
134. Ahmed, F. F.; El-Sayed, M. A.; Eshbah, H. M. and Abdel-Moumen, M. R. (1995): Physiological studies on the effect of some insect pollination and fertilization with Phosphorus and magnesium treatments on Balady mandarin trees (*Citrus reticulata* blanco). 3- The effect on yield and fruit quality. *J. Agric. Sci. Mansoura Univ.* 30 (4) : 1731-1744.
135. El-Wazan, R. A.; Salem, S. E.; El-Barkouki, F. M. Z and Ahmed, F. F. (1995): Effect of various tree spacings on leaf hydration and yield of Valencia orange trees (*Citrus sinensis*) grown in sandy soils. *Minia J. Agric. Res. & Dev.* Vol. 17 No. 1: 51-62
136. Hegab, M. Y.; Ahmed, F. F. and Ali, A. H. (1997): Influence of spraying active dry yeast on growth and productivity of Valencia orange trees (*Citrus sinensis*). *Proc. of the 1st Sci. Conf. of Agric. Sci. Fac. Agric.*
137. Hegab, M. Y.; Ahmed, F. F.; Gobara, A. H. Saad Allah, M. H. and Darwish, O. H. (1998): Relationship between citrus leaf miner infestation and the production of some citrus species grown under Egypt conditions. *Amer. Soc. of Agronomy Crop Sci. Soc. of American, Soil Sci., Soc. of American, Baltimore, Maryland P 252 (18-12 Oct.) 1998.*
138. Aly, F. K.; Ragab, M. A. and Ahmed, F. F. (1999): Preliminary field studies on citrus leaf miner *Phyllocastis citrella* staintion infesting Balady mandarin trees in Minia region. *J. Agric. Sci., Mansoura Univ.* 24 (25) : 2635-2646.
139. Wassel, A. M.; Ahmed, F. F. and Ebrahiem, T. A. (2000): Nitrogen better management for high yield and quality of Balady mandarin trees grown in sandy soil. *The 2nd Scientific Conference of Agric. Sci., Assiut Univ. (Oct. 28-30, 2000) Vol. 1: 293-300*
140. Abdel-Aziz, F. H.; Ahmed, F. F.; and Ibrahim, H. I. (2000): Effect of citrus rootstocks and waxing on shelf-life and quality of Valencia orange fruits (*Citrus sinensis* L.) during cold storage. *International Conf. In Improving Postharvest Technologies of Fruits, Vegetables and Ornamentals, Spain, Murcia, October, 19-21, 2000.*
141. Abdel-Aziz, F. H.; Ahmed, F. F.; and Ibrahim, H. I. (2000): Effect of post-harvest treatments of some calcium salts on shelf-life and quality of Valencia orange fruits (*Citrus sinensis* L.) during cold storage. *International Conf. In Improving Postharvest Technologies of Fruits, Vegetables and Ornamentals, Spain, Murcia, October, 19-21, 2000.*

142. Darwish, O. H. Ahmed, F. F. and Ibrahiem, T. A. (2001): Response of Balady mandarin trees grown on reclaimed sandy soil to sulphur. International Symposium on Elemental Sulphur for Agronomic Applications and Desert Greening
143. Ibrahiem, T. A.; Ahmed, F. F. and Abo El-Komsan, E. A. (2000): Response of Balady mandarin trees grown on sandy soil to spraying active dry yeast and some macronutrients. Assiut J. of Agric. Sci. Vol. 31, No. 5.
144. Akl, A. M.; Ahmed, F. F.; Ragab, A. M. and Younis-Randa, E. (2000): Behaviour of some orange cultivars under Middle Egypt conditions. Menoufia J. Agric. Res. Vol. 3 (1): 460-479.
145. Abo- Al-Al, A. H.; Ahmed, F. F. and Morsy, M. H. (2002): Response of Washington Navel orange trees to application of 6-benxylamino purine and phosphorous. Proc. Minia 1st Conf. for Agric. & Environ. Sci., Minia, Egypt. March 25-28 Vol.22 No.2 443-452.
146. Darwish, O. H. and Ahmed, F. F. (2001): Response of Baladi mandarin trees grown on new reclaimed sandy soil to sulphur. International Symposium on Elemental Sulphur Applications and Desert Greening. 24-25 Feb. Abu Dhabi, United Arab Emirates.
147. Akl, A. M.; Ahmed, F. F.; Hegab, M. Y.; Abo El-Komsan, E. O. and Youness-Randa, E. (2002): Effect of different sources, levels and methods of nitrogen applications on growth, leaf mineral content, fruit setting, yield and fruit quality of Valencia orange trees. 1-The effect on growth, leaf mineral content and fruit setting. Minia J. of Agric. Res. and Develop. 22(4): 483-500.
148. Ahmed, F.F.; Akl, A.M.; Abo-El-Komsan, E.O.; Hegab, M.Y. and Youness-Randa, E. (2002): ): Effect of different sources, levels and methods of nitrogen applications on growth, leaf mineral content, fruit setting, yield and fruit quality of Valencia orange trees. II- The effect on yield and fruit quality. Minia J. of Agric. Res. and Develop. 22(4): 501-518.
149. Ahmed, F. F.; Eshbah, H. M. And Mohamed, M. A. (1991): Alternative desirable effects between honeybees (as pollinator) and Anna apple trees (as source of nectar and pollen) in Samalout region. Minia J. of Agric. Res. & Dev. Vol. 13, No. 1: 461-477.
150. Mohamed, M. A. and Ahmed, F. F. (1991): Yield and quality of Anna apples cultivar fruits as affected by application of copper, zinc and iron nutrients. Annals of Agric. Sci, Moshtohor, Vol. 29 (1): 513-526. Egypt J. Hort. 26 No. 1, pp. 1-6.
151. Ahmed, F. F. And Mohamed, M. A. (1991): Behaviour of Anna, a newly introduced apple cultivar under different rates and methods of nitrogen applications. Annals of Agric. Sci, Moshtohor, Vol. 29 (1): 497-512.

152. سلوك صنف التفاح انا الجديد تحت المعدلات وطرق الاستخدام المختلفة للنيتروجين
153. Ahmed, F. F. (1992): The efficiency of NAA in minimizing preharvest fruit drop in Anna apple cultivar. *Minia J. of Agric. Res. & Dev.* Vol. 14, No. 1: 37-48.
154. Hassan, H. M.; Ahmed, F. F. and Younis, A. M. (1993): Could GA3 and Mg be combined with nematodes to enhance growth and control nematodes population of naturally infested Anna apple trees with nematodes. *Minia J. Agric. Res. & Dev.* Vol. 15, No. 1: 189-201.
155. Ahmed, F. F.; Ragab, M. A.; Ahmed, A. A and Mansour, A. E. M.(1995): Beneficial effect of supplying active dry yeast to some foliar fertilizers on Anna apple trees (*Malus domestica* L). *Proc. Symp. Foliar Fertilization A Technique to Improve Production and Decrease Pollution* (10-14 Dec., 1995) pp 149-166, Cairo.
156. Ahmed, F. F.; Ahmed, A. A. and Ragab, M. A. (1998): The effect of spraying calcium chloride on reducing preharvest fruit drop and improving the productivity of Anna apple trees (*Malus domestica* L.). *Proc. Symp. " Foliar fertilization, A Technique to Improve Production and Decrease Pollution"*, 10-14 Dec., 1995, Cairo Egypt pp 101-108.
157. Wassel, A.M.; Ahmed, F.F.; Mansour, A.E.; Gobara, A.A. and Ragab, M.A. (1996): Effect of some chemical defoliant on Anna apple trees (*Malus domestica* L.). *Fourth Arabic Conf. for Hort. Crops, El-Minia, Egypt Part II Pomology* : 825-832.
158. Wassel, A.M.; Ahmed, F.F.; Ragab, M.A. and Gobara, A.A. (1996): Effect of some postharvest application of calcium chloride on physical and chemical properties of Anna apple fruits during cold storage. *Proc. of 4th Arabic Conf. for Hort. Crops, El-Minia, Egypt Part II Pomology* : 1169-1180.
159. Wassel, A. M.; Ahmed, F. F.; Ragab, M.A. and Assy, K. G. (1996): Adjusting the optimum batches number of N, P and K fertilizers for Anna apple trees (*Malus domestica* L.). *Fourth Arabic Conf. for Hort. Crops, El-Minia, Egypt Part II Pomology* : 833-842.
160. Ragab, M. A.; Ahmed, F. F. and Ali, A. H. (1997): Influence of some organic N fertilizers on Anna apples. *Proc. of the first Sci. Conf. of Agric. Sci. Fac. Agric. Assiut Univ., Assiut* (13-14 Dec., 1997) Vol 1: 56-71
161. Ahmed, F. F.; Akl, A. M.; Gobara, A. A. and Mansour, A. E. (1997): Yield and quality of Anna apple trees (*Malus domestica* L.) in response to foliar application of Ascobine and Citrine fertilizers. *Egypt. J. Hort.* 25 No. 2: 120-139.



162. Ahmed, F. F.; M. A. Ragab; A. A. Ahmed and A. E. Mansour (1997): Efficiency of spraying boron, zinc, potassium and sulphur as affected with application of urea for Anna apple trees (*Malus domestica* L.). *Egypt J. Hort.* 24 (1): 75-90.
163. Ahmed, F. F.; Akl, A. M.; Gobara, A. A. and Mansour, A. E. (1998): Yield and quality of Anna apple trees (*Malus domestica* L.) in response to foliar application of Ascobine and Citrine fertilizers. *Egypt. J. Hort.* 25 No. 2: 203-208.
164. Ahmed, F.F.; Ragab, M. A.; Mansour, A. E. M. and Gobara A. A. (1998): Fruiting of Anna apples in response to application of sewage sludge. *Egypt J. Hort.* 25, No. 3, pp 371-376.
165. Mansour, A. E. M.; Ahmed, F. F.; Ragab, A. M. and Mohamed, G. A. (1999): Yield and quality of Anna apple trees in response to application of some slow and fast release N fertilizers. *Egypt. J. Hort.* 26 No. 1: 1-6.
166. Ahmed, F. F. and Morsy, M. H. (2001): Response of 'Anna' apple trees grown in the new reclaimed land to application of some nutrients and ascorbic acid. The Fifth Arabian Horticulture Conf., Ismailia, Egypt, March 24-27, pp. 27-34.
167. Morsy, M. H.; Lenz, F.; Wassel, A.M. and Ahmed, F. F. (2001): Bud break and physiological behaviour of apple shoots in response to "Dormex" application. 17th International Conference on Plant Growth Substances, July 1-6 Brno, Czech Republic.
168. Ahmed, F.F.; Mansour, A.E.M.; Khalil-Fekrya, H. and Fouad-Amera, A. (2003): Fruiting of Anna apple trees as influenced by some boron, magnesium, vitamins B complex and citric acid treatments. First Egyptian & Syrian Conf. titled as Agriculture and Nutrition in the Arab World, Drawbacks and Future Prospects, 8-11 Dec. Minia Univ. Egypt.
169. Studies on intercropping of Egyptian clover on Anna apple orchard.
170. Ahmed, F. F.; El-Sayed, M. A. and K. G. Assy (1988): Effect of some growth regulators on artificial ripening of Hindy banana fruits (*Musa cavendishii* L.) 1- Effect of Ethrel and abscisic acid. *Proc. 2nd Hort. Sci. Conf. Tanta Univ., Sept. Vol. 2: 731-739.*
171. Ahmed, F. F.; M. A. El-Sayed and K. G. Assy (1988): Effect of some growth regulators on artificial ripening of Hindy banana fruits (*Musa cavendishii* L.) 1- Effect of gibberellic acid and Kinetins. *Proc. 2nd Hort. Sci. Conf. Tanta Univ., Sept. Vol. 2: 740-748.*
172. Akl, A. M.; Eid, A. M.; Ahmed, F. F. and Hammam, M. S. (1993): Effect of foliar nutrition with macro and micro nutrients on vegetative growth and fruiting characteristics in Hindy banana (*Musa cavendishii* L.) I- The effect on vegetative growth and leaf

- chemical composition. Minia First Conf for Hort. Crops (19-21 Oct.) part 2-Fruit Crops: 507-530.
173. Akl, A. M.; Eid, A. M.; Ahmed, F. F. and Hammam, M. S. (1993): Effect of foliar nutrition with macro and micro nutrients on vegetative growth and fruiting characteristics in Hindy banana (*Musa cavendishii* L.) II- The effect on the yield and fruit quality. Minia First Conf for Hort. Crops (19-21 Oct.) part 2-Fruit Crops: 531-550.
  174. Hammam, M. S.; Ahmed, F. F.; Ahmed, M. M. (1996): Behavior of Williams bananas to various levels of nitrogen, phosphorus and potassium. Proc. of 4th Arabic Conf. For Hort Crops Part II Pomology 1073-1087.
  175. Ahmed, F. F.; Hammam, M. S. and Ragab, A. M. (1996): Effect of varying nitrogen sources on growth and productivity of Williams bananas. Proc. of 4th Arabic Conf. For Hort Crops Part II Pomology 883-890.
  176. Ahmed, F. F.; Gobara, A. A. and Hammam, M. S. (1997): Effect of some fast and slow release N fertilizers on fruiting of Williams banana. Proc. of the First Sci Conf. of Agric. Sci. Fac. Agric. Assiut Univ. December 13-14 Vol. 1, 125-134.
  177. Ahmed, F. F.; Hammam, M. S. and Ibrahim, H. I. (1997): Physiological studies on some methods enhancing the yield of Williams bananas. Egypt J. Appl. Sci., 12 (9): 293-306.
  178. Ahmed, F. F.; Hammam, M. S. and Mayaz, M. (1997): Adjusting the appropriate times for the addition of N, P and K in Williams bananas. Egypt J. Appl. Sci., 12 (9): 307-315.
  179. Ahmed, F.F.; Hammam, M. S. and Mayaz, M. (1998): Fruiting of Williams banana. in response to application of gibberelic acid and sleeving. J. Agric. Sci. Mansoura Univ. 22 (8): 2701-2706.
  180. Ahmed, F. F.; Ragab; A. A.; Gobara, A. A. and Hammam, M. S. (1998): A comparative study on growth and fruiting of fruiting of Williams bananas grown under El-Minia region conditions. Egypt J. Hort. 25, No. 1 pp. 29-41.
  181. Abdel-Aziz, F. H.; Ahmed, F. F.; and Hammam, M. S. (2000): The influence of varying maturity stages as well as times and concentrations of ethrel on artificial ripening of Grande Naine banana fruits. International Conf. In Improving Postharvest Technologies of Fruits, Vegetables and Ornamentals Spain, Murcia, October, 19-21, 2000

182. Morsy, M. H. and Ahmed, F. F. (2001): Storability of 'Williams' and 'Hindy' banana fruits as influenced by some post-harvest treatments. The Fifth Arabian Horticulture Conf., Ismailia, Egypt, March 24-27, 2001, 27-34.
183. Ahmed, F.F.; Abdalla, A.S. and Sabour-Asmaa, M.T. (2003): Growth and fruiting of Williams banana as affected by some antioxidants and biofertilizer treatments. *Minia J. of Agric. Res. and Develop.* 23(1): 51-68.
184. Abo-Shelbaya, M. A. M.; Ahmed, F. F. and Assy, K. G.(1988): Response of Hindy Bissinara mango cultivar to foliar nutrition with boron. *Minia J. Agric. Res. & Dev.* Vol. 10 No. 1: 77-98.
185. Ahmed, F. F.; Abdel-Aziz, F. H. and El-Sayed, M. A. (1988): Response of the yield and fruit quality of Hindy Bissinara mango cultivar to cycocel treatments. Accepted for publication in *Minia J. Agric. Res. & Dev.*
186. Ahmed, F. F.; Mohamed, M. A. and Ali, M. Z. (1991): Effect of composting sawdust on the yield and quality of Hindy Bissinara mango cultivar. Accepted for publication in *Minia J. Agric. Res. & Dev.*
187. Ahmed, F. F. and Younis, A. M. (1992): Joint action of NAA and some insecticides on mango scale insect and yield of Hindy Bissinara mango trees. *Minia J. Agric. Res. & Dev.* Vol. 14, No. 2: 393-402.
188. Younis, A. M. and Ahmed, F. F. (1992): To what extent could some micronutrients cooperate with certain insecticides for controlling mango scale insect and improving productivity of Hindy Bissinara mango trees? *Minia J. Agric. Res. & Dev.* Vol. 14, No. 2: 383-392.
189. El-Dawwey, G. M. and Ahmed, F. F. (1992): Growth and uptake of some nutrients of Hindy Bisinnara mango seedlings as affected by different sulphur sources. Accepted for publication in *Minia J. Agric. Res. & Dev.*
190. Ahmed, F. F. and Darwish, O. H. (1992): Response of Hindy Bisinnara mango and Sultani fig seedlings to irrigation with saline water. *Minia J. Agric. Res. & Dev.* Vol. 14, No. 1: 49-64.
191. Ahmed, A. M. and Ahmed, F. F (1997): Effect of saline water irrigation and cycocel on growth and uptake of some elements of Taimour and Alphonso mango seedlings. *Annals of Agric. Sci, Moshtohor* Vol. 35 (2): 901-908.
192. Ahmed, F.F.; Ragab, M. A., Ali, H. A. and Hammam, M. S. (1997): The benefits of sewage sludge for some mango cultivars. *Proc. of the First Sci, Conf. of Agric. Sci. Faculty of Agric. Assiut Univ., Dec. 13 - 14, Vol (1) 87-98.*

193. Ahmed, F. F.; Mansour A. E. M. and Ahmed, A. M. (1998): A comparative study on fruiting of nine mango cultivars grown under new reclaimed sandy soil. *Egypt J. Hort.* 25, No. 2 pp. 187-193.
194. Ahmed, F.F. ; Ragab, M. A.; Mansour, A. E. M. and Hammam, M. S. (1998): Behaviour of some mango cultivars to spraying of paclobutrazol on panicles. *Egypt J. Hort.* 25, No. 2, pp. 195-202.
195. Mansour A. E. M. and Ahmed, F. F. (1998): Productivity of Hindy Bisinnara mango as influenced with the application of Filter mud and Farmyard manure. *Egypt J. Hort.* 25, No. 2 pp. 179-186.
196. Ahmed, F. F.; Ahmed, A. M. and Morsy, M. H.; (2001): Studies on the influence of spraying some nutrients and ascorbic acid on inflorescence malformation and fruiting of Taimour mango trees. The 6th International Symposium on Fruit and Vegetable Production Engineering, Potsdam, Germany.
197. Morsy, M. H.; Ahmed, F. F. and Ahmed, A. M. (2001): Response of Hindy Bisinnara mango trees to application of filter mud. The 6th International Symposium on Fruit and Vegetable Production Engineering, Potsdam, Germany.
198. Ahmed, F. F.; Morsy, M. H. and Ahmed, A. M. (2001): Response of Ewaise mango trees to application of some slow release nitrogen fertilizers. Workshop Plant Nutrition-Growth and Diagnosis, Helsinki, Finland.
199. Ragab, M.A.; Ahmed, F.F. and Mohamed, H.H. (2002): Evaluation of some mango cultivars grown under Aswan conditions. *Proc. Minia 1st Conf. for Agric. & Environ. Sci.* Minia, Egypt, vol. 22, No. (2) pp 463-380.
200. Ahmed, F.F.; Ahmed, A.M. and Khalil-Fekrya, H. (2003): Response of Zebda mango trees to fertilization with some organic N sources. *Conf. Organic Foods Production and Development Aleppo Univ., Syria* 10-12 March.
201. Ahmed, F. F and Badran, M. A. F. M (2009): The promotive of some antioxidants on the productivity of Taimour Mango trees *Minia J. of Agric. Res. & Develop.* Vol. (29) No. 2 pp 333-348, 2009.
202. Ahmed, F. F. and El-Dawwey, G. M. (1991): Growth and fruiting characteristics of Bent Eisha date palms as affected by zinc and iron foliar sprays. *Minia J. Agric. Res. & Dev.,* Vol 13, No. 4: 1429.
203. Ahmed, F. F.; Assy, K. G. and Darwish, O. H. (1991): Response of Bent Eisha date cultivar growing on sandy soil to foliar sprays of magnesium. *Minia J. Agric. Res. & Dev.,* Vol 13, No. 2: 707-723.

204. Ahmed, F. F. and El-Dawwey, G. M. (1992): Reproductive performance of Bent Eisha date growing in sandy soil as effected by nitrogen and potassium fertilizers. Accepted for publication in Minia J. Agric. Res. & Dev.
205. Hassan, H. M.; Fouad, M. S. and Ahmed, F. F. (1993): Biocidal activity of *Bacillus thuringiensis* var. *Kurstaki* and two species of entomogenous nematodes against the Almond moth, *Ephestia cautella* (Walker). Minia First Conf. Crops (19-21 Oct.) Part 2, Fruit Crops, 823-835.
206. Fouad, M. S. and Ahmed, F. F. (1993): Relationship between fruit weight and chemical components of some date varieties to infestation with the Almond moth, (*Ephestia cautella* Walker). Minia First Conf. Crops (19-21 Oct.) Part2, Fruit Crops, 707-716.
207. Akl; A. A. Wassel, A. M.; Ahmed, F. F. and Abdalla, A. S. (1993): Effect of nitrogen and some micronutrients fertilization on the yield and quality of tamer and Sewy date palms. 1- The effect on vegetative growth and leaf chemical composition. Minia First Conf. Crops (19-21 Oct.) Part2, Fruit Crops, 651-667.
208. Akl; A. A. Wassel, A. M.; Ahmed, F. F. and Abdalla, A. S. (1993): Effect of nitrogen and some micronutrients fertilization on the yield and quality of tamer and Sewy date palms. II- The effect on yield and fruit quality. Minia First Conf. Crops (19-21 Oct.) Part2, Fruit Crops, 651-667.
209. Ahmed, F.F., EL-Malt, E.A.; Ragab M.A. and Gobara A. A. (1996): Comparative study of productivity, some physical, chemical and nutritional characteristics of thirteen Saudian and Iraqi date palm cultivars (*Phoenix dactylifera* L.) grown under middle Egypt conditions. *Annals of Agric Sci. Moshtohor* 34(4) 1809-1833.
210. Mansour, A.E.M.; Ahmed, F.F. and Mohamed, A.Y. (2004): Effect of bio and organic source of N as partial substitute for mineral fertilizer on fruiting of Sewy date palms. *Egypt J. Agric. Res.* 2(2): 611-636.
211. Foud, M.S.; Ahmed, F.F. and Abd El-Naem, G.F. (2004): Effect of different colors of packing material and some organic acids against *Cryzaepilus surinamensis* L. infesting dates. The second International Conferenece on Date Palm. Suez Canal Univ., El Arish, North Sinai, Egypt. 6-8 Oct.
212. Gobara, A.A. and Ahmed, F.F. (2004): Response of Zaghloul date palms to application of some biofertilizers. The second International Conference on Date Palm. Suez Canal Univ., El Arish, North Sinai, Egypt. 6-8 Oct.

213. Maatouk, M. A. and Ahmed, F. F. (1991): Response of Sultani fig trees to foliar application of urea and magnesium. Accepted for Publication in Minia J. Agric. Res. & Dev.
214. Ahmed, F. F.; Darwish, O.H. and Maatouk, M. A. (1991): Magnesium and its role in improving growth, yield and quality of Sultani fig trees grown in sandy loam soils. Accepted for Publication in Minia J. Agric. Res. & Dev. (15 pages).
215. El-Dawwey, G. M. and Ahmed, F. F. (1992): Enhancing potassium uptake and productivity of Sultani fig trees by the application of urea in combined with potassium foliar spraying. Accepted for Publication in Minia J. Agric. Res. & Dev. (15 pages).
216. Ahmed, F. F.; Mansour, A. E.; El-Sayed, M. A. and Ali, A. H. (1994): Productivity of Sultani fig trees as influenced by spraying boron. Under Publication in Minia J. Agric. Res. & Dev.
217. Mansour, A.E.M; Morsy, M.H. and Ahmed, F.F. (2002): Effect of pruning severity on growth, yield and fruit quality of Sultani Fig trees. Proc. Minia 1st Conf. for Agric. & Environ. Sci. Minia, Egypt. March 25-28, 22(2): 2153-2158 H) Pomegranate, Persimon, Apricot, Olive, Papaya and Guava
218. Ahmed, F. F.; El-Sayed, M. A. and Assy, K. G. (1988): Effect of various auxins and some chemical materials on rooting of Manflouty pomegranate stem cuttings (*Punica granatum L.*). I. Effect of various auxins at different concentrations. Proc. 2nd Hort. Sci. Conf. Tanta Univ. Vol. (1): 348-362.
219. Ahmed, F. F.; El-Sayed, M. A. and Assy, K. G. (1988): Effect of various auxins and some chemical materials on rooting of Manflouty pomegranate stem cuttings (*Punica granatum L.*). II. Effect of the combination between auxins and some chemical materials. Proc. 2nd Hort. Sci. Conf. Tanta Univ. Vol. (1): 363-376.
220. El-Dawwey, G. M. and Ahmed, F. F. (1992): Tolerance of Balady mandarin and Manflouty pomegranate seedlings to salinity. Accepted for Publication in Minia J. of Agric. Res. & Dev.
221. Abdel-Aziz, F. H.; Ahmed, F. F.; and Morsy, M. H. (2001): Relation of potassium, calcium and boron with productivity and fruit cracking of Manfalouty pomegranate trees. The Fifth Arabian Horticulture Conf., Ismailai, Egypt, March 24-28, 2001, 91-99
222. Akl, A. M.; Eid, A. M. and Ahmed, F. F. (1993): Effect of Ethrel, 2,4-D, IAA and Benlate on artificial ripening of Costata and Tamopan Persimmon fruits. Accepted for Publication

- in Minia J. of Agric. Res. & Dev. And in Int. Postharvest Symposium, Agadir, Morocco in 19-22 Jan.
223. 182- Ahmed, F. F.; Gobara A. A., Ragab, M. A. and Abdel-Moumen, M. R. (1993): Effect of pre-harvest sprays of boron calcium NAA and GA3 on the yield and fruit quality of Hamawy apricot trees (*Prunus armeniaca* L.). Proc. of 4th Arabic Conf. for Hort. Crops, Part II Pomology 715-725.
224. Gobara A. A.; Ahmed, F. F.; Darwish, O. H. and Mansour, A. E. M. (1998): Selecting the appropriate source of N for El-Hamawy apricots under different soil types. Egypt J. Hort. 25, No.3, 309-319.
225. Mansour, A. E. M.; Ahmed. F.F.; Ragab, A. M. and Darwish, O. H. (1998): Effect of some organic and amino acids on alleviating the adverse effects of salinity on El-Hamawy apricot seedlings. Egypt J. Hort. 25, No. 3, pp 359-369.
226. Akl, A. M.; Eid, A. M. and Ahmed, F. F. (1993): Effect of pre-harvest application of some calcium salts on shelf-life and quality of Le-Conte pear fruits during cold storage. Accepted for Publication in Minia J. Agric. Res. & Dev. And in Int. Postharvest Symposium, Agadir, Morocco, 19-22 Jan. 1994, pp. 20.
227. Ahmed, F. F.; and El-Dawwey, G. M. (1992): Efficacy of phosphorene (as source of phosphate dissolving bacteria) in enhancing growth and supplying of Chemlali olive seedlings with available phosphorus. Minia . J. Agric. Res. & Dev.
228. Ahmed, F.F. and Ragab, M.A. (2002): A new trial to stimulate growth and nutritional status of Picual olive transplants. 1st International Conf. on Olive Cultivation, Protection and Processing. 25-27 Sept. El-Arish, Egypt.
229. Ahmed, F. F.; Hammam, M. S. and Mayaz, M. A. (1996): Growth and nutritional status of Solo papay in relation to nitrogen and potassium fertilization. Proc. Of 4th Arabic Conf. for Hort. Crops Part II Pomology (919-921).
230. Ahmed, F. F.; and El-Dawwey, G. M. and Hammam, M. S. (1996): Enhancing growth and nutritional status of Solo papaya plants using some macro and micro nutrients. Proc. of 4th Arabic Conf. For Hort Crops Part II Pomology 1101-1110.
231. Ahmed, F. F. and Abdel-Aziz, F. H. (1988): The yield and quality of Balady guava trees (*Psidium guajava* L.) as influenced by NPK soil application. Accepted for Publication in Annals Agric. Sci., Moshtohor.

232. Ahmed, F. F. and Abo-Shelbaya, M. A. M. (1988): Response of Balady guava to cycocel and certain micronutrients spray. Assiut J. of Agric. Sci., Vol. 19 (3): 120-140. H-Miscellaneous papers:
233. Fouad, M. S.; Ahmed, F. F. and Younis, A. M. (1993): Comparative efficiency of some plant extracts against immature stages of the Mediterranean fruit fly, *Ceratitis capitata* (Wild). Minia J. Agric. Res. & Dev., Vol. 15, No. 1: 215-228.
234. Ahmed, F. F.; Fouad, M. S. and Ibrahiem, T. A. (1993): Laboratory screening of certain natural and synthetic substances against *Spodoptera littoralis* Boisdl.. Minia J. Agric. Res. & Dev., Vol. 15, No. 1: 203-214.
235. Eshbah, H. M. and Ahmed, F. F. (1994): Screening certain natural products and organic acid for controlling varroa mite (*Varroa jacobsoni* Oudemans). Shashpa (J. Entomological Res.) (1): 53-62, New Delhi.
236. Eshbah, H. M.; Ahmed, F. F. Mohamed, A. A. and Shoriet N. A. (1995): Feasibility of controlling Varroa mite in honey bee colonies using natural and synthetic substances. 1st Conf. of Pest Control Mansoura, Egypt 59-67.
237. Darwish, O. H. and Ahmed. F.F. (1996): Effect of some organic acids on soil properties. Annals Agric. Sci. Moshtohor Vol. 34 (4): 1957-1967.
238. Darwish, O. H. and Ahmed. F.F. (1997): Availability, movements and distribution of sludge-borne elements in soil. Alex. J. Agric. Res., 18 (4) : 505-521.
239. Darwish, O. H. Ahmed. F.F. and Mohamed, G. A. (1997): Fate of heavy elements in sludge when applied to fruit trees. Alex. J. Agric. Res., 42 (4): 159-169.
240. Ahmed, F. F. and Morsy, M. H. (1999): A new method for measuring leaf area in different fruit species. Minia J. Agric Res. & Develop. Vol. (19) pp 97-105.



**List of Publication:** Prof. Dr. Ali Hassan Ali Said

Mansour Kamla, M.; El-Morsy, F. M.; Ahmed, F. F. and Ali, H. A. (1993): Using Dormex (Hydrogen cyanamide) to promote uniform bud break and improve productivity of Thompson seedless grapevines. Minia First Conf. For Hort. Crops. 1323-1335.

Ahmed, F. F.; El-Sayed, M. A.; Mansour, A. E. M. and Ali, A. H. (1993): Evaluation of some newly introduced grapevine cultivars under El-Minia Governorate conditions. Under Publication in Minia J. Agric. Res. & Dev.

Ahmed, F. F.; Ibrahim, T. A; Ali, A. H. and Abdel-Aziz, F. H. (1993): Effect of mepiquat chloride on Balady orange trees (*Citrus sinensis*). Minia First Conf. For Hort Crops (19-21 Oct.) Part 2 Fruit crops 741-751.

Mansour Kamla, M.; El-Morsy, F. M.; Ahmed, F. F. and Ali, A. H. (1994): Using Dormex to promote uniform bud break and improve productivity of Thompson seedless grapevines. Under publication in Minia J. Agric. Res. & Dev.

Ahmed, F. F.; Mansour, A. E.; El-Sayed, M. A. and Ali, A. H. (1994): Productivity of Sultani fig trees as influenced by spraying boron. Under Publication in Minia J. Agric. Res. & Dev.

Ahmed, F. F.; El-Sayed, M. A.; Abdel-Aziz, F. H. and Ali, A. H. (1995): Use of Thiourea for the improvement of bud burst and productivity of Red Roomy grapevines (*Vitis vinifera* L.) Minia J. of Agric. Res. & Dev. Vol. 17 No. 1 35:41

Ahmed, F. F.; Ali, A. H. Abdel-Aziz, F. H. and A. H. El-Sayed, M. A. (1995): Improving bud break and productivity of Red Roomy grapevines by winter spraying of Dormex (Hydrogen cyanamide) and zinc sulphate. Minia J. of Agric. Res. & Dev. Vol. 17 No. 1 : 43-50.

- Ahmed, F. F.; El-Sayed, M. A.; Ali, A. H. and El-Morsy, F. M. (1997): Physiological studies on the effect of ascorbic and citric acids in combined with some micronutrients on Red Roomy grapevines. Proc. of 1st Sci. Fac. Agric. Assiut Univ. Vol 1: 99-105 (13-14 Dec.)
- Ragab, M. A.; Ahmed, F. F. and Ali, A. H. (1997): Influence of some organic N fertilizers on Anna apples. Proc. of the first Sci. Conf. of Agric. Sci. Fac. Agric. Assiut Univ., Assiut (13-14 Dec., 1997) Vol 1: 56-71
- Ahmed, F.F.; Ragab, M. A., Ali, H. A. and Hammam, M. S. (1997): The benefits of sewage sludge for some mango cultivars. Proc. of the First Sci, Conf. of Agric. Sci. Faculty of Agric. Assiut Univ., Dec. 13 - 14, Vol (1) 87-98.
- Ahmed, F. F.; Darwish, O. H.; El-Dawwey, G. M. and Ali, A. H. (1998): Response of Flame seedless to certain slow release N fertilizers. Annual Meeting of Amer. Soc. of Agronomy, Baltimore, Maryland, (October, 18-22).
- Ahmed, F. F.; Darwish, O. H.; Gobara, A. A. and Ali, A. H. (1998): Growth, nutritional status and productivity of Flame seedless grapevines as influence by the application of citrine and ascorbine. Amer. Soc. of Agronomy crops Sci. Soc. of America, Soil Sci, Soc. of America Baltimore, Maryland (18-22 Oct.) P 252.
- Mansour, A. E. M.; Ahmed, F. F.; Ali, A. H. and Ali-Mervet, A. (2000): The synergistic influence of using some micronutrients with ascorbic acid on yield and quality of Banaty grapevines. The 2nd Scientific Conf. of Agric. Sci., Assiut Oct. 2000: 309-316
- Ahmed, F.F.; Darwish, A.H.; Gobara, A.A. and Ali, A.H. (2002): Physiological studies on the effect of ascorbic and citric acids in combined with some micronutrients on Flame seedless grapevines. Minia J. of Agric. Res. & Develop. 22(1): 105-114.

بيان بالأبحاث العلمية د. احمد كمال عبدالعال

- 1- Morsy, M. H. and **A. M. K. Abd El- Aal (2006)**: Foliar sprays of calcium salts and magnesium sulphate to control pre-harvest fruit Drop of Balady mandarin trees. **Annals Agric. Sci., Ain Shams Univ., Cairo, 51 (1): 203-213.**
- 2- Morsy, M. H.; **A. M. K. Abdel-Aal** and A. A. El-Bana **(2007)**: Effect of packaging type and prestorage dip treatments of ascorbic acid and hot water on shelf life and diseases incidence of stored 'Williams' bananas. **Minia J. Agric. Res & Develop. 27 (4):791-814.**
- 3- Ahmed, F. F. and **A. M. K. Abdel- Aal (2007)**: Influence of spraying seaweed extract and citric acid on yield and fruit quality of Anna apple trees.

**1<sup>st</sup> Inter. Conf. Desert Cultivation, Problems & Solutions, pp. 253-261, 27-29 March 2007, El-Minia, Egypt.**

- 4- Ahmed, F. F. and **A. M. K. Abd El- Aal (2007)**: Studies on the possibility of reusing the agricultural drainage water for irrigation of young Ewaise mango trees. **1<sup>st</sup> Inter. Conf. Desert Cultivation, Problems & Solutions, Minia University, 27-29 March 2007. 243-252.**
- 5- **Ahmed, F. F. and A. M. K. Abd El- Aal (2007)**: Effect of concentrations and date of spraying Sitofex (CPUU) on yield and quality of Le- Conte pear fruits. **African Crop Science Conference Proceedings Vol. 8. pp. 523-527, 27-31 October 2007, El-Minia, Egypt.**
- 6- Mansour, A. E. M.; F. F. **Ahmed; A. M. K. Abdel- Aal** and G. P. Cimpoles **(2007)**: Use of mineral, organic, slow release and biofertilizers for Anna apple trees in a sandy soil. **African Crop Science Conference Proceedings Vol. 8. pp.265-271, 27-31 October 2007, El-Minia, Egypt.**
- 7- Ahmed, F. F.; M. A Mohamed.; **A. M. K. Abd El- Aal** and M. M. Amin **(2007)**: Response of Red Roomy grapevines to application of Amino acids and some micronutrients. **The Third Conf. of Sustain. Agric. Develop. (247-258). Fac. of Agric. Fayoum Univ., 12-14 Nov., 2007.**
- 8- **Abdel Aal, A. M. K. (2008)**: Performance of Balady mandarin trees grown in sandy soil onto Balady lime and Sour orange rootstocks treated with Aminoquelant- Ca. **Minia J. Agric. Res & Develop. 28 (4):607-625.**
- 9- Morsy, M. H.; **A. M. K. Abd El-Aal** and H. A. Abd El-Aal **(2008)**: Attempts to find the best preharvest treatment required for obtaining optimum marketable fruits and its effect on storage life of 'Manfalouty' pomegranates. 1- Evaluating of some soil and foliar treatments on splitting, sunburn, yield and fruit quality. **Minia J. Agric. Res & Develop. 28 (2):263-293.**
- 10- Morsy, M. H.; H. A. Abd El-Aal and **A. M. K. Abd El-Aal (2008)**: Attempts to find the best preharvest treatment required for obtaining optimum marketable fruits and its effect on storage life of 'Manfalouty' pomegranates. II- Effect of the best preharvest treatment on postharvest storage behaviour of fruits in relation to packaging type. **Minia J. Agric. Res & Develop. 28 (2): 295-315.**

- 11-Abdel Aal, A. M. K. (2009):** Alleviating the adverse effects of water salinity on growth and water consumption of 'Le-Conte' pear transplants by using Sitofex (CPPU) and some pear rootstocks. **Minufiya J. Agric. Res. Vol. 34 No. 1(1): 127-145.**
- 12-Abdel Aal, A. M. K.; F. H. Abd El- Aziz and Ragaa, S. Abdel Gawad (2009):** Relation of fruiting in Balady mandarin trees with spraying the two antioxidants citric and ascorbic acids. **Egypt. J. Agric. Res., 87 (1): 267-284.**
- 13- Abdel Aal, A. M. K.;** Ahmed, F. F.; Abdelaal, A.H.M. and Mohamed, M. A. A. **(2010):** Benefits of spraying seaweed and algae extract for Crimson seedless grapevines grown under sandy soil. **Minia 2<sup>nd</sup> Conf. Agric. Environ. Sci. "Agriculture and Development Scopes". Fac. Agric., Minia University, Minia, Egypt. 22-24 March., 2010.**

**List of Publication:** : Dr.Hamdy Ibrahim mouhamed Ibrahim

- Akl, A. M.; Eid, A. M.; Ahmed, F. F. and Ibrahim, H. I. (1995): Effect of mepiquat chloride and some nutrients foliar sprays on Red Roomy grapevines (*Vitis vinifera* L.). II- The effect on some chemical properties of the berries. Accepted for publication in Minia J. of Agric. Res. & Dev
- Wassel, A. M.; Ahmed, F. F.; - Gobara, A. A.; Ibrahim, H. I. And Abdel-Aziz, F. H. (1996): Preharvest fruit drop; yield and fruit quality of Balady mandarin trees influenced by Dormex. Proc. of 4th Arabic Conf. For Hort Crops Part II Pomology 911-914.
- Abdel-Aziz, F. H.; Ahmed, F. F.; and Ibrahim, H. I. (2000): Effect of citrus rootstocks and waxing on shelf-life and quality of Valencia orange fruits (*Citrus sinensis* L.) during cold storage. International Conf. In Improving Postharvest Technologies of Fruits, Vegetables and Ornamentals, Spain, Murcia, October, 19-21, 2000.
- Abdel-Aziz, F. H.; Ahmed, F. F.; and Ibrahim, H. I. (2000): Effect of post-harvest treatments of some calcium salts on shelf-life and quality of Valencia orange fruits (*Citrus sinensis* L.) during cold storage. International Conf. In Improving Postharvest Technologies of Fruits, Vegetables and Ornamentals, Spain, Murcia, October, 19-21, 2000.

Ahmed, F. F.; Hammam, M. S. and Ibrahim, H. I. (1997): Physiological studies on some methods enhancing the yield of Williams bananas. Egypt J. Appl. Sci., 12 (9): 293-306.

Mahmoud, H. I., Magdi, M. A. Z. and Adel. M. M. H.(2010): Response of Balady Guava trees cultivated in sandy calcareous soil to biofertilization with phosphate dissolving bacteria and/or VAM fungi, Minia J of Agric. Res. & Dev. Vol. 30, No. 1 pp 1-14. (2010).

Mahmoud, H. I. (2010): Effect of different pH levels on growth and nutrition sandy of three grapevines cvs. Grown under hydroponics conditions. Kafr El-Sheikh J of Agric. Res. & Dev. Vol. 36, No. 2 pp 45-. (2010).

**List of Publication** : Prof. Dr. Farouk H. Abd El – Aziz

Ahmed, F. F.; Abdel-Aziz, F. H. and Assy, K. G. (1987): Effect of preharvest sprays of gibberellic acid and calcium chloride on physical and chemical properties of Balady lime fruits during cold storage. Annals of Agric. Sci. Moshtohor V 01. 25 (4): 1100-1115.

Ahmed, F. F.; Abdel-Aziz, F. H. and Assy, K. G. (1988): Effect of preharvest sprays of gibberellic acid and calcium chloride on physical and chemical properties of Balady lime fruits during cold storage. Minia J. Agric. Res. & Dev. Vol. 12 No. (2 ): 100 -120 .

Ahmed, F. F.; Abel Aziz, F. H. and Abd El-Hady, A. M. (2000): Effect of Phenylurea cytokinin on yield, berry development, maturity and fruit quality of Flame vines. Workshop Plant Nutrition-Growth and Diagnosis, Helsinki, Finland.

Abdel-Aziz, F. H.; Ahmed, F. F.; and Ibrahim, H. I. (2000): Effect of citrus rootstocks and waxing on shelf-life and quality of Valencia orange fruits (*Citrus sinensis* L.) during cold storage. International Conf. In Improving Postharvest Technologies of Fruits, Vegetables and Ornamentals, Spain,- Murcia, October, 19-21,2000.

Abdel-Aziz, F. H.; Ahmed, F. F.; and Ibrahim, H. I. (2000): Effect of post-harvest- treatments of some .calcium salts on shelf-life and quality of Valencia orange fruits (*Citrus sinensis* L.) during cold storage. International Conf. In Improving Postharvest Technologies of Fruits, Vegetables and Ornamentals Spain Murcia October, 19-21, 2000.

Abdel-Aziz, F. H.; Ahmed, F. F.; and Hammam, M. S. (2000): The influence of varying maturity stages as well as times and concentrations of ethrel on artificial ripening of Grande

Naine banana fruits. International Conf. In Improving Postharvest Technologies of Fruits, Vegetables and Ornamentals Spain, Murcia, October, 19-21,2000

**V- Published Papers**

**Prof.**

**Dr. Moawad A. Mohamed**

1. **Mohamed, A. M. and Ahmed, F. F. (1991):** Yield and quality of Anna apple cultivar fruits as affected by application of copper, zinc and iron nutrients. *Annals of Agric. Sci., Moshtohor*, 29 (1): 513-526.
2. **Mohamed, A. M. and Ahmed, F. F. and Darwish, O. H. (1991):** Response of Red Roomy grapevines to soil and foliar application of phosphorus. *Alex. Sci., Exc.* 12 (2): 399-414.
3. **Faissal, F. Ahmed; Farouk, H. Abd El- Aziz and Moawad, A. Mohamed (1991):** Improving the quality of White Banaty grapes treated with GA3 by some micro- and macronutrients.I- Effect of some micronutrients. *Minia J, Agric. Res. & Dev.*, 13 (2): 649-662.
4. **Moawad, A. Mohamed; Faissal, F. Ahmed and Farouk, H. Abd El- Aziz (1991):** Improving the quality of White Banaty grapes treated with GA3 by some micro- and macronutrients.II- Effect of some macronutrients. *Minia J, Agric. Res. & Dev.*,13 (2): 695-705.
5. **Faissal, F. Ahmed; Moawad, A. Mohamed and Osama, H. Darwish (1991):** Promotion of the yield and quality of Red Roomy grapevines by foliar application of boron. *Alex. Sci., Exc.* 12 (2): 249-274.
6. **Faissal, F. Ahmed and Moawad, A. Mohamed (1991):** Behaviour of Anna a newly introduced apple cultivar under different rates and methods of nitrogen applications. *Annals of Agric. Sci., Moshtohor*, 29 (1): 497-512.
7. **Ahmed, M. Akl; Faissal, F. Ahmed and Moawad, A. Mohamed (1991):** The yield and quality of White Banaty grapevines (*Vitis vinifera* L.) as influenced by paclobutrazol and GA3. *Minia J, Agric. Res. & Dev.*, 13 (2): 675-693.
8. **Faissal, F. Ahmed; Hosafy, M. Eshbah and Moawad, A. Mohamed (1991):** Alternative desirable effects between honeybees (as pollinator) and Anna apple trees (as source of nectar and pollen) in Samalout region. *Minia J, Agric. Res. & Dev.*, 13 (1): 461-477.

9. **Faissal, F. Ahmed; Mohamed A. El- Sayed and Moawad, A. Mohamed (1991):** Effect of soil application of some sulphur containing fertilizers on the yield and quality of Red Roomy grapevines. *Minia J, Agric. Res. & Dev.*, 13 (2): 633-648.
10. **Tantawy, M. M.; Faissal, F. Ahmed and Moawad, A. Mohamed (1991):** Efficiency of certain herbicidal treatments on weeds as well as growth and yield of Red Roomy grapevines. *Minia J, Agric. Res. & Dev.*, 13 (1): 245-260.
11. **Mohamed, M. A. (1992):** Anna apple cultivar productivity as influenced by foliar sprays of potassium nitrate and orthophosphoric acid. *Minia J, Agric. Res. & Dev.*, 14 (1): 101-118.
12. **Mohamed, M. A. (1992):** Effect of nitrogen, phosphorus and potassium fertilization on the reproductive performance Anna apple cultivar. *Minia J, Agric. Res. & Dev.*, 14 (1): 119-136.
13. **Abd El- Hameed M. Wassel; Moawad, A. Mohamed and Moatz, H. Morsy (1993):** Evaluation of Anna apple cultivar (*Malus domestica* L) under Minia Governorate conditions. *Minia J. Agric. Res. & Dev.* 15: 895-902. Minia First Conf. For Hort. Crops, 19-21 Oct., 1993, Minia, Egypt.
14. **Abd El- Hameed M. Wassel; Moawad, A. Mohamed and Moatz, H. Morsy (1993):** Preharvest fruit drop, yield and yield components of Anna apple cultivar (*Malus domestica* L) as influenced by Alar, NAA and 2,4,5- T. *Minia J. Agric. Res. & Dev.* 15: 903-924. Minia First Conf. For Hort. Crops, 19-21 Oct., 1993, Minia, Egypt.
15. **Abd El- Hameed M. Wassel and Moawad, A.M. Abd El- Hameed (1994):** The influence of pre-and postharvest treatments on Washington Navel orange (Abs 369). The 91st Annual Meeting of ASHS Hort. Sci. 25-9 (5), May 1994.
16. **Abd El- Hameed, M. A. M. (1996):** Comparative studies on ten mango varieties under Minia Governorate conditions. *Proc. Of Fourth Arabic conf. For Hort. Crops.* 25-28 March, El- Minia Univ., El- Minia, Egypt: 775-796.
17. **Abd El- Hameed, M. A. M. (1996):** Soil and foliar fertilization application of Hindi banana (*Musa cavendishii* L) with some macro- and micronutrients. *Proc. Of Fourth Arabic conf. For Hort. Crops.* 25-28 March, El- Minia Univ., El- Minia, Egypt: 775-796.
18. **Abd El- Hameed, M. A. M. (1996):** Studies on Balady mandarin fertilization using soil and foliar application of some macro- and micronutrients. *Proc. Of Fourth Arabic conf. For Hort. Crops.* 25-28 March, El- Minia Univ., El- Minia, Egypt: 797-813.

19. **Abd El- Hameed, M. A. M. (1997):** Comparative studies on six banana cultivars grown under Minia conditions. J. Agric. Sci., Mansoura Univ., 22 (11): 3895-3901.
20. **Abd El- Hameed, M. A. M. (1997):** Effect of fertilization on yield and fruit quality of Balady guava (*Psidium guajava* L.) grown in two different soil types. J. Agric. Sci., Mansoura Univ., 22 (11): 3902-3914.
21. **Abd El- Hameed, M. A. M. (1997):** Extending the storage period of Balady lime fruits (*Citrus aurantifolia*, Swingle). J. Agric. Sci., Mansoura Univ., 22 (11): 3915-3938.
22. **Abd El- Hameed, M. A. M. (1997):** Comparative study on some local, Iraqi and Higazi date palm cultivars grown under Minia Governorate conditions. J. Agric. Sci., Mansoura Univ., 22 (12): 4253-4262.
23. **Abd El- Hameed, M. A. M. (1998):** Efficiency of foliar sprays of Kcl and K<sub>2</sub>SO<sub>4</sub> on Succarie orange cultivar. Egypt J. Appl. Sci., 13 (2): 242- 253.
24. **Akl, A. M.; A. M. Eid; M. A. M. Abd El- Hameed and A. B. Kamel (1998):** Yield and fruit quality of two mango (*Mangifera indica* L.) cultivars as affected by some macro- and micronutrients. Egypt J. Appl. Sci., 13 (2): 254-272.
25. **Abd El- Hameed M. Wassel; Mohamed, M. A.; Ragab, M. A.; Sayed, R. A. and Hussein, Y. A. (2007):** Effect of biofertilization and method of potassium application on the vegetative growth and the leaf mineral content of Balady mandarin trees (*Citrus reticulate*, Blanco). The 1st International Conference on Desert Cultivation 27 – 29 March 2007 Minia Univ. "Future of Desert Cultivation Problem & Solution.675-692.
26. **Abd El- Hameed M. Wassel; Mohamed, M. A.; Ragab, M. A.; Sayed, R. A. and Hussein, Y. A. (2007):** Influence of biofertilization and method of potassium application on the growth and yield of Balady mandarin trees (*Citrus reticulate*, Blanco). The 1st International Conference on Desert Cultivation 27 – 29 March 2007 Minia Univ. "Future of Desert Cultivation Problem & Solution.749-761.
27. **Abd El- Hameed M. Wassel; Abd El- Hammed, M. A.; Gobara, A. A. and Attia, M. F. (2007):** Effect of some micronutrients, gibberellic acid and ascorbic acid on growth, yield and quality of White Banaty seedless grapevines. 8th African Crop Science Society Conference, 27-31 October 2007, El- Minia Egypt. African Crop Science Society Conference proceedings 547-553.
28. **Ahmed, F. F.; Mohamed, M. A.; Abdel Aal, A. M. K. and Amin, M. M. (2007):** Response of Red Roomy grapevines to application of Amino acids and some micronutrients. 3rd Conference for Agriculture and Continuous Development. 12-14, November, pp El- Fauom, Egypt. 247-258



29. **Moawad A. Mohamed; Ali A. Gobara; Mohamed A. Ragab and Rabiee T. Mouftah (2008):** Response of Taimour and Zebda mango trees to application of organic and biofertilization along with seaweed extract. The first International Conference On Environmental Studies and Research (Natural Resources & Sustainable Development). 7-9 April 2008, Environmental Studies and Research Institute (ESRI), Minufiya University- Sadat Branch.
30. **Faissal F. Ahmed; Farouk H, Abd El-Aziz; Moawad A. Mohamed; Tawfik A Ebrahiem and Zmrawy A. Ali (2008):** A Partial Alternative to mineral N fertilizers and its influence on yield and fruit quality of Balady mandarin trees. The first International Conference On Environmental Studies and Research (Natural Resources & Sustainable Development). 7-9 April 2008, Environmental Studies and Research Institute (ESRI), Minufiya University- Sadat Branch.
31. **Osama, H. Darwish; Faissal. F. Ahmed; Mohamed A. El- Sayed and Mohamed, M. A. (1991):** Foliar and soil applications of urea and their effects on growth, yield and quality of Balady orange trees. Accepted for publication in Minia J. of Agric. Res. & Dev. 1991.
32. **Faissal. F. Ahmed; Mohamed, A. M. and Mohamed, Z. Ali (1991):** Effect of composting saw-dust on the yield and quality of Hindy Bisinara mango cultivar. Minia J. of Agric. Res. & Dev. Accepted.
33. **Faissal. F. Ahmed; Gamal, M. El- Dawwey and Moawad, A. Mohamed (1992):** Improving productivity and prolonging shelf-life of Balady mandarins with calcium sprays I- Improving trees productivity. Accepted for publications in Minia J. of Agric. Res. & Dev. 1992.
34. **Faissal. F. Ahmed; Moawad, A. Mohamed and Gamal, M. El- Dawwey (1992):** Improving productivity and prolonging shelf-life of Balady mandarins with calcium sprays II- Prolonging shelf- life of fruits. Accepted for publications in Minia J. of Agric. Res. & Dev. 1992.