

الأبحاث العلمية لقسم وقاية النبات

List of Publication: Prof. Dr.Salah M. Hussein

- EL - Geuindi, M.S. ; Hussein , S.M. Farrag, T.E. and Abd El Ghany, H.M. 2005 : Adsorption Of Herbicide Pendimethalin from aqueous solutions onto natural clay. Proceedind of Minia international Conference " Towards a safe and clean Environment" TSCE'05 15-18 April 2005 P. A1-1.
- EL - Geuindi, M.S. ; Hussein , S.M. Farrag, T.E. 2005: External Mass transfer Model applied to the adsorption of insecticide Diazinon onto natural clay. Proceeding of the 3 rd Minia international Conference for advanced trends in Engineering 3- 5 April 2005 abstract 41.
- EL - Geuindi, M.S. ; Hussein , S.M. Farrag, T.E. 2005: Removal of Insecticide Diazinon from Aqueous solutions using natural clay Proceeding of the 3 rd Minia international Conference for advanced trends in Engineering 3- 5 April 2005 abstract 198.
- Hussein, S.M>; and Abdel Aziz 2004 :Approaches to integrated pest management of cotton pink bollworm in Middle Egypt. Proceeding of the 15th international plant protection congress " Plant Protection Twards the 21th Century" Beijing China 11-16 May 2004 P. 387.
- Hafez, H.F. Abdel Aziz, M.A. and Hussein, S.M.2003: Biodegradation and mobility of Atrazine in soil. Minia J. of Agric. & Develop. Vol. 23No. 4 pp 765-778.
- Hussein, S.M. and Thiemann, W.(2002): Nitrostable pesticides as a source of carcinogens in soil and plant (Pesticide Review 37: 445-449.
- Hussein, S.M.; Hafez, H.F.H. and Thiemann, W. (1999): Biodegradation of three pyrethroids in soil under laboratory conditions. The 9th international conference " Environmental protection is a must" 4-6 May 1999 Alexandria, Egypt 4-6 May 1999. .
- Hussein, S.M.; Abdel- Aziz, M.A. (1998): Inducing resistance in Egyptian cotton plants *Gossypium barbadense* against spiny bollworm *Erias insulana* (Boisd) (Lepidoptera, Noctuidae). Proceeding of the International conference of Integrated pest management, Theory7 practice, Developing sustainable agriculture, 14-20 June 1998 Guangdong China.
- Hussein, S.M., Hafez, H.F.H. and Thiemann, W. (1997): Presistence of three pyrethroids insecticides in soil. The sixth annual Scientific conference of the Egyptian society of Toxicology Ecotoxicological impact of environmental pollutants on children. 1-3 April 1997.

- Hafez, H.F.H.; Hussein, S.M.; Thiemann, W. and Rizk, G.A. (1995): Behaviour of synthetic pyrethroids in Aquatic environment under laboratory conditions. Pesticides and environmental contaminants in Water and Food German Egyptian conference, Ismalia 2-7 Feb. 1995, Abstract pp.25.
- Hussein, S.M.; Makady, M.A. and Abd- El Alim, A.A.(1994): Susceptibility of cotton whitefly, *Bemisia tabacii* (Genn.) (Aleyrodidae, Homoptera) to selected insecticides, their mixtures and their synergism with DEF. *Shashpa*, 1: (1), 69-74.India
- Fox, R.D.; Hussein, S.M.; Richard, D.I.; Braze, R.D. and Hall, F.R.(1994): A comparison of spray drift deposited on ground and airborne spray collectors and on soybean plants. OARDC Research circular Ohio State Univ. 298: 109-114.
- Hussein, S.M.; Makady, M.A. and Gharib, A.H. (1993): Laboratory assessment of selctive toxicity for certain insecticides against *Coccinella undecepunctata* and its aphid prey *Rhopalosiphum* spp. *Minia J. Agric. Res. & Dev.* 15: (2), 627-640..
- Hussein, S.M.; Selim, Z. and Makady, M.A.(1993): Toxicity and synergism of Avermectin against cotton leafworm *J. Egypt Soc. Toxicol.*10:15-19 .
- Hussein, S.M. and Thiemann, W. (1992): Differences in cytochrome P-450 from insect pests, predators and Mammalian species. First Egyptian Italian symposium on Biotechnology 21-23 November 1992 Abstract PP. 76.
- Hussein, S.M.; Hall, F.R. and Downer, R. (1992): Influence of Adjuvants on droplet size spectra and biological activity of permethrin against *Tricoplosia ni* (Lepidoptera, Noctuidae) *Minia J. Agric. Res. & Dev.* 14: (3), 859-872
- Hussein, S.M. (1992): Drift of permethrin and Tinopal from ground application in an open area. *Minia J. Agric. Res. & Dev.* 14: (2), 176-187
- Hussein, S.M. (1992): Factors affecting retention of spray droplets of permethrin on leaf surfaces. *Minia J. Agric. Res. & Dev.* 14: (2), 511-523
- Hussein, S.M.; Kamel, E.H. and Gharib,A.H. (1991): Laboratory and field evaluation of pyrethroid insecticides and their mixtures with piperonyl butoxide against cotton bollworm *Erias insulana* (Boisd). *Minia J. Agric. Res. & Dev.* 13: (1), 171-181
- Hussein, S.M. (1991): Influence of Avermectin spray deposit on mortality and food consumption *Trichoplosia ni* larvae. Proceeding of the fourth Arab Congress of plant protection, Cairo 1-5 December 1991 III: 168-178.
- Hussein, S.M.; Makady, M.M.E.A. and Zeiton, Z.A. (1990): Influence of post treatment

- temperature on toxicity and persistence of two pyrethroids against the cowpea weevil *Callosobruchus maculatus* (Fab.) (Coleoptera, Bruchidae). *Minia J. Agric. Res. & Dev.* 12: (2), 727-737
- Zeitoun, Z.A.; Hussein, S.M. and Makady, M. M. E. A. (1990): Field evaluation of certain pesticides against sucking pests and natural enemies associated with potatoes in Minia region. *Minia J. Agric. Res. & Dev.* 12: (2), 645-657.
- Hussein, S.M.; Makady, M.M.E.A. and Kamel, E.H. (1990): Field evaluation of the effect of insect growth Regulators (IGR's) and their mixtures with insecticides on the beneficial arthropod fauna of cotton ecosystem. *Minia J. Agric. Res. & Dev.* 12: (3), 1445-1457.
- Abdel-Kader, S.M. and Hussein, S.M. (1990): Novel Heterocyclic compounds synthesis and biological activity of Oxazolo (3,2-a) Pyridino (3,2,d) pyrimidine derivatives. *Minia J. Agric. Res. & Dev.* 13: (1), 129-141.
- Abdel-Kader, S.M. and Hussein, S.M. (1990): Insect growth inhibitory Flavan Glycosids from *Vinca rosae*. *Minia J. Agric. Res. & Dev.* 12: (3), 1530-1540
- Kamel, E.H.; Gharib, A.H. and Hussein, S.M. (1990): Interaction effect of *Bacillus thuringiensis* H-14, pyrethroids, profenofos and chlorodimeform applied to *Culex pipens* larvae. *Minia J. Agric. Res. & Dev.* 13: (1), 221-23
- Aly, F.K.; Hussein, S.M. and Makady, M.A. (1990): Damage and yield loss of maize crops response to sugar cane borers infestation in Minia Governorate. *Minia J. Agric. Res. & Dev.* 12: (3), 1737-17-44
- Abdel- Moneim, A.A. Mogazy, S.M. and Hussein, S.M. (1989): Quantitative and qualitative effects of certain nematocides on soil fungal populations. Third world conference on environmental and health hazards of pesticides, Cairo Egypt, 11-15 december, 1989, Abstract
- Abdel- Moneim, A.A. ; Hussein, S.M. and Mogazy, S.M. (1989): effect of certain herbicides on soil fungal populations. Quantitative and qualitative. *Minia J. Agric. Res. & Dev.* 11: (2), 837-858.
- Rizk, G.A.; Hussein, S.M. and Hafez, H.F.H. (1988): Studies on Biotic potential of cotton leafworm with special reference to effect of host plants on larval susceptibility to synthetic pyrethroids. *Bull. Ent. Soc. Egypt, Econ. Ser.* 17: 47-56.
- Rizk, G.A.; Hussein, S.M. and Hafez, H.F.H. (1988): Estrases activity in larval tissue homogenates of *Spodoptera littoralis* (Boisd) when reared on different host plants. *Bull. Ent. Soc.*

Egypt, Econ. Ser. 17: 37-46

Hussein, S.M.; Gharib, A.H. and Aly, F.K. (1987): Relative toxicity and residual activity of certain insecticides on the honey bee *Apis mellifera* L. In Minia region. *Minia Agric. Res. & dev.* 9: (1), 325-337.

Aly, F.K.; Gharib, A.H. and Hussein, S.M. (1987): Efficiency of certain insect growth regulators (IGR's), Insecticides and their mixture and *Bacillus thuringiensis* on some sucking insects infesting cotton plants in Minia region. *Minia J. Agric. Res. & Dev.* 9: (1), 339-353.

Hussein, S.M. ; Gharib, A.H. and Mourad, G.M. (1987): Changes in cotton soil arthropod fauna as functions of pesticide treatment in Minia cotton field. *Minia J. Agric. Res. & Dev.* 9: (2), 799-814.

Garib,A.H.; Hussein, S.M. and Aly, F.A. (1987): Effect of *Bacillus Thuringiensis* H14 on *Culex pipens* larvae in the laboratory and in cespools. *Minia J. Agric. Res. & Dev.* 9: (3), 1391-1407.

Garib,A.H.; Hussein, S.M. and Aly, F.A. (1987):Evaluation of three formulations of *Bacillus thuringiensis* serotype H-14 against *Culex antennatus* larvae in artificial ponds. *Minia J. Agric. Res. & Dev.* 9: (3), 1377-1390.

Rizk,G.A.; Kamel, E.H.; Garib, A.H. and Hussein, S.M. (1986): Toxicity and synergism of two insect growth regulators on the northern house mosquito *Culix pipens*. *Minia J. Agric. Res.& EýDev.* 8: (1), 163-175.

Gharib, A.H.; Aly, F.S. and Hussein, S.M. (1986): Isolation of three strains of *Bacillus sphaericus* serotype H5a5b possessing high larvicidal activity against some culex mosquitoes. *Proceeding 4 th International Colleg. Invertebrate Pathol. Veldhoven (Netherlands August 1986, Abstract 547.*

Rizk, G.A.; Hussein, S.M.; Zeitoun, Z.A. and Gharib, A.H. (1985): Joint action of some organophosphorous compounds and synthetic pyrethroids on the Cittony cushion scale *Icerya purchasi* (Mask.) (Margrodidae, Homoptera) *Minia J. agric. Res. & Dev.* 7: (4), 1265-1278.

Hussein, S.M.; Gharib, A.H. and Zeiton, Z.A. (1985): Selective toxicity of certain synthetic pyrethroids to some biological agents and their cabbage aphid host. *Minia J. agric. Res. & Dev.* 7: (4), 1265-1278.

Baicu, T. and Hussein S.M.(1984): The common action of insecticides and *Bacillus thuringiensis* preparations mixtures against different insect pests. *Bul. Prot. Plant.* 4: 55-62.

- Hussein S.M. and Baicu T. (1986): Common action of some organophosphorous and synthetic pyrethroids to *Tribolium confusum* Duv. and their anticholinesterase effect. *Analel I.C.P.P.* XIX:221-233.
- Rizk,G.A.; A.M.Ali and Hussein S.M. (1978): *Aonidiella aurantii* (Mask) Effect of insecticidal application at different phases of abundance. *Proceeding of the 4th Conference Pest Control NRC, Cairo, Egypt I: 670-676.*
- Rizk,G.A.; Karaman,G.A. and Hussein S.M. (1978): A native parasite and two species of mites as candidates for biological control of red scale insect in Middle Egypt. *Proceeding of 4th conference pest control NRC, Cairo, II:734-740.*
- Rizk, G.A.; Sheta, I.B. and Hussein S.M. (1978): Seasonal fluctuation and abundance of *Aonidiella aurantii* (Mask.) as monitored by different developmental stages. *Proceeding of 4th conference pest control NRC, Cairo Vol. I : 72-77.*
- Rizk, G.A. ; Sheta I.B. and Hussein S.M. (1978): Some aspects of the population activity of *Aonidiella aurantii* (Mask.) in relation to weather factors in Middle Egypt. *Proceeding of 4th conference pest control NRC, Cairo Vol. I : 62-71*

List of Publication: Prof. Dr.El-Badry Hussein Kamel

1. Rizk, G.A. and E.H. Kamel (1982). Resistance of cotton leafworm larvae Spodoptera littoralis(Boisd.) to certain organic insecticide groups in Middle Egypt. Proc. Egypte's National Conf. Ent., Dec. 1982, Vol. 11(549-556).
2. Karaman, G.A.; Tantawy, M.M.; Kamel, E.H. and Aly, F.K. (1984). Laboratory evaluation of certain insecticides on Tetrastichus coccinelli Kudj, parasite of immature stages of the lady beetle Coccinela undecimpunctata (L.). Presented in the 5th of the African Organization for Entomology, Cairo (1984), Abstract p.86.
3. Kamel, E.H. (1986). Role of esterases in permethrin resistance in the housefly. *Minia Agric. Res.&Dev.* 8(1): 85-94
- 4- Kamel, E.H.; M.J. McKee and C.O. Knowles (1987) Formamiformanilides Ju permethrin degradation by insect Econ. Entomol. 80: 322 inhibitors of preparatidines and ons. J. - 326) .
5. Rizk, G.A.; E.H. Kamel and M.A. Makadey (1990). Variation in susceptibilities to pyrethroids of Spodoptera littoralis (Boisd.) fed on different host plants. *Minia J. Agric. Res. & Dev.*, 12(2): 783-793.
6. Rizk, E.A. and E.H. Kamel (1991). Evaluation of Reldan bioencapsulated for the control of sucking insects (Homoptera: Aphididae and Alerodidae) in cotton field. *Minia J. Agric. Res. & Dev.* 13(1): 233-243.
7. Kamel, E.H.; A.H. Gharib and S.M. Hussein (1991). Interaction effect of *Bacillus thuringiensis* H-14, pyrethroids, profenfos and chlordimeform to *Culex pipens* larvae. *Minia J. Agric. Res. & Dev.* 13(1): 221-231.
8. Kamel, E.H.; F.W. Plapp and C.O.Knowles (1990). Preliminary study on the synergism of pyrethroids by formamidines and formanilides in susceptible and resistance housefly. *Minia J. Agric. Res. & Dev.*, 12(1): 231-248.

List of Publication: Prof. Dr. Abdelrahman Mahmoud Younis

- 1-** Rizk, G. A, M. A. Attallah, and **A. M. Younis** (1979): Population dynamics of the bollworm *Heliothis armigera* (Hubn) with special emphasis to the effect of certain weather factors on the population activity in Middle Egypt. Annals of Agric. Sci., Moshtohor, Egypt.
- 2-** Sheta, I. B.; A. A. Abdel-Naby and **A. M. Younis** (1980): Laboratory tests on the bio-activity effectiveness of certain insecticides for control the American bollworm *Heliothis armigera* (Hubn). Minia J. Agric. Res. & Dev.
- 3-** Sheta, I. B.; A. A. Abdel-Naby; F. K. Ali and **A. M. Younis** (1986): Ecological studies on the Mediterranean fruit fly *Ceratits capitata* (Wied.) in Middle Egypt. Minia J. Agric. Res. & Dev.
- 4-** Abdel-Naby, A. A.; I. B. Sheta and **A. M. Younis** (1986): Studies on some biological aspects of the Mediterranean fruit fly *Ceratits capitata* (Wied.) at constant temperature regimes. Minia J. Agric. Res. & Dev.
- 5-** Darwish, Y. A.; Abdel-Galil, F. A and **A. M. Younis** (1987): Population dynamics of the red scale insect *Aonidiella aurantii* Mask, the white fly, *Bemisia tabaci* (Gennandue) and the leaf hopper *Empoasca lybica* De-Berg on Zizyphus trees in Upper Egypt, (Homoptera: Diaspididae, Alerodidae, Cicadellidade). Assuit J. Agric. Sci., 18 (1): 267-276.
- 6-** Mohamed, K. K.; A. G. A. Salman; **A. M. Younis** and M. A. Soliman (1987): Susceptibility of soybean varieties to the infestation of the common spider mite *Tetranychus arabicus* (Attiah) in Upper Egypt. Minia J. Agric. Res. & Dev., 9 (3): 1319-1330.
- 7-** Soliman, M. A.; E. A. Moftah; **A. M. Younis** and K. K. Mohamed (1987): Factors affecting the susceptibility of sugarcane varieties to Borers infestation. Minia J. Agric. Res. & Dev., 9 (3): 1349-1361.
- 8-** Ibrahim, S. A. and **A. M. Younis** (1987): Laboratory evaluation of the insect growth regulator IKI 7899, the organophosphorus compound, Dursban and their mixtures against the cotton leafworm *Spodoptera littoralis* (Boisd.). Minia J. Agric. Res. & Dev. Vol.9 (2): 761-776.
- 9-** Ibrahim, S. A.; **A. M. Younis** and M. F. Gergis (1987): Potency and residuality of chlorpyrifos, two acylurea derivatives and their mixtures against susceptible and field

- strains of cotton leafworm *Spodoptera littoralis* (Boisd.). Minia J. Agric. Res. & Dev.Vol.9 (4): 1553-1564.
- 10-** Ibrahim, S. A. and **A. M. Younis** (1988): Initial and latent bioactivities of certain benzoyl phenyl urea's (BPUS) applied to egg masses and early 4th instar larvae of the cotton leafworm (C.L.W.) *Spodoptera littoralis* (Boisd.). Minia J. Agric. Res. & Dev.Vol.10 (1): 203-221.
 - 11-** Ibrahim, S. A.; Z. A. Zeitoun and **A. M. Younis** (1988): Some factors affecting the activity of *Bacillus thuringiensis* var: *israelensis* (H-14) against the mosquito *Culex pipiens* L. (Diptera: Culicidae). Minia J. Agric. Res. & Dev.Vol.10 (12): 561-572.
 - 12-** Ibrahim, S. A.; **A. M. Younis** and Z. A. Zeitoun (1988): Initial and residual potency of certain insecticides, insect growth regulators and their mixtures against some cotton pests. Minia J. Agric. Res. & Dev.Vol.10 (3): 1311-1323.
 - 13-** Ali, F. K.; **A. M. Younis**; S. A. Ibrahim and A. H. Gharib (1988): Head capsule measurements, duration and survival rate of the cotton leafworm larvae *Spodoptera littoralis* (Boisd.) under constant temperature. . Minia J. Agric. Res. & Dev.Vol.10 (2): 585-596.
 - 14-** **Younis, A. M.**; F. K. Ali and M. A. Soliman (1988): Effect of constant temperatures on the head capsule measurements, durations and survival rate of cutworm larvae *Agrotis ipsilon* (Hufn) (Lepidoptera: Noctuidae). Minia J. Agric. Res. & Dev.Vol.10 (2): 597-606.
 - 15-** Soliman, M. A.; **A. M. Younis** and E. A. M. Moftah (1988): Varietal and fertilization in relation to the resistance of sugercane borers. Minia J. Agric. Res. & Dev.Vol.10 (2): 597-606.
 - 16-** **Younis, A. M.**; M. A. Soliman; A. A. Khider and M. F. Gergis (1988): Prediction the time of different development stages of the spiny bollworm, *Earias insulana* (Bois.) on the basis of heat unit accumulation. Minia J. Agric. Res. & Dev.Vol.10 (4): 1553-1562.
 - 17-** Moftah, E. A.; **A. M. Younis**; M. F. Gergis and A. A. Khider (1988): Thermal requirements and prediction models for pink bollworm (PBW) *Pectinophora gossypiella* (Saund.). Minia J. Agric. Res. & Dev.Vol.10 (4): 1563-1673.
 - 18-** Ibrahim, S. A.; H. M. Eshbah and **A. M. Younis** (1989): Toxicity and bioresiduality of selected insect growth regulators (IGR's)/insecticides mixtures to honey bees (Hymenoptera: Apidae). Minia J. Agric. Res. & Dev.Vol.11 (4): 1891-1906.

- 19- Ibrahim, S. A.; H. M. Eshbah and **A. M. Younis** (1990): Effects of long-term exposure of three-chitin synthesis inhibitors on the survival, brood production and food consumption of the honeybee *Abis mellifera* L. *Minia J. Agric. Res. & Dev.*Vol.12 (4): 2229-2250.
- 20- Soliman, M. A.; E. A. M. Moftah; M. F. Gergis and **A. M. Younis** (1990): Temperature effect on adult biology, reproduction and population growth of pink bollworm *Pectinophora gossypiella* (Saund.). (Lepidoptera: Glechiidae). *Minia J. Agric. Res. & Dev.*Vol.12 (3): 1459-1472.
- 21- Ibrahim, S. A.; **A. M. Younis** (1990): Insecticidal potency of certain synthetic pyrethroids and organophosphates against pink bollworm *Pectinophora gossypiella* (Saunders.) and the spiny bollworm, *Erias insulana* (Boisd.). *Minia J. Agric. Res. & Dev.*Vol.12 (4): 2203-2214.
- 22- **Younis, A. M.** (1991): Some biological aspects of cotton leafworm, *Spodoptera littoralis* (Boisd.) under different constant temperature regimes. *Bull. Entomol. Soc. Egypt*, Vol.70, 1991-1992: 171-180.
- 23- Gergis, M. F. and **A. M. Younis** (1991): Field estimate for age- specific life table parameters and demographic statistics of the green peach aphid *Myzys persica* (Sulzer) infesting potato (*Solanum tuberosum*) L. in Middle Egypt. *Minia J. Agric. Res. & Dev.*Vol.13 (1): 272-285.
- 24- Gergis, M. F. and **A. M. Younis** (1991): Upper and lower threshold temperatures and degree-day estimates for development of the cotton aphid, *Aphis gossypii* (Clover) infesting watermelon under field conditions. *Minia J. Agric. Res. & Dev.*Vol.13 (1): 289-305.
- 25- **Younis, A. M.** (1992): Effect of constant temperatures on development and survival of the immatures stages of the black cutworm, *Agrotis ipsilon* (Hufngel), (Lepidoptera: Noctuidae). *Assiut J. Agric.*, 23(1): 291-301.
- 26- Youssef, H. I.; S. A. Ibrahim, and **A. M. Younis** (1992): Morphogenetic and sterilization effects of three juvenile hormone analogs on the greasy cutworm *Agrotis ipsilon* (Hufnagel). *Minia J. Agric. Res. & Dev.*Vol.14 (1): 271-284.
- 27- Ibrahim, S. A.; **A. M. Younis**, Y. A. I. Abdel-Aal and E. P. Lampert (1992): Development and management of insecticide resistance: Role of insect reproduction and possible sources of phenotypic plasticity. *Resistance Pest Management*, Vol. 4 (2): 15-19
- 28- **Younis, A. M.** and F. F. Ahmed (1992): To what extent could some micronutrients cooperate with certain insecticides for controlling mango scale insect and improving

- productivity of hindy bisinnara mango trees?. Minia J. Agric. Res. & Dev.Vol.14 (2): 11-20.
- 29-** Ahmed, F. F. and **A. M. Younis** (1992): Joint action of NAA and some insecticides on mango scale insect and yield of hindy bisinnara mango trees. Minia J. Agric. Res. & Dev.Vol.14 (2): 1-10.
- 30-** Gergis, M. F.; **A. M. Younis**, M. F. Ali and K. M. Adam (1992): Survey of insect pests associated with potato, *Solanum tuberosum* L. using three sampling techniques in Middle Egypt. Minia J. Agric. Res. & Dev.Vol.14 (2): 477-494.
- 31-** Gergis, M. F. and **A. M. Younis** (1993): Cotton bollworm; Male moth catches in pheromone traps and relationship to oviposition and boll infestation in cotton fields in middle Egypt. In" Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference), New Orleans, LA. USA. Vol. 2: 1048-1051.
- 32-** Hassan, M. H.; F. F. Ahmed and **A. M. Younis** (1993): could GA3MG be combined with nematicides to enhance growth and nematodes population of naturally infested Anna apple trees with nematodes ?. Minia J. Agric. Res. & Dev.Vol.15 (1): 190-201.
- 33-** Rodriguez, L. M., J. M. Skias, **A. M. Younis** and T. E. Reagan (1993). Aerial application control of the Sugarcane borer, 1992. Insecticide & Acaricide Tests Vol.18:279.
- 34-** **Younis, A. M.**, L. M. Rodriguez, J. M. Skias and T. E. Reagan (1993). Effects on non-target Arthropods from Sugarcane borer control large plot field trial, 1992. Insecticide & Acaricide Tests Vol.18:280.
- 35-** **Younis, A. M.** and J. A. Ottea (1993): Some biological aspects, thermal threshold and heat unit requirements for the immature stages of American bollworm, *Heliothis armigera*. In" Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference), New Orleans, LA. USA. Vol. 2: 895-879.
- 36-** Fouad, M. S.; F. F. Ahmed and **A. M. Younis** (1994): Comparative efficacy of some plant extracts against immature stages of the Mediterranean fruit fly, *Ceratitidis capitata* (Wied.). Minia J. Agric. Res. & Dev.Vol.15 (1): 215-228.
- 37-** Ibrahim, S. A.; **A. M. Younis** and M. S. Fouad (1994): Performance of certain pyrethroids and IGR's/pesticide mixtures against sucking pests and beneficial arthropods associated with cotton in late season. In" Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference), San Diego, CA, USA. Vol. 2: 932-937.

- 38- Ottea, J. A.; S. A. Ibrahim; **A. M. Younis**; R. J. Young; B. R. Leonard and A. R. McCaffery (1995): Biochemical and physiological mechanisms of pyrethroid resistance in *Heliothis virescens* (F.). *Pesticide Biochemistry and physiology*, 51: 117-128.
- 39- **Younis, A. M.** and S. A. Ibrahim (1996): Study for comparing the efficiency of certain acaricides against *Tetranychus urtica* Koch under laboratory and field conditions. In "Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference), Nashville, TN. USA. Vol. 2: 1131-1134.
- 40- Ibrahim, S. A.; **A. M. Younis** and J. A. Ottea (1996): Biochemical mechanism of pyrethroid resistance in cypermethrin selected *Heliothis virescens*. In "Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference), Nashville, TN. USA. Vol. 2: 1054-1059.
- 41- Ottea, J. A., S. A. Ibrahim, **A. M. Younis** and R. J. Young (2000). Mechanisms of Pyrethroid Resistance in Larvae and Adults from a Cypermethrin-Selected Strain of *Heliothis virescens* (F.). *Pesticide Biochemistry and Physiology* 66:20-32.
- 42- **Younis, A. M.** and O. A. O. Saad (2003). Bioactivity of *Bacillus thuringiensis* and *Bacillus polymyxa* on the American bollworm *Heliothis armigera*. In "Proceedings of Beltwide Cotton Conferences (Cotton Research and Control Conference), Nashville, TN. 1411-1419.
- 43- **Younis A. M.**; S. H. Hamouda; S. A. Ibrahim; Z. A. M. Zeitoun (2007): Field evaluation of certain pesticides against the cotton bollworms with special reference to their negative impact on beneficial arthropods, Minia Region, Minia, Egypt. African Crop Science Conference Proceedings, Minia University, El-Minia, Egypt, 27-31 October, 2007, Volume 8, Part 2 of 4: 993-1002.
- 44- Ibrahim, S. A.; G. Henderson; R.; R. A. Laine and **A. M. Younis** (2007). Toxicity of naphthalene and 10 related compounds on *Coptotermes formosanus* (Isoptera: Rhinotermitidae). African Crop Science Conference Proceedings, Minia University, Egypt, 27-31 October, 2007, Volume 8, Part 2 of 4: 1133-1142.
- 45- Ibrahim, S. A.; G. Henderson; and **A. M. Younis** (2008): Naphthalene derivatives affect Formosan subterranean termite (Isoptera: Rhinotermitidae) behaviors. The 4th Annual International Scientific Conference of the Egyptian Society of Environmental Toxicology, Safaga-Egypt, pp 44.
- 46- **Abdelrahman M. Younis** and Sanaa A. Ibrahim (2010) Population fluctuations of the spiny bollworm, *Earias insulana* (Boisduval); pink bollworm, *Pectinophora gossypiella*

(Saunders) and their associated predators. In Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference), New Orleans, LA., USA.: 966-977.

- 47-** Ibrahim, S. A.; G. Henderson; and **A. M. Younis**. Persistence the efficiency of Nootkatone and Tetrahydronootkatone against *Coptotermes formosanus* (Isoptera: Rhinotermitidae). In preparation.
- 48-** Ibrahim, S. A.; G. Henderson; R. and **A. M. Younis**. Toxicity, repellency and feeding deterrence of sesame oil and five of its major components on the Formosan subterranean termite (Isoptera: Rhinotermitidae). In preparation.

List of Publication: Prof. Dr. Adel Hussein Gharib

- 1- Rizk, G.A., I.B.Sheta and A.H. Gharib. 1977. The efficiency of *Bacillus thuringiensis* for control of the cotton leafworm *Spodoptera littoralis* (Boisd.). Proc. 2nd Arab Pesticide Conf., Tanta Univ., Sept. 1977, I:1-10.
- 2- Rizk, G.A., I.B.Sheta and A.H. Gharib. 1977. Biological activity of three preparations of *Bacillus thuringiensis* against the cotton leafworm in soil. Proc. 2nd Arab Pesticide Conf., Tanta Univ., Sept. 1977, I:11-16.
- 3- Rizk, G.A., G.A.Karaman, I.B.Sheta and A.H.Gharib. 1979. Conjunction of *Bacillus thuringiensis* var. *alesti* with some OP insecticides for control of the cotton leafworm *Spodoptera littoralis* (Boisd.). Proc. 3rd Pesticide Conf., Tanta Univ., Sept. 1979, I:1-9.
- 4- Sheta, I.B., G.A. Karaman and A.H. Gharib. 1979. The joint action of the bio-insecticide *Bacillus thuringiensis* var. *alesti* and certain organo-phosphorus insecticides against the cotton bollworms. Proc. 3rd Arab Pesticide Conf., Tanta Univ., Sept. 1979, 1:220-230.
- 5- Gharib, A.H. and L. Szalay-Marzso. 1982. Studies on two formulations of *Bacillus thuringiensis* var. *israelensis* as a mosquito control agent. Proc. 2nd Egyptian-Hungarian Conf., Alexandria, Egypt, 443-457.
- 6- Szalay-Marzso, L. and A.H. Gharib. 1982. Field experiments with two formulations of *Bacillus thuringiensis* H-14 against mosquito larvae. Proc. 2nd Egyptian- Hungarian Conf., Alexandria, Egypt, 481-491.
- 7- Hussein, S.M., A.H. Gharib and Z.A. Zeitoun. 1985. Selective toxicity of certain synthetic pyrethroids to some biological agents and their cabbage aphid host. Minia J. Agric. Res. & Dev. 7(4): 1279-1294.
- 8- Rizk, G.A., S.M. Hussein, Z.A. Zeitoun and A.H. Gharib. 1985. Joint action of some organophosphorus compounds and synthetic pyrethroids on the cottony cushion scale *Icerya purchasi* (Mask): (Margarodidae, Homoptera). Minia J. Agric. Res. & Dev. 7(4): 1265-1278.
- 9- Gharib, A.H., F.S.Ali and S.M. Hussein. 1986. Isolation of three strains of *Bacillus sphaericus* serotype H-5a5b possessing high larvicidal activity against some *Culex* mosquitoes. Minia J. Agric. Res. & Dev. 8(2): 625-634. [Also in: Proc. 4th Internat. Colloq. Invertebr. Pathol. Veldhoven, the Netherlands, abstract:574
- 10- Gharib, A.H., F.K.Ali and G.A.Karaman. 1986. Histopathological effects of *Bacillus thuringiensis* var. *israelensis* (serotype H-14) in the midgut of *Culex pipiens* L. larvae

- (Diptera:Culicidae). Minia J. Agric. Res. & Dev. 8(4): 1221-1233.
- 11- Gharib, A H. and L. Szalay-Marzso. 1986. Selection for resistance to *Bacillus thuringiensis* serotype H-14 in a laboratory strain of *Aedes aegypti* L. Proc. 4th Internat.Colloq.Invertebr. Pathol., Veldhoven,the Netherlands, abstract: 37.
 - 12- Rizk, G.A.,E.H.Kamel,A.H.Gharib and S.M.Hussein. 1986. Toxicity and synergism of two insect growth regulators on the northern house mosquito *Culex pipiens*_L. Minia J. Agric. Res. & Dev.8(1): 163-175.
 - 13- Ali,F.K., A.H. Gharib and S.M.Hussein. 1987. Efficacy of certain insect growth regulators (IGR's), insecticide-IGR mixtures and a formulation of *Bacillus thuringiensis*_on some sucking insects infesting cotton plants in Minia region. Minia J. Agric. Res. & Dev. 9(1): 339-353.
 - 14- Hussein,S.M., A.H. Gharib and F.K. Ali. 1987. Relative toxicity and residual activity of certain insecticides on the honeybee *Apis mellifera*_L.in Minia region. Minia J. Agric. Res. & Dev. 9(1):325-337.
 - 15- Hussein,S.M., A.H.Gharib and M.G.Mourad. 1987. Changes in cotton soil arthropod fauna as functions of pesticide treatment in Minia cotton field. Minia J. Agric. Res. & Dev. (2):799-814.
 - 16- Gharib,A.H., F.K.Ali and S.M.Hussein. 1987. Effect of *Bacillus thuringiensis*_H-14 on *Culex pipiens*_larvae in the laboratory and in cesspools. Minia J. Agric. Res. & Dev. 9(3): 1391-1407.
 - 17- Gharib,A.H., S.M.Hussein and F.K.Ali. 1987. Evaluation of three formulations of *Bacillus thuringiensis*_serotype H-14 against *Culex antennatus*_larvae in artificial ponds. Minia J. Agric.Res. & Dev. 9(3):1377-1390.
 - 18- Gharib,A.H. and W.L.Hilsenhoff. 1988. Efficacy of two formulations of *Bacillus thuringiensis* var. *israelensis*_(H-14) against *Aedes vexans*_and safety to nontarget macroinvertebrates. J. Amer. Mosq. Control Assoc. 4(3): 252-255.
 - 19- Gharib,A.H., J.A. Wyman and Z.A. Shihata. 1989. Laboratory evaluation of three mosquito pathogenic strains of *Bacillus sphaericus*_isolated in Egypt. J. Invertebr. Pathol. 59 :57-62.
 - 20- Aly, F.K. and A.H. Gharib (1989). Ecological studies on certain insects associated with squash plants in Minia Region, Middle Egypt. Minia J. Agric. Res. & Dev. Vol.11(4): 1907-1920.
 - 21- Gharib, A.H., H.M. Eshbah and M.A. Makadey (1990). Effect of *Bacillus thuringiensis*_toxins on honeybee, *Apis mellifera*_L. Minia J. Agric. Res. & Dev. Vol. 12(3): 1437-1444.

- 22- Gharib, A.H. and A.A. Abdel-Alim (1991). Comparative evaluation of three formulations of *Bacillus thuringiensis*_H-14 and Malathion for the control of *Culex*_mosquitoes in Minia. Minia J. Agric Res. & Dev. 13(1): 307-322 .
- 23- Gharib, A.H. and J.A. Wyman. (1991) Food consumption and larval survival of *Trichoplusia ni* following intoxication by *Bacillus thuringiensis var. kurstaki*_and thuringiensin. J. Econ Entomol. 84(2): 436-439.
- 24- Gharib, A.H. (1991). Enhanced efficacy of certain mixtures of *Bacillus thuringiensis var. kurstaki* and thuringiensin against the cabbage looper *Trichoplusia ni* larvae. Minia J. Agric. Res. & Dev. 13(3): 1225-1236.
- 25- Kamel, E.A., A.H. Gharib and S.M.Hussein (1991). Interaction effect of *Bacillus thuringiensis* H-14, pyrethroids, profenfos and chlordimeform applied to *Culex pipiens* larvae. Minia J. Agric. Res. & Dev., 13(1): 221-231.
- 26- Hussein, S.M., E.H.Kamel and A.H. Gharib (1991). Laboratory and field evaluation of pyrethroid Insecticides and their mixtures with pepronyl butoxide against cotton bollworm *Erias insulana* (boisd.) . Minia J. Agric. Res. & Dev. 13(1): 171-181.
- 27- Gharib, A.H. and F.K. Ali (1991). Population density and age structure of the whitefly *Bemisia tabaci* on six field and vegetable crops. In Minia region . Minia J. Agric. Res. & Dev.13(4): 1541-1556.
- 28- Gharib, A.H. and S.A. Ibrahim (1992). Initial and latent effects of thuringiensin on *Spodoptera littoralis* (Boisd.) larvae with special reference to food consumption. Minia J. Agric. Res. & Dev. 14(2): 535-552.
- 29- Karaman, G.A., A. H. Gharib and A.A. Abdel-Alim (1992). Studies on the ladybeetle *Coccinella undecimpunctata*_L. and its endoparasite *Tetrasticus coccinellae* Kurdjumov. Minia J. Agric. Res. & Dev.14(1): 261-269.
- 30- Gharib, A.H., E.A. Mofteh, R. Wohlgemuth and M.S. Fouad (1992). Comparative efficacy of neem , maize , olive and cottonseed oils against *Callosobruchus chinensis* (L.) infestation to pea seeds. Minia J. Agric. Res. & Dev. 14(3): 773-768.
- 31- Gharib, A.H. (1992). Population density of two common aphidophagous predators on cotton and cucubit vegetables as simultaneous different habitats. Minia J. Agric. Res. & Dev. 14(1): 249-260.

- 32- Mostafa, N.R. , A.H. Gharib and M.S. Fouad (1992). Influence of temperature on the biology of *Callosobruchus maculatus*_F. with special reference to thermal requirements. Minia J. Agric. Res. & Dev. 14(4): 1093-1106.
- 32-Gharib , A.H. E.A. Moftah and M.S. Fouad (1992). Preliminary tests on the sex attraction response in the pulse beetle , *Callosobruchus chinensis* L. (Coleoptera, Bruchidae). Minia J. Agric. Res. & Dev. 14(4): 1107-1118.
- 33-Hussein, S.M., M.A. Makadey and A.H. Gharib (1993). Laboratory assessment of selective toxicity for certain insecticides against *Coccinella undecimpunctata* and its aphid prey *Rhopalosiphum spp.* Minia J. Agric. Res. & Dev. 15(2): 627-640.
- 34-Gharib, A.H. (1993). Efficacy and persistence of *Bacillus sphaericus*_standard preparations against *Culex pipiens* larvae, and the possibility of using infected cadavers for mosquito control. Minia J. Agric. Res. & Dev. 15(1): 269-285.
- 35- Gharib, A.H. (1998). Initial and latent effects of thuringiensin alone or in combination with *Bacillus thuringiensis var. kurstaki*_on larvae of two noctuid species. VIIth Internat . Colloq. Invertebr. Pathol. and Microbial Control IV Internat. Conf. On *Bacillus thuringiensis* , Sapporo, Japan, Aug. 23-28, 1998.
- 36- Karaman, G.A. , A.H. Gharib, A.A. Abdel-Naby and M.M. Embaby (1999). Effect of land leveling on crop and *Chilo agamemnon* Blesz infestation in sugarcane fields of Middle Egypt. First Internat. Conf. on Sugar & Integrated Industries, Luxor, Egypt, Feb. 15-18, 1999, p: 158-168.
- 37-Fouad, M.S., A.H. Gharib and S.E. Gad-El-Hak (2000). Effect of kind of food and larval density on the growth and development of *Carpophilus hemipterus* (L.) (Coleoptera: Nitidulidae). 8th Conf. for Res. Of Agric. Dev., Fac. of Agric. , Cairo Univ. , Nov. 2000.
- 38- Karaman, G.A. , A.H. Gharib, A.A. Abdel-Naby and M.M. Embaby . (2000) .Time and number of releases as factors affecting the efficacy of the egg parasite , *Trichogramma evanescens* against *Chilo agamemnon* infestation in sugarcane fields in Minia Governorate. (under publication).
- 39-Fouad, M.S. ,A.H. Gharib and S.H.H. Hamouda. (2000) The effect of certain agricultural practices and non- chemical materials on insect pests, predators and yield of roselle plants in Minia region. Mansoura Univ. J. Agric. Sci. (in press).
- 40- Darvas B., A.H. Gharib, A. Csoti, A. Szekach , Gy. Vojdics, L. Peregovits, L. Ronkai and L. Polgar . (in press). A Yield Grad GENETIKAILAG MODOSITOTT KUKORICA POLLENJERPO. (in Hungarian)

41- El-Mandarawy,M.B.R., Karaman,G.A., Gharib,A.H. and El-Gepaly,H.M.K.H. (2008). Studies on the pteromalid parasitoid , *Nasonia vitripennis* (Walker) attacking the aphidophagus syrphid, *Xanthogramma aegyptium* Wied.Bull.Ent. Soc. Egypt, 85:257-269.

List of Publication: Prof. Dr. Mohamed Mahmoud Tantawy

- Abdel-Wahab, A.M.; M.M. Tantawy and A.M. Ali (1974): Effect of ultraviolet radiation and temperature on persistence, degradation and bioactivity of phosvel. In: The use of isotopes in pesticides and pest control (Proceedings of a symposium held in Beirut-Lebanon, March 1974), P. 233-242.
- Abdel-Wahab, A.M.; M.I. Taha and M.M. Tantawy (1974): Decomposition of organophosphate insecticides by light and bromine. In: The use of isotopes in pesticides and pest control (Proceedings of a symposium held in Beirut-Lebanon, March 1974), P. 223-231.
- Abdel-Wahab, A.M.; A.M. Ali and M.M. Tantawy (1974): Toxicity of ultraviolet exposed organophosphate insecticides to the cotton leaf worm *Spodoptera littoralis* (Boisd.). In: The use of isotopes in pesticides and pest control (Proceedings of a symposium held in Beirut-Lebanon, March 1974), Abstract P. 39.
- Tantawy, M.M. and L.H. Grimme (1981): The content of phytol in the green alga *Chlorella fusca* and the effect of the pyridazinone herbicide SAN H 6706 on phytol biosynthesis. In: Photosynthesis V. Chloroplast development, G. Akoyunoglou (Ed.), Balaban International Science Services, Philadelphia, P. 997-1005.
- Tantawy, M.M. and L.H. Grimme (1982): The bleaching induced by the phenylpyridazinone herbicide metflurazon in *Chlorella* is a metabolic and reversible process. Pesticide Biochem. Physiol, 18: 304-314.
- Tantawy, M.M.; Th. Braumann and L.H. Grimme (1984): Uptake and metabolism of the phenylpyridazinone herbicide metflurazone during the bleaching and regeneration process of the green alga *Chlorella fusca*. Pesticide Biochem. Physiol, 22: 224-231.
- Abdel-Moneim, A.A. and M.M. Tantawy (1984): Evaluation of the toxicity of substituted phenylpyridazinone herbicides to soil microflora. Minia J. Agric. Res. & Dev., 6(1): 103-120.
- Tantawy, M.M.; Th. Braumann and L.H. Grimme (1984): A new metflurazon-resistant phenotype of the green alga *Chlorella fusca*. In: Advances in Photosynthesis Research, Vol. IV, C. Sybesma (Ed.), Martinus Nijhoff/Dr. W. Junk Publishers, The Hague/Boston, Lancaster, P. 77-80.
- Karaman, G.A.; M.M. Tantawy; EH. Kamel and F.K. Aly (1984): Laboratory evaluation of certain insecticides on *Tetrastichus coccinelli* Kudj., parasite of immature stages of the lady

- beetle* **Coccinella undecimpunctata** L. Presented in the 5L of the African Organization for Entomology, Cairo (1984), Abstract, P. 119.
- El-Sayed, A.H.; M.M. Tantawy and Z.A. Zeitoun (1985): Synthesis and biological activity of some aromatic a-chloroacetamide derivatives. *Minia J. Agric. Res. & Dev.*, 7(3): 1179-1193.
- Rizk, G.A.; M.M. Tantawy and Z.A. Zeitoun (1985): Laboratory evaluation of the plant growth regulator DOWCO 39IX on seed germination. *Minia J. Agric. Res. & Dev.*, 7(4): 1295-1309.
- Braumann, Th.; G. Weber; M.M. Tantawy and L.H. Grimme (1985): Separation of phenylureas, s-triazines and phenoxy-carbonic acids by reversed-phase high performance liquid chromatography. Proceedings of 6- Arab Pesticide Conference, Tanta University, Faculty of Agriculture, Kafr El-Sheikh, 16-17 Sept., 1985.
- Abdel-Moneim, A. A. and M.M. Tantawy (1985): Effect of some plant growth regulators on soil microorganisms. *Minia J. Agric. Res. & Dev.*, 7(1): 1-15.
- Hassan, M.A.M.; M.M. Tantawy; F.K. Aly and G.A. Karaman (1985): Effect of certain plant growth regulators and insecticides on sucking insects, growth and yield of tomato. *Minia J. Agric. Res. & Dev.*, 7(2): 167-182.
- Hassan, M.A.M.; M.M. Tantawy; F.K. Aly and G.A. Karaman (1985): Contributions to the effect of macroelements and insecticides on sucking insects and yield components of cowpea. *Minia J. Agric. Res. & Dev.*, 7(2): 383-398.
- Karaman, G.A.; F.K. Aly and M.M. Tantawy (1985): Morphological and biometrical studies on the lady beetle *Coccinella undecimpunctata* L. reared on the cabbage aphid *Brevicoryne brassicae* L. under the laboratory conditions. *Minia J. Agric. Res. & Dev.*, 7(1): 185-200.
- Karaman, G.A.; F.K. Aly and M.M. Tantawy (1985): Contributions to the biology of the lady beetle *Coccinella undecimpunctata* L. reared at constant laboratory temperature. *Minia J. Agric. Res. & Dev.*, 7(1): 321-338.
- Tantawy, M.M.; Th. Braumann; B. Oelkers; W. Telle and L.H. Grimme (1986): Influence of herbicides on the phenylpyridazinone-resistant type of the green alga **Chlorella fusca**. *Minia J. Agric. Res. & Dev.*, 8(1): 109-125.
- Rizk, G.A.; M.M. Tantawy; F.K. Aly and E.H. Kamel (1986): Comparison of the efficacy of soil systemic and foliar applied insecticides on the control of sucking pests and the yield of tomato. *Minia J. Agric. Res. & Dev.*, 8(1): 95-107.

- Mowafy, M.M.; M.M. Tantawy and Z.A. Zeitoun (1988): Influence of soil type on the phytotoxicity of some triazine herbicides. *Minia J. Agric. Res. & Dev.*, 10(3): 1257-1271.
- Mowafy, M.M.; R.M. Hashish; M.M. Tantawy and Z.A. Zeitoun (1988): Influence of some herbicide residues on subsequent crops and biological and chemical assessment of some triazine herbicides in soil. *Minia J. Agric. Res. & Dev.*, 10(3): 1273-1286.
- Mowafy, M.M.; W. Shawky; S.A. Omar; M.M. Tantawy and Z.A. Zeitoun (1988): Some aspects of controlling **Orobanche ramosa** in tomato fields. *Minia J. Agric. Res. & Dev.*, 10(3): 1287-1300.
- Mowafy, M.M.; R.M. Hashish; M.M. Tantawy and Z.A. Zeitoun (1988): Biological determination of glyphosate. *Minia J. Agric. Res. & Dev.*, 10(3): 1301-1310.
- Hegazi, M.A.; M.M. Diab; M.M. Khali!; Z.A. Zeitoun and M.M. Tantawy (1988): Interaction between Sevin and certain pesticide formulations. I. Interaction between Sevin and Tedion, Metasystox R and Parathion emulsifiable concentrates. *Minia J. Agric. Res. & Dev.*, 10(2): 1545-1552.
- Hegazi, M.E.; M.M. Diab; Z.A. Zeitoun; M.M. Tantawy and M.R. Khalil (1988): Interaction between Sevin and certain pesticide formulations. II. Interaction between Sevin and wettable powder formulations of Kelthane, Metasystox R., Dimecron and Delnav. *Minia J. Agric. Res. & Dev.*, 10(4): 1575-1584.
- Ghazy, M.A.; S.A. Turk; M.M. Tantawy and E.S. Shaker (1989): Photodecomposition of phenylpyridazinone herbicides. *Minia J. Agric. Res. & Dev.*, 11(3): 1279-1295.
- Hassan, M.A.M. and M.M. Tantawy (1989): Effect of herbicides on weed growth and yield in onion. *Minia J. Agric. Res. & Dev.*, **11**(4): 1677-1694.
- Hassanien, M.H.; M.M. Tantawy and E.M. Taha (1990): Effect of the herbicide bromoxynil on the germination characteristics and the activity of some enzymes in germinating seeds of different wheat varieties. *Minia J. Agric. Res. & Dev.*, 12(3): 1367-1382.
- Sayed, O.H. and M.M. Tantawy (1990): Action of the phenylpyridazinone herbicides BASF 33650 and BASF 44521 on the green and orange cells of *Chlorella fusca*. *J. Pest Control & Environ. Sci.*, 2: 127-137 (Symposium of IPM & E.P., Nov. 7-8, 1990).
- Tantawy, M.M.; M.Z.H. Ali and A.A. Abdel-Moneim (1990): Interaction between two organophosphoms insecticides and soil microflora. *Minia J. Agric. Res. & Dev.*, 12(3): 205-2071.

- akady, M.A.; F.K. Aly and M.M. Tantawy (1990): Contribution to the influence of herbicides on the population density of certain insects and their associated predators in the broad bean (*Vicia faba* L.) crop in Minia region. *Minia J. Agric. Res. & Dev.*, 12(2): 713-726.
- Kamel, E.H.; S.A. Ibrahim and M.M. tantawy (1990): Synergism of permethrin toxicity by formamdines and formanilides in whitefly, *Bemisia tabaci* (Gennadius). *Minia J. Agric. Res. & Dev.*, 12(3): 1771-1782.
- Tantawy, M.M.; F.K. Aly arid E.H. Kamel (1990): Evaluation of the efficiency of certain grass herbicides on weed control, non-target insects and yield of cotton in Minia region. *Minia J. Agric. Res. & Dev.*, 12(4): 2215-2228.
- Hammad, A.M.; M.M. Tantawy and A.A. Abdel-Moneim (1991): The safe use of two synthetic pyrethroid insecticides as agrochemicals from the microbiological point of view. *Minia J. Agric. Res. & Dev.*, 13(1): 479-498.
- Tantawy, M.M.; F.F. Ahmed and M.A. Mohamed (1991): Efficiency of certain herbicidal treatments on weeds as well as growth and yield of Red Roomy grapevines. *Minia J. Agric. Res. & Dev.*, 13(1): 245-260.
- Tantawy, M.M. and M.M. El-Sayed (1991): Biochemical effects and residues of bentazon herbicides in cowpea (*Vigna unguiculata*) seeds. *Minia J. Agric. Res. & Dev.*, 13(1): 145-157.
- Abdel-Kader, S.M. and M.M. Tantawy (1991): Separation, identification and biological activity of new flavanon glycosides from yarrow (*Achillea millefolium* L.) plants. *Minia J. Agric. Res. & Dev.*, 13(1): 143-162.
- Abdel-Kader, S.M. and M.M. Tantawy (1991): Separation and identification of plant growth regulating substance from *Matricaria chamomille* L. *Minia J. Agric. Res. & Dev.*, 13(1): 117-127.
- Tantawy, M.M. (1991): Influence of norflurazon herbicide on some unicellular green algae which have different ability of synthesizing secondary keto-carotenoids. *Minia J. Agric. Res. & Dev.*, 14(3): 809-820.
- Aboul-Fetouh, S.A. and M.M. Tantawy (1992): Synthesis and biological activity of some 3-ammo-1H-pyrazolo-4-carbonitrile derivatives. *Minia J. Agric. Res. & Dev.*, 14(3): 809-820.
- Tantawy, M.M. (1992): Weeds and their chemical control in reclaimed land. Proc. 7- Egyptian-Geiman-Seminar (Minia Kassel) on "The role of University in Rural Development", Minia, Egypt, 28-30 Sept., 1992.

- Mostafa, N.; M.S. Fouad; M.M. Tantawy and T.F. Mohamed (2000): Potential of some plant products as grain protectants against *Sitophilus granarius* (L.) and *Sitophilus oryzae* (L.).
1. Efficacy of certain plant products. 7- Conference of Arab Biologists Union, 6-9 November, 2000, Faculty of Science, El-Mansoura University, Egypt (Accepted).
- Fouad, M.S.; M.M. Tantawy; N.R. Mostafa and T.F. Mohamed (2000): Potential of some plant products as grain protectants against *Sitophilus granarius* (L.) and *Sitophilus oryzae* (L.).
2. Efficacy of certain plant extracts. 7- Conference of Arab Biologists Union, 6-9 November, 2000, Faculty of Science, El-Mansoura University, Egypt (Accepted).
- Tantawy, M.M.; N.R. Mostafa; M.S. Fouad and T.F. Mohamed (2000): Potential of some plant products as grain protectants against *Sitophilus granarius* (L.) and *Sitophilus oryzae* (L.).
3. Efficacy of certain plant oils. 7- Conference of Arab Biologists Union, 6-9 November, 2000, Faculty of Science, El-Mansoura University, Egypt (Accepted)
- Tantawy, M.M. (2001): A proposal for higher diploma degree integrated pest management in Plant Protection Department, Faculty of Agriculture, Minia University, Egypt. Proceedings of ISOS, Witzenhausen, University of Kassel, Germany.
- Fathi. M.N.; S.M.R. Abdel haseeb and M.M. Tantawy (2005): Accumulation of the chlorinated hydrocarbon pesticide DDT in the tissues of treated rabbits and the effect of cooking and freezing on its degradation. *Int. J. Food Sci. Technol.* 40: 105-110.
- Tantawy, M.M.; S.A. Ibrahim; Z.M. Seleim; H.T.A. Almorsafy and A.M. Hassanein. (2010): Rapid bio-tests utilized the green alga, *Scenedesmus vacuolatus* for comparing the inhibitory effects of certain herbicides on cell division and photosynthesis process. *Journal of Agricultural Research*, Agricultural Research Center, Giza, Egypt, (submitted).
- Tantawy, M.M.; S.A. Ibrahim; Z.M. Seleim; H.T.A. Almorsafy and A.M.A. Hassanein (2010): Cross and multiple resistance in ametryn selected *Scenedesmus vacuolatus* toward six herbicides belong to four different chemical groups. *Journal of Agricultural Research*, Agricultural Research Center, Giza, Egypt, (submitted).
- Ibrahim, S.A.; M.M. Tantawy; Z.M. Seleim; H.T.A. Al-Marsafy and A.M.A. Hassanein (2010): The fresh water Chlorophyte, *Scenedesmus vacuolatus* could be used as a bio-sensory battery for predicting the possibility of herbicide resistance development.. *Journal of Agricultural Research*, Agricultural Research Center, Giza, Egypt, (submitted).
- Al-Marsafy, H.T.A.; M.M. Tantawy; S.A. Ibrahim; Z.M. Seleim and A.M.A. Hassanein (2010): Growth stimulation and inhibition under herbicide stress in relation to interspecies

variations of *Scenedesmus vacuolatus*. Journal of Agricultural Research, Agricultural Research Center, Giza, Egypt, (submitted).

Seleim, Z.M.; H.T.A. Al-Marsafy; M.M. Tantawy; S.A. Ibrahim and **A.M.A. Hassanein (2010):** *Stimulatory and inhibitory effects of certain herbicides on the reproduction of Scenedesmus vacuolatus*. Journal of Agricultural Research, Agricultural Research Center, Giza, Egypt, (submitted).

List of Publication: Prof. Dr. Zakaria Mohammed Salim

1. **Seleim, Z.M.,** (1981): Soil pollution by pesticide residues and their side effects on crop yield. M.Sc.Thesis; Pestic. Sci.; Fac. of Agric.; Moshtohor, Zagazig Univ. Egypt. p.....
2. Abdel Gawaad, A.A.; M.K. EI-Khishen; H.R. Nazeem; A.M. Hassan and **Z.M.Seleim** (1981): Soil pollution by pesticide residues: 15- Effect of formation of C-tumor on onion roots. 1st Inter. Congo Pool. Part 11: 338-348.
3. Abdel Gawaad, A.A.; M.K.EI-Khishen; H.R.Nazem; A.M.Hassan and **Z.M.Seleim** (1981): Soil pollution by pesticide residues: 16- Cytological effects. (Abide); Part III: 362-384.
4. Abdel Gawaad, A.A.; M.K.EI-Khishen; H.A.Mekrawy and **Z.M. Seleim** (1981):Soil pollution by pesticide residues: 17- Side effect on RNA and DNA in the root tip cells.(Abide);Part 11: 327-334.
5. Abdel Gawaad, A.A.; M.K.EI-Khishen; H.R.Nazeam and **Z.M.Seleim** (1981):Soil pollution by pesticide residues: 18- Effect on sprouted onion roots. (Abide) ; Part 11: 349-361.
6. Abdel Gawaad, A.A.;M.K.EI-Khishen; H.A.Mekrawy and **Z.M.Seleim** (1981): Soil pollution by pesticide residues: 19-Histological changes in the root tip cells.(Abide);Part 11: 640-655.
7. **Z.M.Seleim** (1986): Histological and Biochemical Studies of Some Acylurea derivatives on White Mice (*Mus musculus*). Ph.D.Thesis, Fac. Agric., Minia Univ.; Minia, Egypt. P.....
8. Rizk, G.A.; M.A.Ali; I.B.Sheta and **Z.M.Seleim.** (1981):Toxicity of acylurea derivatives in laboratory mice (*Mus musculus*). J.Egypt.Soc.Toxicol.; 6: 55-71.
9. Rizk, G.A.; M.A.Ali; I.B.Sheta and **Z.M.Seleim** (1981): Effect of acylurea derivatives on the liver of mouse (*Mus musculus*). J. Egypt. Soc. Toxicol. ; 6: 73 - 88.
10. Ezz, A.E.; **Z.M.Seleim** and A.A.Abdel Gawaad (1991): Average Daily Intake of Some Pesticide Residues for Milk Fed Egyptian Infants. J. Egypt. Soc. Toxicol. ; 7: 115-124.
11. Ezz, A.E.; **Z.M.Seleim** and A.A.Abdel Gawaad (1991): Egyptian Infants Average Daily Intake of Some Pesticide Residues During His First Year of Life. J. Egypt. Soc. Toxicol. ; 7: 125-134.
12. EI-Mousallamy, A.M.D.; **Z.M.Seleim** and A.A.Abdel Gawaad (1991): Determination of Pesticide Residues in Crop Produced by Biological Methods: (1) Cereal Crops. J. Egypt. Soc. Toxicol.; 7: 135 - 142.

13. **Seleim, Z. M.**; A.A. Abu EI-Magd and H.M.Eshbah (1992): Effect of some Acaricides and Natural Materials Used for Controlling *Varroajacobsoni* (Ectoparasite of Honey Bees) on the Humoral Immune Response of Adult *Apis mellifera*. J. Egypt. Soc. Toxicol.; 8:53-57.
14. Abdel- Gawaad, A.A.; F.I., Zaharan; **Z.M.Seleim** and A., ElMousallamy (1992): Monitoring of Heavy Metal Except Lead in the Tap water. J. Egypt. Soc. Toxicol.; 9: 33-36.
15. Eisa, Amal A. and **Z.M.Seleim** (1992): Effect of Alpha-methrin on Hepato- Renal Function In Male Albino Mice (*Mus musculus*). J. Egypt. Soc. Toxicol.; 9: 49-54.
16. Zahran, F.I.; A., EI-Mousallamy; N.A.Soliman; **Z.M. Seleim** and A.A. Abdel-Gawaad (1992): Toxicity and Monitoring of Lead in the Tap Water. J. Egypt.Toxicol.; 9:55-58.
17. **Z.M.Seleim** (1992): Hematological and Biochemical Studies on White Male Rats Exposed to Benzoylphenylurea-Compounds. J.Egypt.Soc.Toxicol.; 9:75-80.
18. Abdel-Fatah, Mahassen; N.A., Labib; **Z.M., Seleim**; A., ElMousallamy; A.E.A., Ezz and A.A.Abdel-Gawaad (1993):Monitoring if Organochlorine Pesticide Residues in Both Fresh and Packed Milk. J. Egypt. Soc.Toxicol. ;10:1 - 4.
19. Hussein, S.M.; **Z.M.Seleim** and M.M.A.Makady (1993): Toxicity and Synergism of Avermectin Against Larval stage of *Spodoptera littoralis* (Boisd) (Noctuidae, Lepidoptera).J. Egypt. Soc. Toxicol. ; 10: 15 - 19.
20. Abdel-Gawaad, A.A.; N.A., Soliman; F.I., Zahran; **Z.M.; Seleim** and A., El-Mousallamy (1993): Average Daily Intake of Pesticide Residues through Milk for Egyptians. J. Egypt. Soc. Toxicol. ; 10: 53-57.
21. Abdel-Fatah, Mahassen; N.A., Labib; **Z. M. Seleim** ; A., ElMousallamy; A.E.A., Ezz and A.A.Abdel-Gawaad (1993): Monitoring of BCP,s and Organophosphorus Pesticide Residues in Both Fresh and Packed Milk. J. Egypt. Soc. Toxicol.; 10: 83 - 86.
22. **Z. M. Seleim** (1995): Abamectine Intoxication in Rats and Effects on Liver Functions. J. Egypt. Soc.Toxicol.;14:113-118.
23. El-Mousallamy, A.; **Z. M. Seleim** and A.A.Abdel Gawaad (1995): Hair as a Biomonitor for the Daily Intake of Lead by Egyptian People.Prc.German Egyptian Conference (Pesticides and Environmental Contamination in Water and Food.;Ismailia ,6-7/2/1995).(Abs.).
24. El-Mousallamy, A.; **Z. M. Seleim** and A.A.Abdel Gawaad (1995):The Relation between the Daily Intake of Heavy Metals and Their Level in the Egyptian Teeth. 3rd CTOX-DC, 19-23 Nov., 1995. (Abs.).
25. El-Mousallamy, A.; **Z.M.Seleim** and A.A.Abdel Gawaad (1996):Chemical Constituents and

- Pesticide Residues in Drinking Milk. J. Egypt. Soc. Toxicol.;16:106-109.
26. Shams El-Din, A.; **Z.M.Seleim** and A.A.Abdel Gawaad (1996): Monitoring of Pesticide Residues in Drinking Water. J. Egypt. Soc. Toxicol.; 16:107-110.
 27. **Z.M.Seleim** (1996): Intoxication Studies With Two Benzoylphenyl Urea Compounds: 1- Hepato Toxic Effects. J. Egypt. Soc. Toxicol.;17:91-98.
 28. **Z.M.Seleim** (1997): Intoxication Studies With Two Benzoylphenyl Urea Compounds: 2- Effect on Urinary System. J. Egypt. Soc. Toxicol.; 18:46-52.
 29. **Z.M.Seleim** (1997): Toxicological studies on the maculated toad Bufo regularis.1- Hepatotoxic studies. J. Egypt. Soc. Toxicol.; 18:46-52.
 30. Toxicological studies on the maculated toad Bufo regularis. J. Egypt. Soc. Toxicol.; 18:46-52.
 30. **Z.M.Seleim** (1997): Hepato toxic effects of synthetic pyrethroids on maculated toad Bufo regularis. J. Egy[pt. Toxicol. 29:101-112.
 31. Seleim,Z.M.;Zeitoun,Z.A.M.;Hassan,H.M. and Mohamed,S.A. (2001):. Teratogenic effects of carposulfan and propoxur insecticides on rat. J.Egypt.Soc. Toxicol.;
 32. Seleim,Z.M.; M.A.Aly.(2001): Teratogenic effects of carposulfan and propoxur insecticides on rat.

List of Publication: Prof. Dr. EI-Sayed Abdel-Aal Mof tah

- 1- Maher Ali A.; **E.A. Mof tah** and G.A. Rizk (1979): Evaluation of the impact of certain predators on the population density of eggmasses of the cotton leafworm, *Spodoptera littoralis* (Boisd) in cotton fields. Bull Soc. ent. Egypt, 62 [111].
- 2- Maher Ali A.; **E.A. Mof tah** and G.A. Rizk (1979): Effect of certain weather factors on abundance of egg-masses populations of the cotton leafworm, *Spodoptera littoralis* (Boisd) in Assiut, Egypt. Bull. Soc. ent., 62 [117].
- 3- Sheta, LB.; **Mof tah E.A.** and Abdel-Naby, A.A. (1982): Population dynmics of certain semi-Ioopers in Middle Egypt.
- 4- Rizk, G.A; Abdel-Naby, A.A. and **Mof tah, E.A.** (1983): Biological impact of certain juvenile hormone mimics on egg stage of American vollworm, *Heliothis armigera* (Lepidoptera: Noctuidate). Proc. 5th Arab Pesticide Conf. Tanta Univ., H. 1-11.
- 5- Rizk, G.A; Abdel-Naby, A.A. and **Mof tah, E.A.** (1983): Effect of certain IGR's on reproduction of *H. armigera* (Hb.) treating adultmoths Proc. 5th Pesticide Conf. Tanta Univ., H: 12-22.
- 6- Rizk, G.A; Abdel-Naby, A.A. and **Mof tah, E.A.** (1983): Retarding activities of certain IGR's on reproductive capacity of *H armigera* (Hb.) moths when treating pupal stage. Proc. 5th Arab Pesticide Conf., Tanta Univ., H: 23-33.
- 7- Atallah, M.A.; Soliman and **E.A. Mof tah** (1983): Comparative study on the flight activity of the Egyptian honeybee (*Apis mellifera Lamarckii*) and Carniolan honeybee (*Apis mellifera Carnica*) in relation to prevailing weather factors in Middle Egypt. Proc. 5th Arab Pesticide Conf., Tanta ?Univ., Sep. Vol. 1:26-36.
- 8- Atallah, M.A.; Abdel-Naby, A.A. and **Mof tah, E.A.** (1983): Flight activity and colony gain weight of the Egyptian and Carniolan honeybee in Middle Egypt. Proc. 5th Arab Pesticide Conf., Tanta Univ., V 01. (1): 74-81
- 9- Rizk, G.A.; Atallah; M.A. Soliman and **E.A.M. Mof tah** (1983): The host selection of the palm scale insect, *Parlatoria blanchardi* (Targ.) infesting palm trees in Middle Rgypt. Proc. 5th Arab Pesticide Conf., Tanta Univ., V 01. (IV): 325-331.
- 10- Abdel- Naby, A.A.; M.A. Soliman and **E.A. Mof tah** (1984): Distribution 0 the pahn scale insect *Parlatoria blanchardi* (Targ.) on the leaves of date palm trees. Assiut J. Agric. Sci. 15 (3): 171-176.
- 11- Soliman, **M.A.; Mof tah, E.A.M.** and Abdel-Naby, A.A. (1985): Reaction of creation aphids

- to wheat plant density and nitrogen fertilization. *Minia J. Agric. Res. & Dev.*, 7 (2): 399-409.
- 12- **Moftah**, E.A.M.; Aly, F.K.; Soliman, M.A. and Abdel-Naby, A.A. (1985): Population dynamics of the potato tuber worm *Phthorimaea operculella* (Zeller), and the egg-plant stem worm *Euzophora asseatella* (Treitscko) in Middle Egypt. *Minia J. Agric. Res. & Dev.* 7 (2) : 459-474.
- 13- Aly, F.K.; **E.A.M. Moftah** and M.A. Soliman (1985): Existence and seasonal fluctuation of certain lepidopterous insects as indicated by light-trap at Minia Governorate, Egypt. *Minia J. Agric. Res. & Dev.* 7 (2): 625-638.
- 14- Soliman, M.A.; F.K. Aly and **E.A.M. Moftah** (1985): Number, occurrence date and size of the annual generations of the cotton bollworms in Minia region. Middle Egypt. *Minia J. Agric. Res. & Dev.* 7 (2): 591-609.
- 15- Rizk, M.M.A.; M.A. Soliman and **E.A. M. Moftah** (1985): Relative susceptibility of sugar maize varieties to the infestation by sugarcane borers. *Assiut J. Agric. Sci.* 16 (2) : 67-74.
- 16- Mostafa, N.R.; **E.A. Moftah** and M.S. Fouad (1986): Field studies on the bionomics of the broad bean weevil *Bruchus rufimanus* (Boheman) in Middle Egypt. *Minia J. Agric. Res. & Dev.* 8 (2): 635-644.
- 17- Mostafa, N.R.; **E.A. Moftah** and M.S. Fouad (1986): Use of lethal high temperature for the control of the broad bean weevil *Bruchus rufimanus* Boh. Infesting broad bean seeds. *Minia J. Agric. Res. & Dev.* 8 (2): 645-656.
- 18- Mostafa, N.R.; **E.A. Moftah** and M.S. Fouad (1986): Studies on the dispersion of the broad bean weevil *Bruchus rufimanus* Boh. Infestation in Minia Governorate, Egypt, *Minia J. Agric. Res. & Dev.* 8 (2): 657-670.
- 19- **Moftah E.A.M.**; N.R. Mostafa and M.S. Fouad (1986): Effect of temperature on certain biological aspects of *Bruchidius incarnatus* Boh. Infesting broad bean *Vicia fabae* L. *Minia J. Agric. Res. & Dev.* 8 (2): 697-707.
- 20- **Moftah, E.A.M.**; N.R. Mostafa and M.S. Fouad (1986): Effect of *Bruchidius incarnatus* Boh. Infestation on the weight loss of broad bean seeds and their germination. *Minia J. Agric. Res. & Dev.* 8 (2): 709-717.
- 21- Mostafa, N.R.; **E.A. Moftah** and M.S. Fouad (1986): Relative susceptibility of white, red medium broad bean tests to infestation with *Bruchus incarnatus* Boh. *Minia J. Agric. Res. & Dev.* 8 (2): 719-728.
- 22- **Moftah**, E.A.; N.R. Mostafa ; M.A. Soliman and F.K. Aly (1968): Studies on the population

dynamics of sugar-cane and crone borers in Middle Egypt. Minia J. Agric. Res. & Dev. 8 (2): 729-741.

23- Mostafa, N.R.; F.K. Aly ; **E.A. Mof tah** and M.A. Soliman (1986): Ecological studies on *Chrysopa vulgaris* Shen. as indicated by a light trap in Minia Governorate, Middle Egypt. Minia J. Agric. Res. & Dev. 8 (2): 743-755.

24- Karaman, G.A.; N.R. Mostafa; **E.A. Mof tah** and F.K. Aly (1986): Relative prevalence of certain sucking pests and their associated predators on different soy bean varieties in Minia, Middle Egypt. Minia J. Agric. Res. & Dev. 8 (2): 757-773.

25- Mostafa, N.R.; F.K. Aly; M.A. Soliman and **E.A. Mof tah** (1986): Seasonal abundance of the mole cricket and the field crickets as indicated by a light trap in Minia region, Middle Egypt. Minia J. Agric. Res. & Dev. 8 (2): 775-785.

26- Helal, H.; Y. El-Sebay and **E.A. Mof tah** (1986): The nutritional value of Agric. Bye-product (cotton stalks) infested with post powder beetles *L yctus aricans* Lesne, as a cattle feed ingredient. Minia J. Agric. Res. & Dev. 8 (2): 787-797.

27- Abdel-Galil, F.A.; Y.A. Darwish and **E.A. Mof tah** (1986): Activity of the cowpea aphid. *Aphid craccivora* and predation prey efficiency of *Coccinella undecimpunctata Agyptiaca* Reich. Assiut J. Agric. Sci. 17 (1): 41-50.

28- Hussein, H.R.; M.M. AI-Gamal; M.M. Salem; **E.A. Mof tah** and A.A. Oshaibah (1986): Existence and fluctuation of lepidopterous pests at Noubariah area as indicated by a light-trap. Minia J. Agric. Res. & Dev. 8 (2): 609-623.

29- El-Nakeh, A.A.; **E.A. Mof tah** and A.I. Shaheen (1987): The seasonal activity of SOIne *Anthophora* species (Anthophoreidae: Hymenoptera) on their host Plants in Egypt. Minia J. Agric. Res. & Dev. 9 (1): 373-383.

30- Soliman, M.A.; **E.A.M. Mof tah**; A.M. Younis and K.K. Mohamed (1987): Factors affecting the susceptibility of sugar-cane varieties to borers infestation. Minia J. Agric. Res. & Dev. 9 (3): 1349-1361.

31- Soliman, M.A.; A.M. Y ounis and **E.A. Mof tah** (1988) : Varietal and fertilization in relation on the resistance of sugar cane borers. Minia J. Agric. Res. & Dev. 10 (3): 1325-1335.

32- **Mof tah, E.A.**; A.M. Younis; M.F. Gergis and A.A. Kidr (1988): Thermal requirements and prediction. Models for pink bollworm, *p.gossypiella* . Minia J. Agric. Res. & Dev. 10 (4): 1563-1573.

33- **Mof tah, E.A.** A.A. Khidt; S.A.O. Abdeen and M.A. El-Hamaky (1990): Relative susceptibility

of the American bollworm *Heliothis armigera* (Hbn.) to some commercial products of *Bacillus thuringiensis* and their latent effect. Minia 1. Agric. Res. & Dev. 12 (2).

34- Abdel-Hafez, M.M.; **E.A. Moftah**; M. Farag and M.A. El-Molla (1990): Acid and alkaline phosphates activity in different resistant strains of the Egyptian cotton leafworm *Spodoptera littoralis* (Boisd.) Minia 1. Agric. Res. & Dev. 12 (2).

35- Rizk. G.A.; A.A. Abdel-Naby; **E.A. Moftah** and M.F. Gergis (1990): Biological studies of potato tuberworm *Phthorimaea operculella* (Zeller) under field conditions. Minia 1. Agric. Res. & Dev. 12 (2).

36- Rizk. G.A.; A.A. Abdel-Naby; **E.A. Moftah**,; and M.F. Gergis (1990): Potential uses of sex pheromone for suppression of potato tuberworm population and control purposes. Minia 1. Agric. Res. & Dev. 12 (2).

37- Rizk. G.A.; A.A. Abdel-Naby; **E.A. Moftah** and M.F. Gergis (1990): Population growth and life table construction of potato tuberworm *Phthorimaea operculella* (Zeller). Minia 1. Agric. Res. & Dev. 12 (2).

38- Soliman, M.A.; **E.A. Moftah**; M.F. Gergis and A.M. Younis (1990): Temperature effect on adult biology, reproduction and population growth of pink bollworm *Pectinophora gossypiella* (Saund.) (Lepidoptera: Glechiidae). Minia 1. Agric. Res. & Dev. 12 (3).

39- Gergis, M.F.; **E.A. Moftah**; M.A. Soliman and A.A. Khidr (1990): Temperature-Dependent Development and Functional Response of Pink Bollworm, *Pectinophora gossypiella* (Saund.) Assiut Journal of Agricultural Science 12 (3).

40- Gergis, M.F.; M.A. Soliman; **E.A. Moftah** and A.A. Abdel-Naby (1990): Temperature-Development Relationship of spiny bollworm, *Earias insulana* (Bois) Assiut Journal of Agricultural Science 12(3).

41- Rizk, G.A.; A.A. Abdel-Naby; **E.A. Moftah** and M.F. Gergis (1990): Prediction model for mortality of immature potato tuberworm stages caused by relatively low temperature. Minia 1. Agric. Res. & Dev. 12 (3).

42- Rizk, G.A.; A.A. Abdel-Naby; **E.A. Moftah** and M.F. Geergis (1990): Some biological aspects on the potato tuberworm *Phthorimaea aperculella* (Zell.) under uncontrolled laboratory conditions. Minia J. Agric. Res. & & Dev. 12 (3).

43- Rizk, G.A.; G.A. Karaman, A.A. Abdel-Naby; **E.A. Moftah** and A.A. Abdel-Alim (1990): Interrelation between the fluctuations in the populations of predators and parasites and the fluctuations in the population density of sucking pests associated with soy bean plants in Minia

region. Assiut Journal of Agricultural Science 12(3).

44- Rizk, G.A.; **E.A. Moftah**; G.A. Karaman and A.A. Abdel-Alim (1990): Effectiveness of different planting dates on the population density of some sucking pests attacking soybean plants in Minia region. Assiut Journal of Agricultural Science 12(3).

45- Hassan H.M.; **E.A. Moftah**; M.A. Ali and A.A. Abdel-Alim (2002): Efficacy of new isolate of *Heterorhabditis bacteriophora* (Mini a, Egypt isolate) against *Sesamia critica* Led. On maize. The second international conference. Egypt Agricultural Research Center, Giza Egypt. P 368-371.

46- Hassan H.M. **Moftah**; **E.A.** and M.A. Ali (2003): Combined effect of two entomopathogenic nematodes and three insecticides against *Sesamia critica* Led. The first international Egyptian-Romanian conference. Towards new trends for plant protection and environmental conservation. 259-269.

47- Karaman, G.A.; **Moftah, E.A.** Hamouda, S.H. and Marwa, F.K. Aly (2007): Coexistence of certain seeking insects pests and their associated predators on three vegetable crops in Minia Region. Minia J. Agric. Res. & Dev. Vol. (27) No. 5: 1025-1040.

48- S.H. Hamouda; G.A. Karmnan; **E.A. Moftah** and Marwa. F. K. Aly (2008): Relative Susceptibility of certain vegetable crops to *leafminor* , *Liriomyza o engesta* (Beek) infestation and its control Minia 1. of Agric. Res. Dev. , Vol. (28) No. 2 pp 213233.

List of Publication: Prof. Dr. Mohammad Abdul Rahman Sulaiman

1. Atallah, M.A.; Soliman and E.A. Mofteh (1983): Comparative study on the flight activity of the Egyptian honeybee (*Apis mellifera* Lamarckii) and Carniolan honeybee (*Apis mellifera* Carnica) in relation to prevailing weather factors in Middle Egypt. Proc. 5th Arab Pesticide Conf., Tanta Univ., Sep. Vol. 1:26-36.
2. Rizk, G.A.; Atallah; M.A. Soliman and E.A.M. Mofteh (1983): The host selection of the palm scale insect, *Parlatoria blanchardi* (Targ.) infesting palm trees in Middle Egypt. Proc. 5th Arab Pesticide Conf., Tanta Univ., V 01. (IV): 325-331.
3. Abdel-Naby, A.A.; M.A. Soliman and E.A. Mofteh (1984): Distribution of the palm scale insect *Parlatoria blanchardi* (Targ.) on the leaves of date palm trees. Assiut J. Agric. Sci. 15 (3): 171-176.
4. Soliman, M.A.; Mofteh, E.A.M. and Abdel-Naby, A.A. (1985): Reaction of cotton aphids to wheat plant density and nitrogen fertilization. Minia J. Agric. Res. & Dev., 7 (2): 399-409.
5. Mofteh, E.A.M.; Aly, F.K.; Soliman, M.A. and Abdel-Naby, A.A. (1985): Population dynamics of the potato tuber worm *Phthorimaea operculella* (Zeller), and the egg-plant stem worm *Euzophora asseatella* (Treitscko) in Middle Egypt. Minia J. Agric. Res. & Dev. 7 (2) : 459-474.
6. Aly, F.K.; E.A.M. Mofteh and M.A. Soliman (1985): Existence and seasonal fluctuation of certain lepidopterous insects as indicated by light-trap at Minia Governorate, Egypt. Minia J. Agric. Res. & Dev. 7 (2): 625-638.
7. Soliman, M.A.; F.K. Aly and E.A.M. Mofteh (1985): Number, occurrence date and size of the annual generations of the cotton bollworms in Minia region. Middle Egypt. Minia J. Agric. Res. & Dev. 7 (2): 591-609.
8. Rizk, M.M.A.; M.A. Soliman and E.A. M. Mofteh (1985): Relative susceptibility of sugar maize varieties to the infestation by sugarcane borers. Assiut J. Agric. Sci. 16 (2) : 67-74.
9. Mofteh, E.A.; N.R. Mostafa ; M.A. Soliman and F.K. Aly (1968): Studies on the population dynamics of sugar-cane and crone borers in Middle Egypt. Minia J. Agric. Res. & Dev. 8 (2): 729-741.
10. Mostafa, N.R.; F.K. Aly ; E.A. Mofteh and M.A. Soliman (1986): Ecological studies on

Chrysopa vulgaris Shen. as indicated by a light trap in Minia Governorate, Middle Egypt. Minia J. Agric. Res. & Dev. 8 (2): 743-755.

11. Mostafa, N.R.; F.K. Aly; M.A. Soliman and E.A. Moftah (1986): Seasonal abundance of the mole cricket and the field crickets as indicated by a light trap in Minia region, Middle Egypt. Minia J. Agric. Res. & Dev. 8 (2): 775-785.
12. Soliman, M.A.; E.A.M. Moftah; A.M. Younis and K.K. Mohamed (1987): Factors affecting the susceptibility of sugar-cane varieties to borers infestation. Minia J. Agric. Res. & Dev. 9 (3): 1349-1361.
13. Soliman, M.A.; A.M. Younis and E.A. Moftah (1988) : Varietal and fertilization in relation on the resistance of sugar cane borers. Minia J. Agric. Res. & Dev. 10 (3): 1325-1335
14. Soliman, M.A.; E.A. Moftah; M.F. Gergis and A.M. Younis (1990): Temperature effect on adult biology, reproduction and population growth of pink bollworm *Pectinophora gossypiella* (Saund.) (Lepidoptera: Glechiidae). Minia J. Agric. Res. & Dev. 12 (3).

List of Publication: Prof. Dr.Zaki zeitoun

1. Rizk, G.A.; Zeitoun, Z.A. and El-Nawawy, A.S. (1977).Interaction between fungicides and molecules with some shape similarities. Proc. 2nd Arab Pesticide Conf., Tanta University 1977, pp. 1246-1261.
2. Abdel-Moneim, A.A. and Z.A. Zeitoun (1985). Studies on the interaction between two carbamate insecticides and soil microflora. Minia J. Agric. Res. & Dev. 7(1): 17-34.
3. El-Sayed, A.H.; M.M. Tantawy and Z.A. Zeitoun (1985). Synthesis and biological activity of some aromatic chloro-acetamide derivatives. Minia J. Agric. Res. & Dev. 7(3): 1179-1193.
4. Zeitoun, Z.A.; M.M. Mohey El-Din and E.H. Kamel (1985).Relationship between methomyl retention and soil properties. Minia J. Agric. Res. & Dev. 7(3): 1195-1205.
5. Mohey El-Din, M.M. ; Z.A. Zeitoun and M.Y. El-Mazny (1985). Improvement of nitrogen use efficiency by using some nitrification inhibitors. Minia J. Agric. Res. & Dev. 7(4): 1229-1246.
6. Zeitoun, Z.A.; M.R. Abdel-Latif and S.A.M. El-Sadek (1985). Effects of different fungicides on the growth of the onion basal rot pathogen and their relation with the mycelial free amino acids contents. Minia J. Agric. Res. & Dev. 7(4): 1247-1263.
7. Rizk, G.A.; S.M. Hussein; Z.A. Zeitoun and A.H. Gharib (1985).Joint action of some organophosphorus compounds and synthetic pyrethroids on the cottony caushion scale *Icerya purchasi* (Mask) (Margarodide: Homoptera). Minia J. Agric. Res. & Dev. 7(4): 1265-1278.
8. Hussein, S.M.; A.H. Gharib and Z.A. Zeitoun (1985).
9. Selective toxicity of certain syntheitic pyrethroids to some biological agents and their cabbage aphid host. Minia J. Agric. Res. & Dev. 7(4): 1279-1294.
10. Rizk, G.A.; M.M. Tantawy and Z.A. Zeitoun (1985).Laboratory evaluation on the plant growth regulator DOWCO 391X on seed germination. Minia J. Agric. Res. & Dev. 7(4): 1295-1309.
11. Diab, M.M.; M.R. Khalil; M.E. Hegazi and Z.A. Zeitoun (1986): Physiological changes accompsnyng the injection of broad bean plants with some pesticides. Minia J. Agric. Res. & Dev. 8(4): 1211-1220.
12. Mowafy, M.M.; M.R. Khalil; M.M. Diab; Z.A. Zeitoun and M.F. Al-Hadidi (1988).I. Efficiency of different herbicides and herbicide combinations on cotton weeds.II. Effect of the herbicide residues on some successive crops.Minia J. Agric. Res. & Dev. 10(2): 573-583
13. Mowafy, M.M.; M.M. Tantawy and Z.A. Zeitoun (1988).Influence of soil type on the phytotoxicity of some triazine herbicides. Minia J. Agric. Res. & Dev. 10(3): 1257-1271.

14. Mowafy, M.M.; R.M. Hashish; M.M. Tantawy and Z.A. Zeitoun (1988).Influence of some herbicide residues on subsequent crops and biological and chemical assessment of some triazine herbicides in soil. *Minia J. Agric. Res. & Dev.* 10(3): 1273-1286.
15. Mowafy, M.M.; W.S. Mahmoud; S.A. Omar; M.M. Tantawy and Z.A. Zeitoun (1988).Some aspects for controlling orobanche ramosa in tomato fields. *Minia J. Agric. Res. & Dev.* 10(3): 1287-1300.
16. Mowafy, M.M.; R.M. Hashish; M.M. Tantawy and Z.A. Zeitoun (1988).Biological determination of glyphosate. *Minia J. Agric. Res. & Dev.* 10(3): 1301-1310.
17. Ibrahim, S.A.; A.M. Younis and Z.A. Zeitoun (1988).
18. Initial and residual potency of certain insecticides, insect growth regulators and their mixtures against some cotton pests. *Minia J. Agric. Res. & Dev.* 10(3): 1311-1323.
19. Hegazi, M.E.; M.M. Diab; M.R. Khalil, Z.A. Zeitoun and M.M. Tantawy (1988).Interaction between Sevin and certain pesticide formulations.I. Interaction between Sevin and Tedion, Metasystox R and Paration emusifiable concentrates. *Minia J. Agric. Res. & Dev.* 10(4): 1545-1552.
20. Hegazi, M.E.; M.M. Diab; Z.A. Zeitoun; M.R. Khalil and M.M. Tantawy (1988).Interaction between Sevin and certain pesticide formulations.II. Interaction between Sevin and wettable powders formulations of Kelthane, Tedion, Metasystox R, Dimecron and Delnav. *Minia J. Agric. Res. & Dev.* 10(4): 1575-1584
21. Abdel-Latif, M.R.; S.A.M. El-Sadek; Z.A. Zeitoun and N.A. Hussein (1989).
22. Dry basal rot of onion-varietal response and biochemical changes associated with fungicidal control treatments. *Minia J. Agric. Res. & Dev.* 11(1): 417-434.
23. Atallah, M.A.; Z.A. Zeitoun and A.R. Hassan (1989).The relative toxicity of some synthetic pyrethroids and carbamate insecticides on honey bee workers (*Apis mellifera* L.) in the laboratory.*Proc. 4int. Conf. Apic. Trop. Climates, Cairo, 1988, 214-217.*
24. Atallah, M.A.; Z.A. Zeitoun and A.R. Hassan (1989).The relative toxicity of some synthetic pyrethroids and carbamate insecticides on honey bee workers (*Apis mellifera* L.) in the field.*Proc. 4int. Conf. Apic. Trop. Climates, Cairo, 1988, 218-223.*
25. Zeitoun, Z.A.; S.M. Hussein and M.M. Makadey (1990).Field evaluation of certain pesticides against sucking pests and natural enemies associated with potatoes in Minia region. *Minia J. Agric. Res. & Dev.* 12(2): 645-657.
26. Zeitoun, Z.A. (1990).Pyrethroids photodecomposition: Fluvalinate. *Minia J. Agric. Res. & Dev.* 12(2): 659-673.
27. Hussein, S.M.; M.M. Makadey and Z.A. Zeitoun (1990).Influence of post treatment temperature on toxicity and persistence of two pyrethroids against the cowpea weevil, *Callosobruchus maculatus* (Fab.) (Coleoptea: Bruchidae). *Minia J. Agric. Res. & Dev.*

12(2): 727-737.

28. Ali, A.H. and Z.A. Zeitoun (1990). Nematicidal action of some medicinal herbs. *Minia J. Agric. Res. & Dev.* 12(2): 739-758.
29. El-Shafei, M.A.; M.E. El-Mazny; Z.A. Zeitoun and M.M. El-Sayed (1990). Effect of nitrogen fertilization and Treflan herbicide on the water-extractable proteins and chemical composition of broad bean seeds (*Vicia faba* L.). *Minia J. Agric. Res. & Dev.* 12(2): 877-887.
30. Mohey El-Din, M.M.; Z.A. Zeitoun and M.Y. El-Mazny (1990). Effect of nitrogen sources and nitrification inhibitors (N-Serve and Temik) on the growth, nitrate accumulation and ammonium concentration in radish and cucumber growth in sandy culture. *Minia J. Agric. Res. & Dev.* 12(2): 889-901.
31. Zeitoun, Z.A.; M.Y. El-Mazny; M.M. El-Sayed and M.A. Ghazy (1991). Residues of some herbicides and its influence on the chemical composition of cucumber (*Cucumis sativus* L.). *Minia J. Agric. Res. & Dev.* 12(2): 903-911.
32. Seleim, Z.M.; Zeitoun, Z.A.M.; Hassan, H.M. and Mohamed, S.A. (2003). Toxicological Studies on the Maculated Toad *Bufo Regularis*. *J. Egypt. Soc. Toxicol.* Vol. 28: 67-80.
33. Abdelrahman, M. Younis; Sayed, H.H. Hamouda; Sanaa, A. Ibrahim and Zaki, A.M. Zeitoun (2007). Field Evaluation of certain Pesticides Against the Cotton Bollworm In Minia Region of Egypt. 2007 Beltwide Cotton Conferences, New Orleans, Louisiana, USA

LIST OF PUBLICATIONS ا.د جمال ابوالمكارم رزق

- Rizk, G. A.; Karaman, G. A. and Hussein, S. M. (1978) A native parasite and two species of predaceous as candidates for biological control of the red scale insect in Middle Egypt. Proc. 4th Cont. Pest Control, NRC, Cairo, 72-77.
-) Rizk, G. A.; Karaman, G. A.; Sheta, I. E. and Gharib, A. H. (1979). Conjunction of *Bacillus thuringiensis* var *a1esti* with some OP insecticides for control of the cotton leafworm *Spodoptera littoralis* (Boisd.). Proc. 3rd Pesticides Conf. Tanta Univ., 1-9.
-) Rizk G. A.; Karaman, G. A. and Ali, M. A. (1979). Mite populations on grape-vine in Middle Egypt. 5'. 111. Soc. ent. Egypte, Q.2.: 1-7.
- Rizk, G. A.; Karaman, G. A. and Ali, M. A. (1979). Population densities of phytophagous and predaceous mites on citrus trees in Middle Egypt. 3u11. Soc. ent. Egypt, 62.: 97-103.
- Rizk, G. A.; Karaman, G. A.; Morad, M. G. and Ali, M. A. (1983). Toxicity and inhibition studies with certain potential pesticides on the ovipositional behaviour of the ixodid tick *Boophilus annulatus* (Say) (Ixodidae: parasi tiformes) . Proc. 5th Arab Pesticides Coni., Tanta Univ, 385-94.
- Rizk, G. A.; Karaman, G. A.; Abd El-Naby, A. A.; Hoftah, E. A. and Abdelalim, A. A. (1990). Interrelation between the fluctuations in the Populations dynamic of predators and parasites and the fluctuations in the populations density of sucking pests associated with soybean plants in Minia Region. Assiut Journal of Agricultural Sciences, 21: 105-118.
- Rizk, G. A.; Karaman, G. A.; Mofteh, E. A.; Abd El-Naby, A. A. and Abdelalim, A. A. (1990). Effectiveness of different planting dates on the population density of some sucking pests attacking soybean in Minia Region. Assiut Journal of Agricultural Sciences; 21: 141-152.
- Rizk, G.A.; M.M. Tantawy; F.K. Aly and E.H. Kamel (1986): Comparison of the efficacy of soil systemic and foliar applied insecticides oil the control of sucking pests and the yield of tomato. Minia J. Agric. Res. & Dev., 8(1): 95-107.
- Rizk, G.A.; Hussein, S.M. and Hafez, H.F.H. (1988): Studies on Biotic potential of cotton leafworm with special reference to effect of host plants on larval susceptibility to synthetic pyrethroids. Bull. Ent. Soc. Egypt, Econ. Ser. 17: 47-56.
- Rizk, G.A.; Hussein, S.M. and Hafez, H.F.H. (1988): Estrases activity in larval tissue homogenates of *Spodoptera littoralis* (Boisd) when reared on different host plants. Bull. Ent. Soc. Egypt, Econ. Ser. 17: 37-46
- Rizk, G.A.; Kamel, E.H.; Garib, A.H. and Hussein, S.M. (1986): Toxicity and synergism of two

- insect growth regulators on the northern house mosquito *Culex pipens*. *Minia J. Agric. Res. & Dev.* 8: (1), 163-175.
- Rizk, G.A.; Hussein, S.M.; Zeitoun, Z.A. and Gharib, A.H. (1985): Joint action of some organophosphorous compounds and synthetic pyrethroids on the Cittony cushion scale *Icerya purchasi* (Mask.) (Margrodidae, Homoptera) *Minia J. agric. Res. & Dev.* 7: (4), 1265-1278.
- Rizk, G.A.; A.M. Ali and Hussein S.M. (1978): *Aonidiella aurantii* (Mask) Effect of insecticidal application at different phases of abundance. *Proceeding of the 4th Conference Pest Control NRC, Cairo, Egypt I: 670-676.*
- Rizk, G.A.; Karaman, G.A. and Hussein S.M. (1978): A native parasite and two species of mites as candidates for biological control of red scale insect in Middle Egypt. *Proceeding of 4th conference pest control NRC, Cairo, II: 734-740.*
- Rizk, G.A.; Sheta, I.B. and Hussein S.M. (1978): Seasonal fluctuation and abundance of *Aonidiella aurantii* (Mask.) as monitored by different developmental stages. *Proceeding of 4th conference pest control NRC, Cairo Vol. I : 72-77.*
- Rizk, G.A. ; Sheta I.B. and Hussein S.M. (1978): Some aspects of the population activity of *Aonidiella aurantii* (Mask.) in relation to weather factors in Middle Egypt. *Proceeding of 4th conference pest control NRC, Cairo Vol. I : 62-71*
- Hafez, H.F.H.; Hussein, S.M.; Thiemann, W. and Rizk, G.A. (1995): Behaviour of synthetic pyrethroids in Aquatic environment under laboratory conditions. *Pesticides and environmental contaminants in Water and Food German Egyptian conference, Ismailia 2-7 Feb. 1995, Abstract pp.25.*
- Rizk, G. A, M. A. Attallah, and A. M. Younis (1979): Population dynamics of the bollworm *Heliothis armigera* (Hubn) with special emphasis to the effect of certain weather factors on the population activity in Middle Egypt. *Annals of Agric. Sci., Moshtohor, Egypt.*
- Rizk, G. A.; S. A. Ibrahim; M. A. Soliman and E. H. Kamel (1990): Field trials for evaluating the ovicidal action of mixtures of certain Benzoyl phenyl urea's with other chemical pesticides against *Spodoptera littoralis* (Boisd.). *Minia J. Agric. Res. & Dev., Vol. 12 (3): 1417-1436.*
- Rizk, G.A.; M.A. Ali; I.B. Sheta and Z.M. Seleim. (1981): Toxicity of acylurea derivatives in laboratory mice (*Mus musculus*). *J. Egypt. Soc. Toxicol.*; 6: 55-71.
- Rizk, G.A.; M.A. Ali; I.B. Sheta and Z.M. Seleim (1981): Effect of acylurea derivatives on the liver of

- mouse (*Mus musculus*). J. Egypt. Soc. Toxicol. ; 6: 73 - 88.
- Rizk, G.A.; S.M. Hussein; Z.A. Zeitoun and A.H. Gharib (1985). Joint action of some organophosphorus compounds and synthetic pyrethroids on the cottony cushion scale *Icerya purchasi* (Mask) (Margarodidae: Homoptera). Minia J. Agric. Res. & Dev. 7(4): 1265-1278.
- Rizk, G.A.; M.M. Tantawy and Z.A. Zeitoun (1985). Laboratory evaluation on the plant growth regulator DOWCO 391X on seed germination. Minia J. Agric. Res. & Dev. 7(4): 1295-1309.
- Rizk, G.A.; Zeitoun, Z.A. and El-Nawawy, A.S. (1977). Interaction between fungicides and molecules with some shape similarities. Proc. 2nd Arab Pesticide Conf., Tanta University 1977, pp. 1246-1261.
- Rizk, G.A. and E.H. Kamel (1982). Resistance of cotton leafworm larvae *Spodoptera littoralis* (Boisd.) to certain organic insecticide groups in Middle Egypt. Proc. Egypte's National Conf. Ent., Dec. 1982, Vol. 11(549-556
- Rizk, G.A.; E.H. Kamel and M.A. Makadey (1990). Variation in susceptibilities to pyrethroids of *Spodoptera littoralis* (Boisd.) fed on different host plants. Minia J. Agric. Res. & Dev., 12(2): 783-793.
- Rizk, E.A. and E.H. Kamel (1991). Evaluation of Reldan bioencapsulated for the control of sucking insects (Homoptera: Aphididae and Alerodidae) in cotton field. Minia J. Agric. Res. & Dev. 13(1): 233-243.
- Maher Ali A.; E.A. Mofteh and G.A. Rizk (1979): Evaluation of the impact of certain predators on the population density of egg masses of the cotton leafworm, *Spodoptera littoralis* (Boisd) in cotton fields. Bull Soc. ent. Egypt, 62 [111].
- Maher Ali A.; E.A. Mofteh and G.A. Rizk (1979): Effect of certain weather factors on abundance of egg-masses populations of the cotton leafworm, *Spodoptera littoralis* (Boisd) in Assiut, Egypt. Bull. Soc. ent., 62 [117].
- Rizk, G.A; Abdel-Naby, A.A. and Mofteh, E.A. (1983): Biological impact of certain juvenile hormone mimics on egg stage of American bollworm, *Heliothis armigera* (Lepidoptera: Noctuidate). Proc. 5th Arab Pesticide Conf. Tanta Univ., H. 1-11.
- Rizk, G.A; Abdel-Naby, A.A. and Mofteh, E.A. (1983): Effect of certain IGR's on reproduction of *H. armigera* (Hb.) treating adult moths Proc. 5th Pesticide Conf. Tanta Univ., H: 12-22.
- Rizk, G.A; Abdel-Naby, A.A. and Mofteh, E.A. (1983): Retarding activities of certain IGR's on

- reproductive capacity of *H. armigera* (Hb.) moths when treating pupal stage. Proc. 5th Arab Pesticide Conf., Tanta Univ., H: 23-33.
- Rizk. G.A.; A.A. Abdel-Naby; E.A. Moftah and M.F. Gergis (1990): Biological studies of potato tuberworm *Phthorimaea operculella* (Zeller) under field conditions. *Minia J. Agric. Res. & Dev.* 12 (2).
- Rizk. G.A.; A.A. Abdel-Naby; E.A. Moftah,; and M.F. Gergis (1990): Potential uses of sex pheromone for suppression of potato tuberworm population and control purposes. *Minia J. Agric. Res. & Dev.* 12 (2).
- Rizk. G.A.; A.A. Abdel-Naby; E.A. Moftah and M.F. Gergis (1990): Population growth and life table construction of potato tuberworm *Phthorimaea operculella* (Zeller). *Minia J. Agric. Res. & Dev.* 12 (2).
- Rizk, G.A.; A.A. Abdel-Naby; E.A. Moftah and M.F. Gergis (1990):
Prediction model for mortality of immature potato tuberworm stages caused by relatively low temperature. *Minia J. Agric. Res. & Dev.* 12 (3).
- Rizk, G.A.,E.H.Kamel,A.H.Gharib and S.M.Hussein. 1986. Toxicity and synergism of two insect growth regulators on the northern house mosquito *Culex pipiens* L. *Minia J. Agric. Res. & Dev.*8(1): 163-175.
- Rizk,G.A.,S.M. Hussein, Z.A. Zeitoun and A.H. Gharib. 1985. Joint action of some organophosphorus compounds and synthetic pyrethroids on the cottony cushion scale *Icerya purchasi* (Mask): (Margarodidae, Homoptera). *Minia J. Agric. Res. & Dev.* 7(4):1265-1278
- Rizk, G.A., I.B.Sheta and A.H. Gharib. 1977. The efficiency of *Bacillus thuringiensis* for control of the cotton leafworm *Spodoptera littoralis* (Boisd.). Proc.2nd Arab Pesticide Conf., Tanta Univ., Sept. 1977, I:1-10.
- Rizk,G.A., I.B.Sheta and A.H. Gharib. 1977. Biological activity of three preparations of *Bacillus thuringiensis* against the cotton leafworm in soil. Proc. 2nd Arab Pesticide Conf.,Tanta Univ., Sept. 1977, I:11-16.

LIST OF PUBLICATIONS Prof. Dr. Mohammed Abu Zaid Atallah

- Atallah M.A. ;F.K.Aly and H.M. Eshbah (1987):Comparative morphometric investigations of the Egyptian, Carniolan and Italian honeybee races in Minia Region. Minia J. Agric . Res. & Dev., 9(3): 1307 – 1319
- Attallah, M.A.; H.M. Eshbah ; M.N. Shoreit; A.A. Mohamed, and M.S Omar,. (1995) : Biological and behavioral studies on *Philanthus triangulum* (Fabricius) in New Valley, Egypt. 6th Nat. Conf. pest & Dis. Vegetables & Fruits in Egypt, 43-52.
- Attallah, M.A.; Moftah, E.A.; H.M Eshbah; A.A.Mohamed and N.A.Eyssa (1995) : Effect of Protein feeding on the development of honeybee and the chemical composition of royal jelly. 6th Nat. Conf. pest. & Dis. Vegetables & Fruits in Egypt, 88-100 .
- Attallah, M.A.: , E.A. Moftah; H.M Eshbah; A.A.Mohamed and N.A. Eyssa,. (1995) : Royal jelly production of two honeybee races (*Apis - mellifera* L.) in different seasons in Minia region, Egypt. 6th Nat. Conf. Pest. & Dis. Vegetables & Fruits in Egypt :129-135.
- Karaman, G. A ,Sheta, 1. B and Atallah, M. A.(1979). Inhibitory effects of the insect growth regulator Diflubenzuron on reproduction of the Medfly *Ceratitis capitata* (wide) Proc. 3rd Pesticides Conf. Tanta Univ., 461-467
- Atallah, M. A.; Abd El-Naby, A. A. and Karaman, G. A. (1979). Laboratory assessment of relative toxicity of some organic insecticides to the honeybee. Bull. Soc. ent. Egypt., Econ. Ser., 11: 149-154
- Atallah, M.A.; Z.A. Zeitoun and A.R. Hassan (1989).The relative toxicity of some synthetic pyrethroids and carbamate insecticides on honey bee workers (*Apis mellifera* L.) in the laboratory.Proc. 4int. Conf. Apic. Trop. Climates, Cairo, 1988, 214-217.
- Atallah, M.A.; Z.A. Zeitoun and A.R. Hassan (1989).The relative toxicity of some synthetic pyrethroids and carbamate insecticides on honey bee workers (*Apis mellifera* L.) in the field.Proc. 4int. Conf. Apic. Trop. Climates, Cairo, 1988, 218-223

List of Publication: أ.د. حسن محمد حسن

- Mourad, M.G.; I.B.Sheta ;G.Youssef and H.M.Hassan (1987) Utilization of entomogenous nematode *Neoaplectana carpocapsae* (Weiser) in biological control of the house fly *Musca domestica* .Minia J. Agric. Res. & Dev. 9 (1):355-364
- Youssef, G.; M.G.Mourad; I.B. Sheta and H.M.Hassan (1987) Exploratory studies on the susceptibility of the American cockroaches *Periplaneta americana* L. to the infection by the entomogenous nematode *Neoaplectana carpocapsae* (Weiser)under certain temperature conditions. Minia J. Agric. Res. & Dev. 9(1) :365-372.
- Mourad, M. G.; I.B. Sheta; G. Youssef and H.M.Hassan(1987) Trials with the entomogenous nematode *Neoaplectana carpocapsae* (Weiser) on the greater wax moth *Galleria mellonella* under certain temperature conditions Minia J. Agric. Res.& Dev. 9(2):777-786.
- Ali, M. A. ; M. G. Mourad ; I.B. Sheta and H. M. Hassan (1990) : Efficacy of certain pesticides against *Helicotylenchus pseudorobustus* on grapevine cv,. Romi Ahmer in Minia Governorate. Minia J. Agric. Res. & Dev. 12 (2) 867- 876.
- Ali, M. A. : M.G. Mourad; I. B. Sheta and H. M. Hassan (1990) : Effect of *Pratylenchus thornei* on growth response of grape-vine *Vitis vinifera* L. cv. Romi Ahmer under greenhouse conditions . Minia J. Agric. Res. & Dev. 12 (3) :1409-14
- Ali, M.A. ; I.B. Sheta ; M.G.Mourad and H.M. Hassan (1990): Histopathology of root-knot and lesion nematodes on grapevine *Vitis vinifera* L. cv Romi Ahmer and Jubiliun 75. Minia J. Agric. Res. & Dev. 12 (3): 1591-1604.
- Ali, M. A. ; I.B. Sheta ; M. G. Mourad and H. M. Hassan (1990) : Survey of nematodes associated with grape-vine in Minia region. Minia J. Agric. Res. & Dev. 12 (3) : 1615-1624.
- Hassan .H. M. (1992) : Management of root-knot nematode, *Meloidogyne javanica* by aqueous extracts and compostsof some common plants leaves. Minia J. Agric. Res. & Dev. 14 (2) :593 -604.
- Ahmed, F.F. and H.M. Hassan (1992) : Effect of some plant growth substances on the infection of Red Roomy vine seedlings with root-knot nematode (*Meloidogyne incognita*) .Minia J. Agric.Res. & Dev. 14 (2) : 373- 382.
- Ali, A.H. ; H.M. Hassan ; S. H. Gad El-Halk and M.N.M. Hassan (1992) : Plant parasitic nematodes associated with tomato and peanut plants in Egypt Bull. Fac. of Agric. Univ. of Cairo, vol 43 (2) : 1333- 1348.
- Hassan, H.M. (1993): Laboratory tests on the effect of *Steinernema carpocapsae* All strain and

Heterorhabditis bacteriophora NC strain and their mixtures with bioneem and dipel on *Spodoptera littoralis* (Boisd.) J. Egypt. Ger. Soc. Zool. 12: 239-251.

Hassan, H.M. ;M.S. Fouad and F.F. Ahmed (1993) : Biocidal activity of *Bacillus thuringiensis* var. Kurstaki and two species of entomogenous nematodes against the almond moth, *Ephestia cautella* (Walker).Minia J.Agric.Res.&Dev.15(2)823-835

Hassan, H.M. and A.A.Abd El-Alim (1993): Infection of sugarcane borers by two entomogenous nematodes and histological changes in *Sesamia critica* Led. Egypt.J.Pest control 3(2):131-140

Akl, A.M.; F.F.,Ahmed and H.M. Hassan (1993): Susceptibility of some newly introduced grape vine cultivars to infection with root- knot nematode (*Meloidogyne javanica*) under El-Minia region conditions. Minia First Conf. for Hort. Crops. Minia J. Agric.Res. & Dev. 15 (2) :767-776

Hassan, H. M.; F.F. Ahmed and A.M. Younis (1993) : Could GA3 and MG be combined with nematicides to enhance growth and control nematodes population of naturally infested Anna apple trees with nematodes. Minia J. Agric. Res. & Dev.15 (1) : 189- 201.

Mourad, M.G.; H.M. Hassan ; M.A. Ali and W.A.Abdel Raheem(1994) Preliminary studies on the compatibility of some pesticides and entomogenous nematodes against *Spodoptera littoralis* (Boisd.) larvae. Minia J.Agric.Res.& Dev.16(3):675-685

Ali, M. A. ; H. M Hassan ; M.G. Mourad and W.A. Abdel Raheem (1994) Effectiveness of the entomogenous nematodes *Steinernema carpocapsae* All strain and *Heterorhabditis bacteriophora* NC strain on *Pieris rapae* L. and *Pectinophora gossypiella* Saund. Minia J. Agric. Res. & Dev. 16(3):699-709.

Hassan, H. M. ; M. A.Ali ; M. G. Mourad and W. A. Abdel Raheem (1994): Efficacy of *Steinernema carpocapsae* All strain on *Bruchus rufimanus* Boh. (Coleoptera : Bruchidae).Minia J. Agric. Res. & Dev. 16 (3): 665-673.

Hassan H. M. (1997): Biocontrol and infection of *Bruchus rufimanus* Boh. , (Coleoptera) ; *Galleria mellonella* L. and *Spodoptera littoralis* Boisd. (Lepidoptera) by *Steinernema carpocapsae* A11- strain nematode. 1st National Conf. of Applied Using of Natural Enemies for Controlling Insect and Mite Pests, Mansoura, 4-5 March,(1997) Proceeding Vol. 1 : 80-94.

Hassan H. M. (1997) : Response of some cultivars of potato and watermelon to the root knot nematode *Meloidogyne javanica*.7th Nat. Conf. of Pests & Dis. of Veg. & Fruits in Egypt. Fac. of Agric. Suez Canal Univ., 25-26 November (1997).Proceeding Vol. 2: 211-220.

- Hassan H. M. (1998) : Impact of soil moisture, soil temperature and sub soil water table on the population dynamics of nematodes associated with date palms and orange trees in Minia region. Egyptian Journal of Agronematology 2 (2) : 217- 228.
- Hassan H. M. (1999) : Effect of some antioxidants on the response of cucumber to *Meloidogyne javanica* infection and the activity of the plant peroxidase. Egyptian Journal of Agronematology 3 (1/2): 139-148.
- Hassan H. M. (1999) : Effect of some biofertilizers and chopped fresh roots of plants on *Meloidogyne javanica* - infected sugarcane. Egyptian Journal of Agronematology 3 (1/2) : 163-175.
- Hassan H. M. (1999) : Plant parasitic nematodes associated with squash and sweet pepper in El-Minia governorate. 8th Nat. Conf. of Pests & Dis. of Veg. & Fruits in Egypt. Fac. of Agric. Suez Canal Univ., 9-10 November (1999). Proceeding Vol. 2 : 375-385.
- Hassan H. M. and A. A. Abd El-Alim (2000): Influence of *Agrotis ipsilon* (Hufn.) host plants on the pathogenicity and production of *Steinernema carpocapsae* A11 strain and *Heterorhabditis bacteriophora* NC strain . Minia J. of Agric. Res. & Develop. Vol. 20 No.(1) :21-32
- Hassan H. M. ; M. A. Ali ; A. H. Ali and M. A. Kaid (2000) : Soil solarization with coloured plastic mulches for management of nematodes and weeds associated with grapevines in Minia governorate. Minia J. of Agric. Res. & Develop. Vol. 20 No.(1): 33- 45.
- Hassan H. M.; M. A. Ali and I. M. Darwish (2000) : Effect of gamma irradiation on the susceptibility of cowpea to root-knot nematode (*Meloidogyne incognita*). Minia J. of Agric. Res. & Develop. Vol. 20 No. (1) : 47-55.
- Hassan H. M.; E. A. Mofteh; M. A. Ali and A. A. Abd El-Alim (2002): Efficacy of new isolate of *Heterorhabditis bacteriophora* (Minia, Egypt isolate) against *Sesamia critica* Led. On maize. The second international conference. Egypt Agricultural Research Center, Giza Egypt. P 368-371.
- Hassan H. M., Mofteh E. A. and M. A. Ali (2003): Combined effect of two entomopathogenic nematodes and three insecticides against *Sesamia critica* Led. The first international Egyptian-Romanian conference". Towards new trends for plant protection and environment conservation" 259-269.
- Seleim, Z.M. ; Zeitoun, Z.A.M.; Hassan, H. M. and Mohamed, S. A. (2003): Toxicological studies on the maculated toad *Bufo regularis*. J. Egypt. Soc. Toxicol. 28:67-80

- Seleim, Z. M ; Zeitoun, Z.A.M.; Hassan, H. M. and Mohamed, S. A . (2003): Hepatotoxic effects of synthetic pyrethroids on maculated toad *Bufo regularis* J. Egypt. Soc. Toxicol. 29:101-112
- Hassan H.M. (2004): Efficiency of some treatments on the response of date palm seedlings to the infection with *Meloidogyne javanica*.The second International conference on Date Palm, 6-8 October 2004 El-Arish, Egypt. 309-317.
- Hassan, H. M. (2005): Behavior of some saprophagous insects and *Beuveria bassiana* fungus towards cotton leafworms killed by entomopathogenic nematodes. 10th European Meeting of IOBC/WPRS Working group "Insect Pathogens and Insect Parasitic Nematodes" 228-222
- Hassan, H.M. ; Ali, M.A.; Mourad, M.G.; Magda, K. Megaly and A.K. Abou El-Saad (2007): Toxicity of some compounds to the *Tetranychus urticae* Koch Females and its predator, *Agistemus exsertus* Gonzalez under laboratory conditions.1st Inter. Conf. Desert Cultivation 27-29 March 2007 Minia Univ." Future of Desert Cultivation. (Problems & Solutions). 209-215

List of Publication: Prof. Dr.Hashim Foad Hashim Hafiz

Hashem, F. H. Hafez and Ahmed, F. El- Aswad (2005): Sorption- desorption of atrazine in soil. Alex.Sci. Exchange, 26: 41-53

Salah, M. Hussein, Hashem, F. H. Hafez. and Wolfram,H.P. Thiemann (2004): Contamination of different sources of water by organochloride pesticides in minia, Upper Egypt. Processing of the Annual Meeting of the Egyptian Society of Toxicology, Alex. Febr. 18-19, 2004

Hashem, F. H. Hafez. And Mouhamed, Z. H. Ali (2004): Monitoring of organochloride pesticides and heavy metals in water samples collected from El-Behara Governorate, Egypt. 3rd European Conference on pesticides and Related Organic Micropollutants in the Environment, Halkidiki, Greece, 7-10 October, 2004.

Hafez, H.F. Abdel Aziz, M.A. and Hussein, S.M. (2003): Biodegradation and mobility of Atrazine in soil. Minia J of Agric. & Develop. Vol. 23No. 4 pp 765-778

Hafez, H.F.H. and W. H. P.Thiemann. (2003): Photodegradation of atrazine in water. J.Pest Cont& Environ.Sci. 12: 73-84.

Hafez, H.F.H. and W. H. P.Thiemann. (2003): Persistence and biodegradation of diazinon and imidacloprid in soil. XII Symposium pesticide Chemistry pesticide in air, soil, water& plant system *Piacenza*, Italy, 4-6 June, 20

Hafez, H.F.H. and W. H. P.Thiemann. (2002): Photodegradation of imidacloprid insecticide in aqueous solution. The 3rd Scientific Conference of Agricultural Sciences, Assiut, 20-22 October, 2002.

Hafez, H.F.H. and W. H. P.Thiemann. (2002): Effect of certain factors on the degradation of carbofuran in two soil types. 2nd International Conference, Plant Protection Research Institute, Cairo, Egypt, 21-24 December, 2002.

El-Malt, Esam A. and Hashem, F. H. Hafez (2002): Synthesis of some novel 1,1,1, trichloro-acetyl-substituted- chloro- phenylamine derivatives and their efficiency against *Stophilus granaries* and *Stophilus Oryzae* 2nd International Conference, Plant Protection Research Institute, Cairo, Egypt, 2002

Hussein, S.M.; Hafez, H.F.H. and Thiemann, W. (1999): Biodegradation of three pyrethroids in soil under laboratory conditions. The 9th international conference "Environmental protection is a must" 4-6 May 1999 Alexandria, Egypt 4-6 May 1999.

•Hussein, S.M., Hafez, H.F.H. and Thiemann, W. (1997): Persistence of three pyrethroids insecticides in soil. The sixth annual Scientific conference of the Egyptian society of

Toxicology Ecotoxicological impact of environmental pollutants on children. 1-3 April 1997.

Hafez, H.F.H.; Hussein, S.M.; Thiemann, W. and Rizk, G.A. (1995): Behaviour of synthetic pyrethroids in Aquatic environment under laboratory conditions. Pesticides and environmental contaminants in Water and Food German Egyptian conference, Ismalia 2-7 Feb. 1995, Abstract pp.25.

Rizk, G.A.; Hussein, S.M. and Hafez, H.F.H. (1988): Studies on Biotic potential of cotton leafworm with special reference to effect of host plants on larval susceptibility to synthetic pyrethroids. Bull. Ent. Soc. Egypt, Econ. Ser. 17: 47-56.

.

Rizk, G.A.; Hussein, S.M. and Hafez, H.F.H. (1988): Estrases activity in larval tissue homogenates of *Spodoptera littoralis* (Boisd) when reared on different host plants. Bull. Ent. Soc. Egypt, Econ. Ser. 17: 37-46

List of Publication: Prof. Dr.Sanaa Abdelhamid Ibrahim

1. Sheta, I. B.; A. A. Abd El Naby; G. A. Karaman and **S. A. Ibrahim** (1980): Activity of some insect growth regulators against the cotton leafworm, *Spodoptera littoralis* (Boisd.). Minia J. Agric. Res. & Dev., Vol. 3: 47-59.
2. Karaman, G. A.; A. A. Abd El Naby and **S. A. Ibrahim** (1980): Ovicidal activity of certain insect growth regulators (IGR's) against the cotton leafworm, *Spodoptera littoralis* (Boisd). Minia J. Agric. Res. & Dev., Vol. 3: 60-71.
3. **Ibrahim, S. A** and A. M. Younis (1987): Laboratory evaluation of the insect growth regulator, IKI 7899, the organophosphorus compound, Dursban and their mixtures against the cotton leafworm, *Spodoptera littoralis* (Boisd.). Minia J. Agric. Res. & Dev., Vol. 9 (2): 761-776.
4. **Ibrahim, S. A.**; A. M. Younis and M. F. Gergis (1987): Potency and residuality of chlorpyrifos, two acylurea derivatives and their mixtures against susceptible and field strains of cotton leafworm, *Spodoptera littoralis* (Boisd.). Minia J. Agric. Res. & Dev., Vol. 9 (4): 1553-1564.
5. **Ibrahim, S. A.** and A. M. Younis (1988): Initial and latent bioactivities of certain benzoyl phenyl urea's (BPU'S) applied to egg masses and early 4th instar larvae of cotton Leafworm, *Spodoptera littoralis* (Boisd.). Minia J. Agric. Res. & Dev., Vol. 10 (1): 203-221.
6. **Ibrahim, S. A.**; Z. A. Zeitoun and A. M. Younis (1988): Some factors affecting the activity of *Bacillus thuringiensis* var *israelensis* (H-14) against the mosquito, *Culex pipiens* L. (Diptera: Culicidae). Minia J. Agric. Res. & Dev., Vol. 10 (12): 561-572.
7. **Ibrahim, S. A.**; A. M. Younis and Z. A. Zeitoun (1988): Initial and residual potency of certain insecticides, insect growth regulators and their mixtures against some cotton pests. Minia J. Agric. Res. & Dev. Vol., 10 (3): 1311-1323.
8. **Ibrahim, S. A.**; H. M. Eshbah and A. M. Younis (1989): Toxicity and bioresiduality of selected insect growth regulators (IGR's)/insecticides mixtures to honey bees (Hymenoptera: Apidae). Minia J. Agric. Res. & Dev. Vol., 11 (4): 1891-1906.
9. **Ibrahim, S. A.** (1990): Laboratory studies for evaluating the ovicidal activity of certain insect growth regulators/organophosphorus pesticides mixtures against egg-masses of

- cotton leafworm, *Spodoptera littoralis* (Boisd.). Minia J. Agric. Res. & Dev., Vol. 12 (3): 1353-1366.
10. Rizk, G. A.; **S. A. Ibrahim**; M. A. Soliman and E. H. Kamel (1990): Field trials for evaluating the ovicidal action of mixtures of certain Benzoyl phenyl urea's with other chemical pesticides against *Spodoptera littoralis* (Boisd.). Minia J. Agric. Res. & Dev., Vol. 12 (3): 1417-1436.
 11. Eshbah, H. M.; **S. A. Ibrahim** and M. A. Makadey (1990): Attempts to control the parasitic mite, *Varroa jacobsoni* Oudemans infesting honey bee colonies in Minia region. Minia J. Agric. Res. & Dev., Vol. 12 (3): 1783-1798.
 12. Kamel, E. H.; **S. A. Ibrahim** and M. M. Tantawy (1990): Insecticidal potency of certain synthetic pyrethroids and organophosphates against the pink bollworm, *Pectinophora gossypiella* (Saunders) and the spiny bollworm, *Earias insulana* (Boisd.). Minia J. Agric. Res. & Dev., Vol. 12 (4): 2203-2214.
 13. **Ibrahim, S. A.**; H. M. Eshbah and A. M. Younis (1990): Effects of long-term exposure of three chitin synthesis inhibitors on the survival, brood production and food consumption of the honeybee, *Apis mellifera* L. Minia J. Agric. Res. & Dev., Vol. 12 (4): 2229-2250.
 14. **Ibrahim, S. A.** (1990): Efficacy and persistence of *Bacillus thuringiensis* (H-14) against *Culex pipiens* 4th instar larvae (Diptera: Culicidae) and the joint action of bacterium with four selected insecticides of different chemical groups. Assiut Journal of Agricultural Sciences, Vol. 21 (1): 237-256.
 15. Youssef, H. I.; **S. A. Ibrahim**, and A. M. Younis (1992): Morphogenetic and sterilization effects of three juvenile hormone analogs on the greasy cutworm, *Agrotis ipsilon* (Hufnagel). Minia J. Agric. Res. & Dev., Vol. 14 (1): 271-284.
 16. Gharib, A. H. and **S. A. Ibrahim** (1992): Initial and latent effects of *Bacillus thuringiensis* on *Spodoptera littoralis* (Boisd) with special reference to its joint action with two insecticides and synergistic agent. Minia J. Agric. Res. & Dev., Vol. 14 (2): 537-552.
 17. **Ibrahim, S. A.** and M. S. Fouad (1992): Effect of neem oil on some biological aspects of *Spodoptera littoralis* (Boisd) with special reference to its joint action with two insecticides and synergistic agent. Minia J. Agric. Res. & Dev., Vol. 14 (2): 553-573.
 18. **Ibrahim, S. A.**; A. M. El-Ghareeb; M. A. A. Nasser; E. P. Lampert and Y. A. I. Abdel-Aal (1992): Biotechnology studies of esterase-mediated insecticides resistance. In the Proceeding of the First Egyptian-Italian Symposium on Biotechnology, Assiut, Egypt: 79-85.

19. **Ibrahim, S. A.**; A. M. Younis, Y. A. I. Abdel-Aal and E. P. Lampert (1992): Development and management of insecticide resistance: Role of insect reproduction and possible sources of phenotypic plasticity. *Resistance Pest Management*, Vol. 4 (2): 15-19.
20. **Ibrahim, S. A.** (1992): Field evaluation of certain pesticides against some sucking pests infesting cucumber in Minia region. *Minia J. Agric. Res. & Dev.*, Vol. 14 (2): 575-592.
21. Ahmed, F. F.; M. S. Fuad and **S. A. Ibrahim** (1993): Laboratory screening of certain natural and synthetic substances against *Spodoptera littoralis* (Boisd.). *Minia J. Agric. Res. & Dev.*, Vol. 15 (1): 203-214.
22. **Ibrahim, S. A.**; J. A. Ottea and S. H. Martin (1993): Field evaluation of certain synthetic pyrethroids and IGR's/insecticides mixtures against some cotton pests. In *Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference)*, New Orleans, LA., USA, Vol. 2: 689-692.
23. Ottea, J. A.; **S. A. Ibrahim**; J. B. Graves; R. J. Young and M. L. Kirby (1993): Mechanisms of resistance in field-collected, *Heliothis virescens*. In *Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference)*, New Orleans, LA., USA, Vol. 2: 692-696.
24. Gergis, M. F. and **S. A. Ibrahim** (1993): Temperature dependent rates of development and phenology of American bollworm, *Heliothis armigera* (Hub.) In *Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference)*, New Orleans, LA., USA, Vol. 2: 1059-1062.
25. **Ibrahim, S. A.**; A. M. Younis and M. S. Fouad (1994): Performance of certain pyrethroids and IGR's/pesticides mixtures against sucking pests and beneficial arthropods associated with cotton in late season. In *Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference)*, San Diego, CA., USA, Vol. 2: 932-937.
26. **Ibrahim, S. A.** (1994): Acute and latent efficacy of certain pyrethroids and IGR's/insecticides mixtures against *Spodoptera littoralis* (Boisd.). In *Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference)*, San Diego, CA., USA, Vol. 2: 1081-1084.
27. Makady, M. A.; **S. A. Ibrahim** and M. F. Gergis (1994): White fly, *Bemisia tabaci* (Gen.): Developmental biology, sampling and management on cotton in middle Egypt. In *Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference)*, San Diego, CA., USA, Vol. 2: 1226-1228.

28. **Ibrahim, S. A.** (1995): Toxicological and biological effects of certain insect growth regulators (IGR's) on the Cowpea seed beetle *Callosobruchus maculatus* Fab. (Coleoptera: Bruchidae). J. Egypt Soc. Toxicol., Vol. 15: 29-35.
29. Ottea, J. A.; **S. A. Ibrahim**; A. M. Younis; R. J. Younig; B. R. Leonard and A. R. McCaffery (1995): Biochemical and physiological mechanisms of pyrethroid resistance in *Heliothis virescens* (F.). Pesticide Biochemistry and physiology, 51: 117-128.
30. **Ibrahim, S. A.** and J. A. Ottea (1995): Biochemical and toxicological studies with laboratory and field population of *Heliothis virescens* (F.). Pesticide Biochemistry and physiology, 53: 116-128.
31. Younis, A. M. and **S. A. Ibrahim** (1996): Study for comparing the efficiency of certain acaricides against *Tetranychus urtica* Koch under laboratory and field conditions. In Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference), Nashville, TN., USA, Vol. 2: 1131-1134.
32. **Ibrahim, S. A.**; A. M. Younis and J. A. Ottea (1996): Biochemical mechanisms of pyrethroid resistance in cypermethrin selected *Heliothis virescens*. In Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference), Nashville, TN., USA, Vol. 2: 1054-1059.
33. **Ibrahim, S. A.** (1997): Approaches for the integrated control of some cotton pests (Minia region, Egypt). In Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference), New Orleans, LA., USA, Vol. 2: 1106-1109.
34. Ottea, J. A.; **S. A. Ibrahim**; A. M. Younis and R. J. Younig (2000): Mechanisms of pyrethroid resistance in larvae and adults from a Cypermethrin-selected strain of *Heliothis virescens* (F.). Pesticide Biochemistry and Physiology, 66: 20-32.
35. Gatti, S. S.; G. Henderson; Y. A. I. Abdel-Aal and **S. A. Ibrahim** (2002): Acetylcholine esterase mediated susceptibility of soldiers and workers of Formosan subterranean termite (Isoptera: Rhinotermitidae) to chlorpyrifos. J. Econ. Entomol., 95(4): 813-819.
36. **Ibrahim, S. A.** and J. A. Ottea (2001): Inheritance of resistance to organophosphate insecticides in the tobacco budworm, *Heliothis virescens* (F.) with special reference to the cross resistance to pyrethroids. In Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference), Memphis, TN., USA, V. 2: 895-902.
37. **Ibrahim, S. A.**; G. Henderson and H. Fei (2003): Toxicity, Repellency, and Horizontal Transmission of Fipronil in the Formosan Subterranean Termite (Isoptera: Rhinotermitidae). J. Econ. Entomol., 96 (2): 461-467.

38. **Ibrahim, S. A.**; G. Henderson; B. C. R. Zhu; H. Fei and R. A. Laine (2004): Toxicity and Behavioral Effects of Nootkatone, 1, 10-Dihydronootkatone, and Tetrahydronootkatone to the Formosan Subterranean Termite (Isoptera: Rhinotermitidae). *J. Econ. Entomol.*, 97 (1): 102-111.
39. **Ibrahim, S. A.**; G. Henderson; H. Fei and R. A. Laine (2004): Toxic and repellent effects of 2'-Acetonaphthone on *Coptotermes formosanus* (Isoptera: Rhinotermitidae). *Sociobiology*, Vol. 43 (3): 429-443.
40. **Ibrahim, S. A.**; G. Henderson; H. Fei and R. A. Laine (2004): Survivorship, tunneling and feeding behaviors of *Coptotermes formosanus* (Isoptera: Rhinotermitidae) in response to 2'-Acetonaphthone-treated sand. *Pest Manag. Sci.*, 60: 746-754.
41. **Ibrahim, S. A.**; G. Henderson; H. Fei and R. A. Laine (2005): 2-Phenoxyethanol is a Double-Edged Sword against the Formosan Subterranean Termite (Isoptera: Rhinotermitidae). *Biopestic. Int.*, 1 (1, 2): 25-37.
42. Younis A. M.; S. H. Hamouda; **S. A. Ibrahim**; Z. A. M. Zeitoun (2007): Field evaluation of certain pesticides against the cotton bollworms with special reference to their negative impact on beneficial arthropods, Minia Region, Minia, Egypt. African Crop Science Conference Proceedings, Minia University, El-Minia, Egypt, 27-31 October, 2007, Volume 8, Part 2 of 4: 993-1002.
43. **Ibrahim, S. A.**; G. Henderson; R. Cross; J. Sun and R. A. Laine (2007): Potential target site activity of nootkatone and tetrahydronootkatone on Formosan subterranean termite (Isoptera: Rhinotermitidae). African Crop Science Conference Proceedings, Minia University, El-Minia, Egypt, 27-31 October, 2007, Volume 8, Part 2 of 4: 1125-1131.
44. **Ibrahim, S. A.**; G. Henderson; R.; R. A. Laine and A. M. Younis (2007). Toxicity of naphthalene and 10 related compounds on *Coptotermes formosanus* (Isoptera: Rhinotermitidae). African Crop Science Conference Proceedings, Minia University, Egypt, 27-31 October, 2007, Volume 8, Part 2 of 4: 1133-1142.
45. Henderson, G.; **Sanaa A. Ibrahim**; Rosemary Patton; R. A. Laine; Betty C. R. Zhu and F. Chen (2008): Naphthalene derivatives as termite repellents and toxicants. Patent Number: US 7, 351, 744, B2.
46. **Ibrahim, S. A.**; G. Henderson; and A. M. Younis (2008): Naphthalene derivatives affect Formosan subterranean termite (Isoptera: Rhinotermitidae) behaviors. The 4th Annual International Scientific Conference of the Egyptian Society of Environmental Toxicology, Safaga-Egypt, pp 44.

47. **Ibrahim, S. A.**; Tantawy M. M. and Hassanien A. M. A. (2008): Fresh water chlorophyte, *Scenedesmus vacuolatus* could be used as a bio-sensory battery for predicting the development of weed resistance toward herbicides. The 4th Annual International Scientific Conference of the Egyptian Society of Environmental Toxicology, Safaga-Egypt, pp 60.
48. **Ibrahim, S. A.**; Tantawy M. M., Z. M. Seleim, T. A. El-Marsafy and Hassanien A. M. A (2009): Rapid bio-tests utilized the green alga, *Scenedesmus vacuolatus*, for comparing the inhibitory effects of certain herbicides on cell division and photosynthesis process. The 2nd International Conference of Minia "The environment & developing the society in the countries of the third world", Minia University, Egypt, pp 22.
49. **Sanaa A. Ibrahim**, Gregg Henderson and Roger A. Laine (2009): Structure-activity relationships of naphthalene and 10 related compounds on *Coptotermes formosanus* (Isoptera: Rhinotermitidae). American Chemical Society, Chapter 3: 19-39.
50. **Ibrahim, S. A** (2010): Could chitin synthesis inhibitors be used to enhance the performance of synthetic pyrethroids against the spiny bollworm and reduce the negative impact on beneficial arthropods"?. In Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference), New Orleans, LA., USA: **1243-1258**.
51. **Abdelrahman M. Younis and Sanaa A. Ibrahim** (2010): Population fluctuations of the spiny bollworm, *Earias insulana* (Boisduval); pink bollworm, *Pectinophora gossypiella* (Saunders) and their associated predators. In Proceedings of Beltwide Cotton Conferences (Cotton insect Research and Control Conference), New Orleans, LA., USA: 966-977.
52. **Ibrahim, S. A.**; Tantawy M. M., Z. M. Seleim, T. A. El-Marsafy and Hassanien A. M. A (2009): Metabolic detoxification as a viable mechanism of triazine herbicide resistance in ametryn resistant biotype of the fresh water chlorophyte, *Scenedesmus vacuolatus*. Accepted for publication, Academic Journals for Scientific Research and Essay.
53. Tantawy M. M., **S. A Ibrahim**, Z. M. Seleim, H. T. A. Al-Marsafy and A. M. A. Hassanein: Cross and Multiple resistances of ametryn resistant *Scenedesmus vacuolatus* toward different herbicidal groups. In press.
54. Seleim, Z. M; H. T. A. Al-Marsafy; M. M.Tantawy; **S. A Ibrahim**; and A. M. A. Hassanein: Cell division and growth stimulation under herbicide stress. In press.

55. **Ibrahim, S. A.**; G. Henderson; and A. M. Younis. Persistence the efficiency of Nootkatone and Tetrahydronootkatone against *Coptotermes formosanus* (Isoptera: Rhinotermitidae). In preparation.
56. **Ibrahim, S. A.**; G. Henderson; R. and A. M. Younis. Toxicity, repellency and feeding deterrence of sesame oil and five of its major components on the Formosan subterranean termite (Isoptera: Rhinotermitidae). In preparation.
- 57 **Ibrahim, S. A.**; G. Henderson; A. M. Younis. and R. A. Laine (2010): Toxicity and inhibition of feeding and tunneling response of naphthalene and 10 derivatives on the formosan subterranean termite (Isoptera: Rhinotermitidae). J. Econ. Entomol. 103(6): 2132—2139.
- 58 Ibrahim, S. A.**; Z. A. Zeitoun ; M. S. Fouad and A. M. Sayed (2011): Persistence of certain pesticides and natural products against pulse beetle, *Callosobruchus chinensis* L. (Coleoptera: Bruchidae), with special reference to their impact on human health and seed germination.
- 59 Ibrahim, S. A.**; Z. A. Zeitoun ; A. M. Younis and A. M. Sayed (2011):Effect of certain pesticides and natural products on the behavior and life span of the pulse beetle, *Callosobruchus chinensis* L. (Coleoptera: Bruchidae).

LIST OF PUBLICATIONS: أ.د.محمد سمير فؤاد حسن

- (1)- **Ibrahim, S.A. and M.S. Fouad (1992):** Effect of neem oil on some biological aspects of *Spodoptera littoralis* (Boisd.) with special reference to its joint action with two insecticides and synergistic agent. Minia J. Agric. Res. & Dev., 14 (2): 553-573
- (2)- **Fouad, M.S. and F.F. Ahmed (1993):** Relationship between fruit weight and chemical components of some date varieties to infestation with the almond moth (*Ephestia cautella*, Walker). Minia First Conf. for Hort. Crops (19-21 Oct. 707-716).
- (3)- **Fouad, M.S. (1993):** Protection of stored wheat from the granary weevil, *Sitophilus granaries* (L.) by some plant powders and extracts. Minia J. Agric. Res. & Dev., 15(3): 695-715.
- (4)- **Fouad, M.S.; F.F. Ahmed and A.M. Younis (1993):** Comparative efficacy of some plants extracts against immature stages of the Mediterranean fruit fly, *Ceratitis capitata* (Wied). Minia J. Agric. Res. & Dev., 15(1):215-228.
- (5)- **Ahmed, F.F.; M.S, Fouaad and S.A. Ibrahim (1993):** Laboratory screening of certain natural and synthetic substances against *Spodoptera littoralis* (Boisd.). Minia J. Agric. Res. & Dev., 15(3): 203-214.
- (6)- **Fouad, M.S. (1994):** Influence of temperature and different photoperiod regimes on the biology of *Ephestia cautella*, Walker with special reference to thermal requirements. 5th Conf. Agric. Dev. Res., Fac. Agric., Ain Shams Univ., Cairo, Egypt. 2, 997-1011.
- (7)- **Fouad, M.S. and A.A. Abd El-Alim (1994):** Comparative efficacy of some plant oils against *Sitophilus granarius* (L) infesting wheat grain Bull. Ent. Soc. Egypt, Econ. Ser., 21: 65-74.
- (8)- **Fouad, M.S. (1995):** Correlation between certain nutritional constituents of some wheat varieties and infestation by *Stiphilus granarius* (L) (Coleoptera: Curculionidae). J. Egypt. Ger. Soc., Zool., Vol. 16(E), Entomology, 171-182.
- (9)- **Hassan, H.M.; M.S. fouad and F.F. Ahmed (1995):** Biocidal activity of *Bacillus thuringiensis* var Kurstaki and two species of entomogenous nematodes against the almond moth, *Ephestia cauella* (Walker). Shashpa (A Journal of Entomological Research), 2 (2): 145-150.
- (10)- **Ali, M.F. and M.s. Fouad (1995):** Lethal effect of low temperatures on the survival of *Attogenus jasciatus* (Thunberg) (Coleoptera: Dermestidae). J. Egypt. Ger. Soc. Zool., Vol. 16 (E) Entomology, 151-159.
- (11)- **Abd El-Alim, A.A.; M.S. Fouad and A.A. El-Sayed (1995):** Effect of phosphorus fertilization and gibberellic acid on the population density of certain insects and yield of Chamomile plants. Minia J. Agric. Res. & Dev., 17(1): 11-22.

- (12)- **Fouad, M.S. (1999):** Biological studies and mating behaviour of *Ephestia cautella* (Walker) with special reference to its penetration in various packing materials. The international conference on Date Palm Nov. 9-11 Assiut Univ., 157-169.
- (13)- **Fouad , M.S. (2000):** Protection of stored broad beans and mungbeans against the cowpea weevil *Callosobruchus maculatus* (F.) by using certain plant citrus oils . J. Egypt. Ger. Soc. Zool, Vol. 31(E), Entomology, 183-195.
- (14)- **Fouad, M.S. (2000):** Developmental behaviour of the Angoumois grain moth, *Sitotroga cerealella* (oliv.) in relation to each of α - Amylase inhibitor and the total phenolics content in some maize varieties. The 2nd Scientific Conference of Agricultural Science, Assiut, Oct., 629-636.
- (15)- **Fouad, M.S. (2001):** Effect of different photoperiods and light colours on oviposition behaviour and development of the pulse beetle, *Callosobruchus chinensis* L. Bull, Soc, ent. Egypt. Accepted 14 April 2001: 1-12.
- (16)- **Fouad, M.S. and G.F.Abd El-Naem (2000):** Changes in the chemical components of certain mungbean varieties infested with the cowpea weevil, *Callosobruchus maculatus* (F.). J. Egypt. Ger. Soc. Zool. Vol. 31(E), Entomology, 89-101.
- (17)- **Fouad, M.S.; S.H.H. Hamouda and Y.T. Abd El-Mageed (2001):** Effect of *Rhizobium* inoculation and phosphorus application on population density of certain insects and yield of mungbean and cowpea in Minia region Minia J.Agric. Res & Develop. 21 (2): 287-313.
- (18)- **Hamouda, S.H.H.; F.K. Aly and M.S. Fouad (2001):** Relative abundance of sucking insects and their predators on different plant densities of black cumin and coriander, and the estimation of injury threshold and yield loss. Minia J. Agric. Res &Dev., 21 (2): 315-332.
- (19)- **Fouad, M.S.; A.H. Gharib and S.H.H. Hamouda (2000):** Effect of certain agricultural practices and non-chemical materials on insect pests, predators and yield of Roselle plants in Minia region. J. Agric. Se. Mansoura Univ., 25(11): 7129 – 7144.
- (20)- **Mostafa, N.R.; M.S. Fouad; M.M. Tantawy and T.F. Mohamed (2000):** Potential of some plant products as grain protectants against *Sitophilus granarius* (L.) and *Sitophilus oryzae* (L.). 2- Efficacy of certain plant powders. J. nion Arab Biol., Cairo, Vol(14A) Zoology 309-322 .
- (21)- **Fouad, M.S.; M.M. Tantawy; N.R. Mostafa; and T.F Mohamed (2000):** Potential of some plant products as grain protectants against *Sitophilus granarius* (L.) and *Sitophilus oryzae* (L.) 2- Efficacy of certain plant extracts. J. Union Arab Biol. Cairo , Vol. (13A) Zoology : 545-562 .
- (22)- **Tantawy M.M.; N.R. Mostafa; M.S. Fouad and T.F. Mohamed (2000):** Potential of

some plant products as grain protectants against *Sitophilus granarius* (L.) and *Sitophilus oryzae* (L.). 3- Efficacy of certain plant oils. J. Union Biol. Cairo, Vol. (13A) Zoology: 455 – 471.

- (23)- **Fouad, M.S.; A.H. Gharib and S.H. Gad El-Hak (2000):** Effect of Kind of food and larval density on the growth and development of *Carpophilus hemipterus* (L.) (Coleoptera; Nitidulidae). 8th Conf. Agric. Dev. Res. M Fac., Ain Shams Univ. Cairo, Egypt, Nov. 2000.
- (24)- **Fouad, M.S. (2003):** Effect of rock phosphate fertilization and some plant extracts on the population density of certain sucking pests, predators and yield of anise plants. The 2nd conference of Agricultural & Biological Research Division prospects of the Recent Agricultural Research. April 21-23.
- (25)- **Fouad, M.S. (2004):** Effect of different concentrations of some commercial foliar fertilizers and some plant extracts on the population density of certain sucking pests, predators and yield of coriander plants. The 11th international conference and Exhibition. Marketing strategies for Medicinal Herbs, Spices, Essential oils and functional food ingredients. September 28th – 30th, 2004. Cairo, Egypt.
- (26)- **Fouad, M.S. (2004):** Effect of different colors of packing material and some organic acids against *Oryzaephilus surinamensis* infesting dates. The 2nd International Conference on Date Pal. 6-8 October, 2004 El-Arish, Egypt.
- (27)- **Fouad, M.S. (2005):** Effect of neem seed oil (*Azadirachta indica* A Juss) with some wheat varieties for the control of the Khapra beetle, *Trogoderma granarium*. Egypt. J. Agric. Res., 83(2), 2005.
- (28)- **Fouad, M.S. (2006):** Potential of combining some wheat varieties with each of anise and coconut oil for the control of Khapra beetle, *Trogoderma granarium* Everts. 12th International Conference and Exhibition Recent Trends in Medicinal and Aromatic plant, production, Manufacture & Marketing (Current and Prospective status) Giza-Egypt, 21-23 November, 2006.
- (29)- **Fouad, M.S. (2006):** The biology of bruchidae and mechanism of resistance in different pulse seeds to the bruchid beetles infestation. The 3rd Int. Conf., for Develop and the Environ. In the Arab World, March, 21-23, 2006 Assiut University Center for Environmental Studied Egypt.
- (30)- **Fouad, M.S. (2007):** Relationship between trypsin and ∞ -amylase inhibitors of certain broad bean (*Vicia faba* L.) varieties and the resistance to the cowpea weevil, (*Callosobruchus maculatus*). The Third Annual International Scientific Conference of the Egyptian Society of Environmental Toxicology 17-20 April, 2007 Hurgada, Egypt.

- (31)- **Fouad, M.S. (2007):** Effect of insect infestation by *Trogoderma granarium* Everts on the nutritive value and weight loss of some varieties 1st International Conference on Materials Science & Nanotechnology (Future challenges). December 2-4, 2007 National Research Center- Cairo- Egypt.
- (32)- **Fouad, M.S., S.F. Mahmoud and M.M. Sabry(2009):** Seasonal abundance and generation numbers of the California red scale insect, *Aonidiella aurantii* (Mask.) infesting Mango trees in South Egypt Egypt. J. Agric Res., 87(1).

List of Publication: Prof. Dr. Alaa El Din Abdel Alim

- Karaman, G. A.; El-Sherif, M.; Abobaker, M. and Gad El-Hak, S. (1983). Reaction of some cowpea cultivars to the infection of the Root-Knot nematode *Meloidogyne* spp. Proc. 5th Arab Pesticides Conf., Tanta Univ., 3: 79-87.
- Karaman, G. A.; Ali, M. A.; Mostafa, N. R. and Abdel-Alim, A. (1983). Studies on the population trends of the whitefly *Bemisia tabaci* (Gennadius) and its parasite *Eretmocerus* sp. on soybean plants in Minia Region. Proc. 5th Arab Pesticides Conf., Tanta Univ., 5, 80-85
- Karaman, G. A.; Mostafa, N. R.; Ali, M. A. and Abdel-Alim, A.-(1983). An insect host-parasite relationship as exemplified by *Bemisia tabaci* (Gennadius) and *Eretmocerus* sp. Proc. 5th Arab Pesticides Conf., Tanta Univ., 5: 91-97
- Karaman, G. A.; Ali, M. A.; Mostafa, N. R. and Abdel-Alim, A. (1983). "Host preference of the whitefly *Bemisia tabaci* (Gennadius) (Homoptera: Aleyrodidae). Proc. 5th Arab Pesticides Conf., Tanta Univ., 5: 101--118
- Karaman, G. A.; Mostafa, N. R.; Ali, M. A. and Abdel-Alim, A. (1983). The simultaneous effect of certain weather factors on the population activity of the whitefly *Bemisia tabaci* (Gennadius) in Minia Region. *Minia J. Agric. Res& Dev.*, 5: No. (2): 153-167.
- Mostafa, N. R.; Karaman, G. A.; Ali, M. A. and Abdel-Alim, A. (1983). Effect of different levels of nitrogen fertilization on the population density of the whitefly *Bemisia tabaci* (Gennadius) infesting soybean plants. *Minia J. Agric. Res & Dev.*, 5No. (2): 143-151.
- Karaman, G. A.; Mostafa, N. R.; Ali, M. A. and Abdel-Alim, A. (1984). Studies on the age structure and age specific population trend of the whitefly *Bemisia tabaci* (Gennadius) infesting soybeans in Middle Egypt. *Minia J. Agric. Res& Dev.*, 6: No. (1): 1-14.
- Karaman, G. A.; Mostafa, N. R., and Abdel-Alim, A. (1984). Studies on the seasonal fluctuations and vertical distribution of the different developmental stages of the whitefly *Bemisia tabaci* (Gennadius) infesting soybean plants in Minia region Presented in the 5th Conf. of the African Organization for Entomology, Cairo, (1984).
- Karaman, G. A.; Gharib, A. H. and Abdelalim, A. A. (1992). Studies on the ladybeetle *Coccinella undecimpunctata* L. and its endoparasite *Tetrastichus Coccinelli* Kudj. *Minia J. Agric. Res & Dev.*, 14: No. (1): 261-269.
- Hamouda, S.H.; Abdel Alim, A.; Karaman, G. A. and EI-Hadary, W.A. (2005). Behavioral studies on the Purple lined borer, *Chrysomelids Agamemnon Blesz.* and its egg parasitoid *Tricogramma evanescens* Westwood in sugarcane fields of Sonag Governorate. *Assiut Journal of*

Agricultural Science. Vol. 36, No. 4 : 189-203.

Karaman, G. A.; Abdel-Alim, A.A.; Hamouda, S.H. and EI-Hadary, W.A. (2005). Studies on the population density of the purple Lind borer *Chilo Agamemnon* Blesz. On sugarcane crop in Sohag Governorate. *Minia J. of Agric. Res. & Develop.* Vol. (25) No. 3: 551- 568.

Hussein, S.M.; Makady, M.A. and Abd- El Alim, A.A.(1994): Susceptibility of cotton whitefly, *Bemisia tabacii* (Genn.) (Aleyrodidae, Homoptera) to selected insecticides, their mixtures and their synergism with DEF. *Shashpa*, 1: (1), 69-74.India

Fouad, M.S. and A.A. Abd El-Alim (1994): Comparative efficacy of some plant oils against *Sitophilus granarius* (L) infesting wheat grain *Bull. Ent. Soc. Egypt, Econ. Ser.*, 21: 65-74.

Abd El-Alim, A.A.; M.S. Fouad and A.A. El-Sayed (1995): Effect of phosphorus fertilization and gibberellic acid on the population density of certain insects and yield of Chamomile plants. *Minia J. Agric. Res. & Dev.*, 17(1): 11-22

LIST OF PUBLICATIONS : أ.د. عبدالسلام انور محمد

- Eshbah, H.M.; F.F. Ahmed; A.A. Mohamed and N.A. Shoriet (1995): Feasibility of controlling Varroa mite in honeybee colonies using natural and synthetic substances. 1st Int. Conf. pest control, Mansoura. Egypt, 59 – 67.
- Eshbah, H.M; M.N. Shoreit.; A.A. Mohamed, . And A.M. Khattaby, (1994): Improvement of some characters of the pure local Carniolan honeybee , *Apis mellifera carnica* L.in the isolated Dakhla Oasis, Egypt. Minia J.Agric. & Dev., 16(1) :119-128 .
- Eshbah, H.M, M.N. Shoreit; A.A. Mohamed, . And, Omar, M.S. (1995): Ecological studies on the beewolf *Philanthus triangulum* (Fabricius) in Dakhla Oasis, New Valley, Egypt, 6th Nat. Conf Pest. & Dis. Vegetables & Fruits in Egypt, 101-117..
- Attallah, M.A.; H.M. Eshbah ; M.N. Shoreit; A.A. Mohamed, and M.S Omar, . (1995) : Biological and behavioral studies on *Philanthus triangulum* (Fabricius) in New Valley, Egypt. 6th Nat. Conf. pest & Dis. Vegetables & Fruits in Egypt, 43-52.
- Attallah, M.A.; Moftah, E.A.; H.M Eshbah; A.A.Mohamed and N.A.Eyssa (1995) : Effect of Protein feeding on the development of honeybee and the chemical composition of royal jelly. 6th Nat. Conf. pest. & Dis. Vegetables & Fruits in Egypt, 88-100 .
- Attallah, M.A.: , E.A. Moftah; H.M Eshbah; A.A.Mohamed and N.A. Eyssa, . (1995) : Royal jelly production of two honeybee races (*Apis - mellifera* L.) in different seasons in Minia region, Egypt. 6th Nat. Conf. Pest. & Dis. Vegetables & Fruits in Egypt :129-135.
- Hassan, A.R; H.M. Eshbah;; A.A.Mohamed; S.O. Mahmoud and M .A Hassan. (2010) : Quantitative and qualitative studies on different pollen types collected by honeybee colonies in Dakhla Oasis, New Valley. Minia 2nd conf. Agric. Environ. Sci. 373-384.
- Hassan, A.R and Mohamed, A.A(2003) Effects of captivity environmental conditions of honeybee queens on their acceptance, performance, and longevity. Journal of Entomological Research- SHASHPA 10(1): 19-25.
- Hassan, A.R, and Mohamed, A.A (2003) Studies on some factors affecting Varroa mite reproduction. Journal of Entomological Research- SHASHPA 10(2):115-122.
- Mohamed, A.A and Hassan, A.R(1998) Effects of thermal treatment on the mortality of developmental stages of the greater wax moth (*Galleria mellonella* L.) .Journal of Entomological Research- SHASHPA,5(2):175-180
- Mohamed, A.A and Hassan, A.R(1998) Effects of thermal treatment on the mortality of developmental stages of the greater wax moth (*Galleria mellonella* L.) .Journal of

LIST OF PUBLICATIONS: أ.د. حصافى محمد كمال الدين ميروك عشبه

- 1- Eshbah H . M. and M.A. Makadey (1990): Citrus nectar and pollen in relation to honeybee activity Minia J. Agric. Res . & Dev., 12 (2): 697 – 711.
- 2- Ibrahim S.A. ; H.M. Eshbah and A.M. Younis (1990): Effects of long – term exposure of three – chitin synthesis inhibitors on the survival , brood production and food consumption of the honeybee ,*Apis mellifera* L. Minia J. Agric . Res. and Dev., 12(4) : 2229-2250 .
- 3- Hosafy M. Eshbah (1990) : *Varroa jacobsoni* Oudemans: A new parasitic mite on honey bee colonies in Minia Region, Egypt. Minia J . Agric. Res. & Dev. 12(4) : 2193-2202 .
- 4- Atallah M.A. ; F.K. Aly and H.M. Eshbah (1987): Comparative morphometrical investigations of the Egyptian, Carniolan and Italian honeybee races in Minia Region. Minia J. Agric . Res. & Dev., 9(3): 1307 – 1319 .
- 5- Aly, F.K.; H.M.Eshbah and M. A . Makadey (1988): Studies on the proboscis and corbiculae measurements of three races of honeybee in relation to honey and pollen production in Middle Egypt. Minia J. Agric.Res. & Dev., 10(2) : 551 – 560.
- 6- Ibrahim, S.A.; H.M. Eshbah and A.M. Younis (1989): toxicity and residuality of selected insect growth regulators (IGR,s) / insecticider mixtures of honeybees (Hymenoptera : Apidae). Minia J.Agric. Res& Dev., 11 (4): 1891- 1906.
- 7- Gharib , A.H.; H.M. Eshbah and M.A. Makady (1990):Effect of *Bacillus thuringiensis* toxins on honeybee. *Apis mellifera* L .Minia J.Agric. Res. & Dev. 12(3) :437 – 1444 .
- 8- Eshbah, H.M.; S.A. Ibrahim and M.A. Makadey (1990): Attempts to control the parasitic mite, *Varroa jacobsoni* Quedemons infesting honeybee colonies in Minia Region ..Minia J. Agric. Res. & Dev., 12(3) :1783-1798.
- 9- Eshbah , H.M. and F.k. Aly (1990): Morphological studies on the Female mite *Varroa jacobsoni* Oud-Parasitizing on honeybee *Apis mellifera* L. Minia J. Agric . Res. & Dev. 12(3) : 1799 – 1806 .
- 10- Ahmed. F.F.; H.M. Eshbah and M.A.Mohamed (1991): Alternative desirable effects between honeybees (as pollinator) and Anna apple trees (as source of nectar and pollen) in Samalout Region. Minia J.Agric. Res & Dev., 13(1): 461-4770.
- 11-Eshbah, H.M.; F.F. Ahmed; A.A. Mohamed and N.A. Shoriet 1995) : Feasibility of controlling *Varroa* mite in honeybee colonios using natural and synthetic substances. 1st

- Int. Conf. pest control, Mansoura. Egypt, 59 – 67.
- 12- Seleim. Z.M.; A.A Abu El-Magd, and H.M Eshbah,. (1992) :Eff jacobsoni (Ectoparasite of honeybees) on the humoral immune response of adult Apis mellifera . J. Egypt . Soc. Toxicol., Vol. 8, 53-56.
 - 13- Ahmed, F.F. and H.M Eshbah,. (1993): Influence of some growth regulators on productivity of different citrus species in relation to the activity of honeybees. Minia 1 st Conf. Hort. Crops, 787-801.
 - 14-Eshbah, H.M; M.N Shoreit.; A.A Mohamed,. And A.M. Khattaby, (1994):Improvement of some characters of the pure local Carniolan honeybee , Apis mellifera carnica L.in the isolated Dakhla Oasis, Egypt. Minia J.Agric. & Dev., 16(1) :119-128 .
 - 15- Eshbah, H.M. and F.F Ahmed,. (1994) :Screening certain natural products and organic acids for controlling Varroa mite, Varroa jacobsoni Oudemans. Shashpa, 1(1) : 53-62 .
 - 16- Eshbah, H.M, M.N Shoreit; A.A Mohamed,. And, Omar, M.S. (1995): Ecological studies on the beewolf Philanthus triangulum (Fabricius) in Dakhla Oasis, New Valley, Egypt, 6th Nat. Conf Pest. & Dis. Vegetables & Fruits in Egypt, 101-117..
 - 17- Eshbah, H.M.(1996): Efficiency of honeybees in pollination and productionof nectar and pollen in different cultivars of plum. 4th Arabic Conf Hort Crops, Minia, Egypt, March, 1996, 595-603.
 - 18- Eshbah, H.M. (1996): Some aspects on the activity of honeybee colonies during the blooming period of coriander. 4th Arabic Conf Hort Crops, Minia,Egypt. March, 1996, 419-4300
 - 19- Eshbah. H.M.; F.F. Ahmed.; , M.A. El-Sayed. and M.R. Abdel Mouden. (1995): Physiological studies of the effect of some insect pollination and fertilization with phosphorus and magnesium treatments on balady mandarin trees (Citrus reticulate Blanco) .The effect on various insect pollinators, number of honeybee work and the amount of nectar and its sugar concentration . J .Agric. Sci., Mansooura Univ., 20(4) : 1703-1712.
 - 20- Attallah, M.A.; H.M. Eshbah ; M.N. Shoreit; A.A. Mohamed, and M.S Omar,. (1995) : Biological and behavioral studies on Philanthus triangulum (Fabricius) in New Valley, Egypt. 6th Nat. Conf. pest & Dis. Vegetables & Fruits in Egypt, 43-52.
 - 21- Attallah, M.A.; Mofteh, E.A.; H.M Eshbah; A.A.Mohamed and N.A.Eyssa (1995) : Effect of Protein feeding on the development of honeybee and the chemical composition of royal jelly. 6th Nat. Conf. pest. & Dis. Vegetables & Fruits in Egypt, 88-100 .
 - 22- Attallah, M.A.: , E.A. Mofteh; H.M Eshbah; A.A.Mohamed and N.A. Eyssa,. (1995) : Royal

- jelly production of two honeybee races (Apis - mellifera L.) in different seasons in Minia region, Egypt. 6th Nat. Conf. Pest. & Dis. Vegetables & Fruits in Egypt :129-135.
- 23- Hassan, A.R; H.M. Eshbah; A.A.Mohamed; S.O. Mahmoud and M .A Hassan. (2010) : Quntitative and qualitative studies on different pollen types collected by honeybee colonies in Dakhla Oasis, New Valley. Minia 2nd conf. Agric. Environ. Sci. 373-384.
- 24- Taha A., A; H.M. Eshbah and M.M.El Sayed (2010): Antibacterial activity of some natural products extracted from aromatic plants against Paenibacillvs Larvae. The Six. Inter. Conf..of Sustian. Agric. & Develop. Fac.of Agric., Fayoum Univ., 27 – 29, 12, 2010
- 25- Taha A., A; H.M. Eshbah, Mahmoud M.E and M.M.El Sayed.. (2012): Antifungal action of some natural products against fungi responsible for chalkbrood and stonebrood diseases infect broad of the honey bee. In the proceeding of Minia internacional conferencié for Agricultur and irrigación in the Nile basin countries, 26th- 29th March 2012

LIST OF PUBLICATIONS: أ.د. سيد حسن حسين حموده

- Karaman, G. A.; Ali, F.K. ; Makady, M.M. and Hamouda, S. (1994). Population growth staticus for the ladybeetle *Coccinella Undecimpunctata aegyptiaca* Riche as affected by feeding on different aphid species. 5th Arab Congress of Plant Protection, Fez, Moraco, 27th November - 2nd December, 1994.
- Karaman, G. A.; Makady, M.M. ; Aly, F.K. and Hamouda, S.H. (1998). Effect of feeding the ladybeetle *Coccinella Undecimpunctata aegyptiaca* Reiche. on different aphid species on fecundity and longevity of the adult stage. Arab J. PI. Prot. 16 (1): 3 - 6.
- Karaman, G. A.; Aly, F.K.; Makady, M.M. and Hamouda, S.H. (1999). Effect of different aphid species as prey on development of the immature stages o f the ladybeetle *Coccine//a Undecimpunctata aegyptiaca* Reiche. ' 39th Scientific week, Demascus , Syria, 4-9 November 1999.
- Karaman, G. A.; Abdel-Alim, A.A.; Hamouda, S.H. and EI-Hadary, W.A. (2005). Studies on the population density of the purple Lind borer *Chilo Agamemnon* Blesz. On sugarcane crop in Sohag Governorate. Minia J. of Agric. Res. & Develop. Vol. (25) No. 3: 551- 568.
- Younis A. M.; S. H. Hamouda; S. A. Ibrahim; Z. A. M. Zeitoun (2007): Field evaluation of certain pesticides against the cotton bollworms with special reference to their negative impact on beneficial arthropods, Minia Region, Minia, Egypt. African Crop Science Conference Proceedings, Minia University, El-Minia, Egypt, 27-31 October, 2007, Volume 8, Part 2 of 4: 993-1002.
- Fouad, M.S.; S.H.H. Hamouda and Y.T. Abd El-Mageed (2001): Effect of Rhizobium inoculation and phosphorus application on population density of certain insects and yield of mungbean and cowpea in Minia region Minia J.Agric. Res & Develop. 21 (2): 287-313.
- Hamouda, S.H.H.; F.K. Aly and M.S. Fouad (2001): Relative abundance of sucking insects and their predators on different plant densities of black cumin and coriander, and the estimation of injury threshold and yield loss. Minia J. Agric. Res & Dev., 21 (2): 315-332.
- Fouad, M.S.; A.H. Gharib and S.H.H. Hamouda (2000): Effect of certain agricultural practices and non-chemical materials on insect pests, predators and yield of Roselle plants in Minia region. J. Agric. Se. Mansoura Univ., 25(11): 7129 – 7144.
- Karaman, G. A.; Mouftah, E.A.; Hamouda, S.H. and Marwa, F.K. Aly (2007). Coexistence of certain sucking insect pests and their associated predators on three vegetable crops in Minia Region. Minia J. of Agric. Res. & Develop. Vol. (27) No. 5: 1025 -1 040.

Hamouda, S. H. H.; Karaman, G. A.; Mouftah, E.A. and Marwa, F. K. Aly (2008). Relative susceptibility of certain vegetable crops to leafminer, *Liriomyza congesta* (Beck) infestation and its control. *Minia J. of Agric. Res. & Develop.* Vol. (28) No. 2 : 213 - 233.